

**THERMA TRU®**  
DOORS

2025 FIBERGLASS & STEEL CATALOG



MANIFEST YOUR OUTER HOME

## Manifest your outer home.

**We reinvented the door,  
so you can reinvent your  
first impression.**

Thanks to decades of material science expertise, Therma-Tru doors are made from super-natural, better-than-nature materials proven to outlast and outperform wood and steel.

Therma-Tru doors seamlessly blend beauty and durability to add incredible value and stunning curb appeal. They're designed to enhance your home's aesthetic and character, and keep their allure season after season. Choosing a Therma-Tru door means designing an inspired entrance with the confidence that it will perform for years to come.





---

## Table of Contents

2	<b>INTRODUCTION</b>
28	<b>PATIO, STORM &amp; VENT</b>
36	<b>CLASSIC CRAFT.</b>
100	<b>FIBER-CLASSIC. &amp; SMOOTH-STAR.</b>
115	<b>ENLITEN™ FLUSH-GLAZED DESIGNS</b>
208	<b>STEEL</b>
232	<b>FIRE DOORS</b>
236	<b>PULSE.</b>
250	<b>FINISH OPTIONS</b>
257	<b>DOOR SYSTEM COMPONENTS</b>
272	<b>SPECIAL QUOTE PROGRAM</b>
273	<b>3'6" WIDTH OPTIONS CHART</b>
274	<b>7'0" &amp; 6'6" HEIGHT OPTIONS CHARTS</b>
276	<b>PRODUCT DETAILS</b>
278	<b>INDEX</b>
291	<b>TRADE RESOURCES</b>

We've designed the only door you'll ever need.

**Proven to perform, protect and preserve.**

A Therma-Tru® complete door system is the culmination of **more than 60 years of expertise in material science, engineering and manufacturing**. We design on-trend entryways and test them against extreme environmental conditions — far beyond industry standards — to ensure maximum durability and safety. And we back our systems with comprehensive, industry-leading warranties.



Since we manufacture or specify every part of our complete door system, we can test every part — ensuring that each component meets our highest standards, and yours. A Therma-Tru door system **provides unmatched performance** when it matters most — for exceptional protection against water infiltration, improved energy efficiency and unparalleled durability.

### 1 ENLITEN™ FLUSH-GLAZED GLASS

Intentional design for exceptional performance — sleek flush-glazed glass provides increased energy efficiency<sup>1</sup> and superior sound dampening.

### 2 BALL-BEARING HINGES

Our ball-bearing hinges have been slam-tested to sustain daily use by a family of four for **more than 150 years**.

### 3 WEATHERSTRIPPING

Provides two points of contact and a form-fitting barrier for extra protection against leaks.

### 4 PRESSURE-INJECTED FOAM CORE

Our fiberglass doors feature a pressure-injected foam core that offers **4X more insulation** than a wood door.<sup>2</sup>

### 5 SILL, SWEEP & CORNER PADS

When the door is closed, an enhanced seal provides elevated protection against water infiltration.

### 6 SILL PAN

Catches and drains water away from the home while offering an added layer of defense for the home's subfloor.



<sup>1</sup>Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

<sup>2</sup>Comparison of R-values of fiberglass to wood doors (both without glass).

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

Homeowners want to be confident that their home is safe and secure — offer a door system that delivers continuous protection against forced entry, **providing invaluable peace of mind.**

**1 COMPOSITE DOOR FRAME**

Our rot-free composite door frame is **50% stronger** at resisting forced entry than wood.<sup>1</sup>

**2 MULTI-POINT LOCKING SYSTEM**

Engages the door frame at the top, middle and bottom, providing continuous protection along the door edge for enhanced security vs. a traditional deadbolt.

**3 FIBERGLASS DOORS**

Fiberglass entry doors are tough, providing **30% more protection** against forced entry than steel.<sup>2</sup>



Learn more about a Therma-Tru complete door system.

<sup>1</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>2</sup>Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit [thermatru.com](http://thermatru.com) for details. Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

A Therma-Tru® entryway offers **exceptional beauty that withstands the test of time**. From our industry-first fiberglass — made from a proprietary blend of advanced materials — to our innovative PrismaGuard finish, our door systems are built to last.

### 1 FLUSH-GLAZED GLASS

Choose beautiful glass built directly into the door, protected by a comprehensive warranty that covers accidental glass breakage during construction or installation.

### 2 PRE-FINISHED PRISMAGUARD. DOORS

Today's homeowners expect perfection — PrismaGuard offers an **impeccable, factory-applied finish** that meets the toughest expectations.

### 3 FIBERGLASS DOORS

A durable fiberglass skin resists dents and dings, providing unsurpassed beauty for a lifetime.



# Tru-Defense: The Ultimate Protection

A Therma-Tru® door system with Tru-Defense system components provides enhanced protection against water infiltration backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider. With a Tru-Defense system, you are eligible for a reimbursement of up to \$2,500 should an issue arise.<sup>1</sup>



## DOUBLE YOUR PEACE OF MIND

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility.<sup>2</sup> Look for the (⊕) icon.

## How to choose a Tru-Defense® system:

### 1 SELECT ANY THERMA-TRU FIBERGLASS DOOR SLAB



### 2 CHOOSE YOUR COMPONENTS

**Door Frame**

**Bottom Sweep**  
(Inswing Only)

**Corner Seal Pads**  
(Inswing Only)

**Astragal**  
(Double Doors)

**Composite Adjustable Sill**

**Hinges** (Any)

**Weatherstrip** (Any)

**Rain Guard**  
(Outswing Only)

### 3 ADD ANY RECOMMENDED COMPONENTS FOR ENHANCED PROTECTION

**Multi-Point Locking System**  
(MPLS)

**Sill Pan**

## Tru-Defense Warranty Rider

### LEVELS OF REIMBURSEMENT

System Includes	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan) <sup>3</sup>	\$250	\$500
Latch & Deadbolt with Sill Pan <sup>3</sup>	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

<sup>1</sup>If water infiltrates solely as a result of non-conformities in the Tru-Defense door system.

<sup>2</sup>The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

<sup>3</sup>Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

# Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.

## DID YOU KNOW?



On average, a home is burglarized in the U.S. **every 4 minutes**.<sup>1</sup>



More than half of home burglaries occur **during the daytime**.<sup>1</sup>

## THERMA-TRU® COMPOSITE DOOR FRAME

Our rot-free composite door frame is 50% stronger at resisting forced entry than wood.<sup>2</sup>

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.



<sup>1</sup>Source: FBI Crime Data Explorer.

<sup>2</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>3</sup>Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit [thermatru.com](http://thermatru.com) for details.



## MATERIAL MYTHS

### Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.<sup>2</sup>
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.<sup>2</sup>
- Wood doors and steel doors may weaken over time with exposure to the elements.

## THERMA-TRU FIBERGLASS DOOR SLAB


Up to 30% more resistant to kick-ins than standard steel doors.<sup>3</sup>

Features durable construction that can withstand impact by absorbing and deflecting the force.<sup>3</sup>

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Fiberglass will not dent or rust, nor will it warp, split, crack or rot.


## THERMA-TRU GLASS

- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.



Pendulum Impact Test

# Energy-Efficient Options for Every Home



Therma-Tru has options to meet ENERGY STAR® requirements in all **50 states**.

ENERGY STAR provides simple, credible and unbiased information that homeowners rely on to make well-informed decisions.

Products that earn the ENERGY STAR label are independently certified to meet strict standards for energy efficiency set by the U.S. Environmental Protection Agency (EPA).



## A Therma-Tru® door can help lower your interest rate.

Choosing an ENERGY STAR-certified door from Therma-Tru can help you qualify for an energy-efficient mortgage.<sup>1</sup>

## Year-round comfort, no matter the weather.


Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

**NEW**

Select flush-glazed full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements indicated in **gold** starting on page 117.



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.



Scan to view qualifying products.

# Advanta® Lite Frame

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®



**ADVANTA**  
LITE FRAME



Four-piece design includes two interchangeable frame covers and a two-piece base frame.

**NEW** Advanta lite frame clear and privacy glass now include options that meet ENERGY STAR requirements in all 50 states, featuring triple-pane construction with a Low-E coating.

## A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 130; Profiles and Traditions, starting on page 213; and Pulse, starting on page 240.

## AVAILABLE ENERGY STAR®-CERTIFIED GLASS OPTIONS



**LIFETIME**  
LIMITED WARRANTY  
Fiber-Classic,  
Smooth-Star, Pulse  
Fiberglass

**10 YEAR**  
LIMITED WARRANTY  
Profiles, Traditions,  
Pulse Steel



As Awarded by The Chicago Athenaeum: Museum of Architecture and Design.

## Recently Launched Products

### Impact-Rated Full-Lite Flush-Glazed Glass Designs for Smooth-Star® Doors

Starting on page 117.



### Flush-Glazed Half-Lite 1-Panel Shaker Doors & Sidelites for Smooth-Star® Doors

7'0" now available starting on page 125.



### 8'0" Smooth-Star® Doors & Sidelites with Elevated Bottom Rail

Starting on page 117.





A modern, minimalist house with a white exterior and a prominent red door. The house features a mix of materials, including wood paneling on the upper portion and a covered porch area. It is nestled in a dense forest of tall, green trees, with sunlight filtering through the foliage. The overall aesthetic is clean and natural.

Together, let's  
make a world  
of difference.

We're doing our part to build a better world, every chance we get. Therma-Tru. Thrive is our commitment to make safe and sustainable products, support the communities where we live and work, and leave a positive, lasting impact on the environment.

**THERMA TRU**  
THRIVE™

## Making life better at home.

Our complete door systems are built to help protect against energy loss and break-ins, helping people stay safe and comfortable at home.

Fiberglass doors have up to four times the insulating R-Value of wood<sup>1</sup>. Ours feature a polyurethane foam core, an **energy-efficient insulating material**.

5+ years on the leading edge of the industry, **reducing harmful chemicals** from our PrismaGuard® paints and stains.

Our door systems are **tested for 300 lbs. of forced-entry resistance**. (AAMA 1304)



**GREEN BUILDER**  
SUSTAINABLE  
BRAND LEADER 2024

## Helping take care of our planet.

Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

Therma-Tru is proud to be **recognized as the 2024 Brand Leader<sup>2</sup>** by *Green Builder* magazine for offering durable, well-insulated products.

Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of **Yellowstone National Park**.

## Being a good neighbor.

For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

**Building homes** for those in need with Habitat for Humanity.


**Providing entryways** for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.

**Hosting blood and donation drives** to support the American Red Cross.



<sup>1</sup>Comparison of fiberglass to wood doors (both without glass).  
<sup>2</sup>Brand Index, 2024 *Green Builder* magazine.

# Make a Smart Investment



## Make a great first impression.

A front door is nearly impossible to ignore when walking into a home and, for potential homebuyers, first impressions are critical. How attractive a home is from the exterior tends to set expectations for the interior and beyond.

In fact, in a recent survey, **44% of homeowners said they were more likely to purchase a home with an enhanced entry**, and one in three homeowners said they were willing to pay a premium for one.<sup>1</sup>



**One in three** homeowners said they were willing to pay a premium for an enhanced entry.<sup>1</sup>

<sup>1</sup>Not a guarantee of investment returns, increase in value or selling price. See 2021 Therma-Tru National Home Valuation Study surveying real estate agents about perceived remodeled home value estimates based on exterior appearance. Not based on actual home sales data. Results may vary based on region, door style and home style. Study was commissioned by Therma-Tru and conducted by the Farnsworth Group, an independent research provider.  
Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and installation instructions.

# The Beauty of Choice

The architectural beauty of a Therma-Tru® door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



## DOOR SELECTIONS

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 20–21.



## DECORATIVE & SPECIALTY GLASS

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 22–25.



## FINISH OPTIONS

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard® premium finish and Same-Day® Stain on pages 250–256.



## DOOR SYSTEM COMPONENTS

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 4–7.

# Designed for peace of mind.

## LIFETIME LIMITED WARRANTIES

We stand behind more parts and for longer than most other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by our comprehensive lifetime limited warranties.



Classic Craft  
Transferable



Fiber-Classic,  
Smooth-Star, Pulse  
Fiberglass

## QUALITY TESTING

Our doors, glass and components undergo thorough testing to help ensure they will live up to a homeowner's toughest quality and performance expectations.

We even have our own engineering lab — approved to perform specific test methods with a third-party witness — as part of our ongoing commitment to ensuring that our products live up to our high standards for durability and reliability.



# Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

## The Classic Craft® Series Pages 36–95

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

**LIFETIME**  
LIMITED WARRANTY  
Transferable



**Fir Grain**



**Walnut Grain**



**Mahogany Grain**



**Canvas**





## Fiber-Classic® & Smooth-Star® Collections Pages 100–201


The industry's first fiberglass door delivers the look and feel of real wood grains — or a smooth, paintable surface — with excellent performance and value.



**Mahogany Collection™**



**Oak Collection™**



**Smooth-Star®**

## Steel Pages 208–231

Bring style and affordability together to create very attractive results with our steel doors.



Door & Glass



Door



Glass



Fiberglass



Steel



**Profiles™**



**Traditions**



**Ari**



**Línea**



**Echo**

## Pulse® Pages 236–249

A contemporary series of door styles and glass designs that can be combined to make a bold statement.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

Left Page: Classic Craft Walnut Grain Door – CCW8902L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Lynx

# Glass Options

## DECORATIVE & SPECIALTY GLASS


A Therma-Tru® door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and coming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on ENERGY STAR qualified products.



Contributes to an energy-efficient home.



## TRIPLE-PANE CONSTRUCTION

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

## INTERNAL BLINDS

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, EnLiten™ flush-glazed designs and Impact-rated options.

Available in **Fiber-Classic**., **Smooth-Star**., **Profiles**™ and **Traditions** doors and sidelites.



Right Page: Smooth-Star, Clear Glass with SDLs,  
Door - S6042, Finish - Alpine

## PRIVACY & TEXTURED GLASS

Therma-Tru doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in **Classic Craft**, **Fiber-Classic**, **Smooth-Star**, **Profiles**, **Traditions** and **Pulse** doors and sidelites.

### Glass Privacy Rating Scale

Glass privacy ratings are measured on a scale of 1 to 10, with 1 being clear and 10 being the most opaque, private option.



## LOW-E GLASS

Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

Available in **Classic Craft**, **Fiber-Classic**, **Smooth-Star**, **Profiles**, **Traditions** and **Pulse**. Look for the ☀️ icon.

## DIVIDED LITES

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.


- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Available in **Classic Craft**, **Fiber-Classic**, **Smooth-Star**, **Profiles** and **Traditions**.

# EnLiten™ Flush-Glazed Designs

## for Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (🔥💧) icons.



### STRENGTH IS BUILT IN

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



**NEW** Select full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.

<sup>1</sup>Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

<sup>2</sup>Must be installed as part of a Thermo-Tru door system in compliance with a Thermo-Tru product approval. Check product approvals before purchasing. Note: See your Thermo-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left Page Top Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven

Left Page Bottom: Smooth-Star, Internal Blinds, Doors – S2600

Right Page: Smooth-Star, Granite Glass with SDLs, Door – S83400XN, Sidelites – S85225XNSL, Finish – Peregrine



## DURABLE BY DESIGN

Intentional design for exceptional performance — sleek flush-glazed glass provides increased energy efficiency<sup>1</sup> and superior sound dampening.



### Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



### 11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.<sup>1</sup>



### Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50),<sup>2</sup> (ASTM-E330)


## EnLiten Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 115 for details.

Tough when you need it. Beautiful always.

### High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.




### Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

**1 Use the map as a guide to find out if you need product for WBDR or HVHZ.**

Always confirm building code requirements in your area before buying.<sup>1</sup>

**2 Use the icons to find available Therma-Tru® product options in this catalog.**



**WBDR / HVHZ Options:** Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

**3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.<sup>1</sup>**

**4 Make sure the product is installed in compliance with the product approval to meet building codes.**

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

<sup>1</sup>Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

**NEW** WBDR full-lite flush-glazed styles starting on page 117.




## IMPACT OPTIONS

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.<sup>1</sup>



### Doors

Feature a built-in 24-gauge steel plate.



### Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



### NEW Flush-Glazed Glass

Offers clean style and an increased daylight opening.



### Glass

Features special laminated glass construction.



### Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile.

## OTHER CONSIDERATIONS



### Fire Doors

See pages 232–235.



### Noise Reduction Doors

See page 197.



### Elevated 10" Bottom Rail

Look for the (E) symbol.

# Hinged Patio Door Systems

Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.



A Therma-Tru patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.



- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Frame Components

### VENTED SIDELITES

Enjoy the view — and a fresh breeze, too.

- 8 Multi-Point Locking System (Included)
- 9 Removable Screens
  - Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
  - Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the ( ● ) symbol.

#### Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

### PATIO TRANSOMS


Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T




19050T

Classic Craft, starting on page 96.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 202.

# Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, they have been quality tested for compatibility with Therma-Tru® entry door systems.



<sup>1</sup>Adjusts quickly for 32"-36" doors. If less than 32", a hacksaw is required for one cut to each track.

<sup>2</sup>Based on average DIY skills and standard door application, widths 32"-36".


<sup>3</sup>Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.




## AVAILABLE SIZES

(Available for most inswing units.)



**Single Door System**  
Widths: 32"-36"  
Heights: 6'6", 6'8", 8'0"



**French Door System**  
Widths: 68"-73"  
Heights: 6'6", 6'8", 8'0"



Installation is quick and easy, taking approximately 30 minutes.<sup>2</sup>

## AVAILABLE COLOR OPTIONS

Coordinates with exterior trim.<sup>3</sup>



White





Brown



Black

## AVAILABLE CONFIGURATIONS



See your Therma-Tru seller for details on product availability and ordering.

## WARRANTY COVERAGE

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.



Classic Craft  
Transferable



Fiber-Classic,  
Smooth-Star, Pulse  
Fiberglass



Profiles, Traditions,  
Pulse Steel



LIFETIME  
LIMITED WARRANTY

# Impressions™ Integrated Storm & Entry Door System


The first of its kind, the Impressions storm and entry door system<sup>1</sup> integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



**1** Choose a **Therma-Tru. entry door** to create an entry that complements your home's architectural style.



**2** The Impressions system comes standard with **composite brickmould** and an aluminum storm door panel. For added protection from rotting and to match the brickmould, choose a **composite frame featuring Tru-Guard™ composite technology.**



**3** The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's **flat-profile composite brickmould.**

<sup>1</sup>Patent pending.

<sup>2</sup>The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.

<sup>3</sup>Not suitable for use with Therma-Tru grip-style handlesets.




Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

**THE STORM DOOR IS EASY TO INSTALL AT THE JOBSITE**

The concealed hinges featuring retractable pins **4** and the revolutionary hidden closer with Click&Hold™ technology **5** enable a quick and intuitive installation experience. After the installation of the entry door, install the closer, sweep and hardware. Then, follow these three simple steps to complete the job.



Scan the QR code to learn more about storm door panel installation.



**6 ALUMINUM STORM DOOR OPTIONS**

**Available Sizes & Configurations**

Choose Low-E or clear glass.  
Interchangeable screen panel included.



**IM100**  
3'0" x 6'8"  
2'8" x 6'8"

**IM8100**  
3'0" x 8'0"  
2'8" x 8'0"

**Color Options**

Features a maintenance-free finish.




**White**  
Color-matched to PrismaGuard Alpine.



**Gray**  
Color-matched to PrismaGuard Granite.



**Brown**  
Color-matched to PrismaGuard Elk and complements most stain options.



**Black**  
Color-matched to PrismaGuard Onyx.

**7 QUICKFIT™ HANDLESETS<sup>3</sup>**



**Straight**



**Curved**



Brushed Nickel



Aged Bronze



Matte Black



Brass



Antique Brass


Curved Only



Single



Single with 1 Sidelite<sup>2</sup>



Single with 2 Sidelites<sup>2</sup>

**WARRANTY COVERAGE**

The Impressions integrated storm and entry door system is included in Therma-Tru's full-system limited warranty.

# Veris™

COLLECTION

Open to possibilities.

The Veris Collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.


## THE VERIS™ COLLECTION



Pivot Doors



Hinged Doors



Folding Doors



Sliding Doors





## NEW SATIN GLASS

Subtle privacy glass with a smooth, seamless finish, delivering understated elegance.

Veris privacy glass provides optimal performance and privacy while allowing natural light to brighten the interior. Double-pane construction allows for an easy-to-clean surface.



Experience the Veris Collection.



Scan the QR code to view the complete Veris Collection catalog.

Explore options and see it in your home with our visualizer at [veriscollection.com](https://www.veriscollection.com).

Classic Craft<sup>®</sup>

## An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Bottom: Classic Craft Mahogany Grain, Borrassa Glass, Door - CCM81519

Right Page: Classic Craft Mahogany Grain, Clear Glass with SDLs, Doors - CCM8306CAL, CCM8306CAR





## Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.



Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven  
 Middle: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Acorn  
 Bottom: Classic Craft Walnut Grain Door – CCW8906R, Low-E Direct Set Sidelite – DRS82131SL, Finish – Lynx

## Comprehensive warranties for peace of mind.

**LIFETIME**

LIMITED WARRANTY

Classic Craft  
Transferable

Uniquely designed by Therma-Tru, Classic Craft® complete entryway systems are backed by an industry-leading lifetime limited warranty that can be transferred one time to a new owner, should you ever sell your home.

**10 YEAR**

LIMITED WARRANTY

Classic Craft Finish  
Transferable

In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty — Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our warranties at [thermatru.com/warranty](http://thermatru.com/warranty).



## Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.



## Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



### ENGINEERED FOR MOISTURE PROTECTION

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



### DESIGNED WITH AUTHENTICITY

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider<sup>1</sup> to welcome more natural light into the home.




### TESTED TO WITHSTAND MOTHER NATURE

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



### THERMA-TRU. DOOR FRAME

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



<sup>1</sup>Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit [thermatru.com](http://thermatru.com) for details.

<sup>2</sup>Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8907L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn

Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley

Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass Sidelites – CCV100SL, Finish – Indigo



### DESIGNED FOR LONG-TERM PERFORMANCE

Features fiberglass skins that are 46% thicker<sup>1</sup> for added durability and better long-term performance.



### TRIPLE-PANE CONSTRUCTION

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



### CRAFTED FOR A TRUE-TO-WOOD APPEARANCE

Revolutionary AccuGrain<sup>®</sup> technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



### BUILT FOR STRENGTH AND SECURITY

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.<sup>1</sup>



### CONSTRUCTED FOR ENERGY EFFICIENCY

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.<sup>2</sup>

## True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

AccuGrain.  
TECHNOLOGY



### FIR GRAIN

Designed to echo the grain of the largest species of American Hemlocks — the Western Hemlock tree — found in lush coastal rainforests of the Pacific Northwest.




### WALNUT GRAIN

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



### MAHOGANY GRAIN

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.



### CANVAS

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.





# Decorative & Specialty Glass Designs

## Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray antique glass. An ideal complement for a Transitional home design.


### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

## Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines ① narrow reeded glass, ② M seedy glass, ③ waterglass and coming in a symmetrical arrangement accented by ④ pale amber glass, ⑤ amber antique glass and ⑥ clear bevels.

### GLASS SHAPES



### GLASS PRIVACY RATING



Note: The use of pale amber and amber antique glass varies based on glass size. Refer to the image on page 52 to see an example on a home.



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Augustine.

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

### GLASS SHAPES




Corresponding sidelites feature Granite glass without wrought iron.

### GLASS PRIVACY RATING



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 69 to see an example on a home.



Wrought Iron

## Borrassa.

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 1 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

### GLASS SHAPES




Corresponding sidelites feature Hammered glass without wrought iron.

### GLASS PRIVACY RATING



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 36 to see an example on a home.




Wrought Iron

# Decorative & Specialty Glass Designs *Continued*

## Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel




Brushed Nickel


## Longford™

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of 1 curved, 2 diamond and 3 rectangular bevels surrounded by smooth, swirling 4 barn wood and heavily textured 5 diamond border glass.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel




Brushed Nickel

## Zaha®

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.


### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

# Privacy & Textured Glass



## Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.



**GLASS PRIVACY RATING**



## Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.



**GLASS PRIVACY RATING**



## Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.



**GLASS PRIVACY RATING**



## Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.



**GLASS PRIVACY RATING**



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.



### Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.



#### GLASS PRIVACY RATING



### Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.



#### GLASS PRIVACY RATING



## Also Available:

### Low-E Glass



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.





## Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

### Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (  ) icon.

4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the (  ) icon.



(40.64 mm / 1.6 in.)  
Look for the (  ) icon.



(107.95 mm / 4.25 in.)  
Look for the (  )  
and (  ) icons.



(139.70 mm / 5.5 in.)  
Look for the (  )  
and (  ) icons.



Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the (  ) and (  ) icons.



(40.64 mm / 1.6 in.)  
Look for the (  ) icon.

Mahogany Grain



(40.64 mm / 1.6 in.)  
Look for the (  ) icon.

Fir Grain

Canvas

Note: See your Thermo-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Riders.

Top: Classic Craft Canvas, Low-E Glass with SDLs, Door – CCV960, Sidelites – CCV9020SL, Transom – 19220T, Finish – Cypress  
Right Page: Classic Craft Fir Grain, Reeded Glass with SDLs, Door – CCA2320XK, Sidelites – CCA2320XKSL, Finish – Rustic Clay

# Flush-Glazed Sticking Profiles

EnLiten™ flush-glazed designs feature a seamless look with simple profile around the glass. Look for the (🔥) and (💧) icons.




**Detailed Sticking**  
Look for the (🔥) icon.



**Square Sticking (Fir Grain)**  
Look for the (💧) icon.



**Square Sticking (Mahogany Grain)**  
Look for the (💧) icon.



**EnLiten™ Flush-Glazed Warranty Riders**  
for Construction & Installation, and Homeowners.  
See page 115 for details.



## Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



**Classic Craft. Fir Grain 4-Block Dentil Shelf**



**Classic Craft. Fir Grain 4-Block Dentil Shelf<sup>1</sup>**



**Classic Craft. Fir Grain 16-Block Dentil Shelf**



**Classic Craft. Canvas 4-Block Dentil Shelf**



**4-Block Dentil Shelf**  
Shown on 3'6" x 8'0" door.



**4-Block Dentil Shelf**  
Shown on 3'0" x 8'0" door.

<sup>1</sup>Pairs with 3'6" wide doors.

Top: Classic Craft Fir Grain, Arborwatch Glass, Door – CCA9100, Sidelites – CCA1423SL, Finish – Autumn Harvest; Dentil Shelf  
Right Page: Classic Craft Mahogany Grain Door – CCR205, Finish – Raven; Clavos & Strap Hinges



## Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



1-1/2"



1-1/4"



1"



1-3/4"



1-1/4"



1"



18"



# Full Lites



Mahogany Grain

Canvas

## Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Wrought Iron (1W)

## HOMeward™



Mahogany

CCR9925  
3'0" x 6'8"



Mahogany

CCR9925SL  
 12" x 6'8"  
14" x 6'8"



Canvas

CCV9925  
3'0" x 6'8"



Canvas

CCV911SL  
 12" x 6'8"  
14" x 6'8"

## ARBORWATCH™



Mahogany

CCR1423  
3'0" x 6'8"



Mahogany

CCR1423SL  
 12" x 6'8"  
14" x 6'8"



Canvas

CCV1423  
3'0" x 6'8"



Canvas

CCV1423SL  
 12" x 6'8"  
14" x 6'8"

## AUGUSTINE™



Mahogany

CCR30027  
3'0" x 6'8"



Mahogany

CCR3400XNSL  
 12" x 6'8"  
14" x 6'8"



Canvas

CCV10027  
3'0" x 6'8"



Canvas

CCV100XNSL  
 12" x 6'8"  
14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

**BORRASSA. X**



Mahogany

CCR1528  
3'0" x 6'8"



Mahogany

CCR3400XHSL  
12" x 6'8"  
14" x 6'8"



Canvas

CCV1528  
3'0" x 6'8"



Canvas

CCV100XHSL  
12" x 6'8"  
14" x 6'8"

**PROVINCIAL.™**



Mahogany

CCR30028  
3'0" x 6'8"



Mahogany

CCR3408SL  
12" x 6'8"  
14" x 6'8"

**LONGFORD.™**



Canvas

CCV10028  
3'0" x 6'8"



Canvas

CCV108SL  
12" x 6'8"  
14" x 6'8"



Mahogany

CCR30023  
3'0" x 6'8"



Mahogany

CCR3407SL  
12" x 6'8"  
14" x 6'8"



Canvas

CCV10023  
3'0" x 6'8"



Canvas

CCV103SL  
12" x 6'8"  
14" x 6'8"

**LUCERNA.™**



Mahogany

CCR10022  
3'0" x 6'8"



Mahogany

CCR3412SL  
12" x 6'8"  
14" x 6'8"



Canvas

CCV10022  
3'0" x 6'8"



Canvas

CCV3412SL  
12" x 6'8"  
14" x 6'8"

# Full Lites


Continued



Fir Grain



Mahogany Grain



Canvas

## Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Elevated 10" Bottom Rail Options

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XK = Reeded
- XJ = Chinchilla
- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite

## ZAHA.



Mahogany

CCR1851  
3'0" x 6'8"



Mahogany

CCR1851SL  
 12" x 6'8"  
14" x 6'8"



Canvas


CCV1851  
3'0" x 6'8"



Canvas


CCV1851SL  
 12" x 6'8"  
14" x 6'8"

## PRIVACY & TEXTURED




Fir

CCA2300  
 3'0" x 6'8"



Fir


CCA82300  
 3'0" x 8'0"



Fir

CCA2310  
 3'0" x 6'8"


CCA82310  
 3'0" x 8'0"



Fir

CCA2330  
 3'0" x 6'8"


CCA82330  
 3'0" x 8'0"



Fir

CCA2340  
 3'0" x 6'8"

CCA82340  
 3'0" x 8'0"



Fir

CCA2380  
 3'0" x 6'8"


CCA82380  
 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.



Fir

CCA2350\_\*  
 3'0" x 6'8"


CCA82350\_\*  
 3'0" x 8'0"



Fir

CCA2360\_\*  
 3'0" x 6'8"


CCA82360\_\*  
 3'0" x 8'0"



Fir

CCA2370\_\*  
 3'0" x 6'8"


CCA82370\_\*  
 3'0" x 8'0"



Fir

CCA4900\_\*  
 3'0" x 6'8"


CCA84900\_\*  
 3'0" x 8'0"



Fir

CCA4910L\_\*  
 3'0" x 6'8"


CCA4910R\_\*  
 3'0" x 6'8"



Fir

CCA84910L\_\*  
 3'0" x 8'0"


CCA84910R\_\*  
 3'0" x 8'0"



Fir

CCA4920L\_\*  
 3'0" x 6'8"

CCA4920R\_\*  
 3'0" x 6'8"



Fir

CCA84920L\_\*  
 3'0" x 8'0"


CCA84920R\_\*  
 3'0" x 8'0"



Fir

CCA4930\_\*  
 3'0" x 6'8"


CCA84930\_\*  
 3'0" x 8'0"



Fir

CCA4940\_\*  
 3'0" x 6'8"

CCA84940\_\*  
 3'0" x 8'0"



Fir

CCA2400\_\*  
 3'0" x 6'8"

CCA82400\_\*  
 3'0" x 8'0"

# Full Lites

Continued



Fir Grain

## Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Elevated 10" Bottom Rail Options

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.

- XK = Reeded
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

## PRIVACY & TEXTURED



Fir

CCA2300\_SL CCA82300\_SL  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Fir

CCA2310\_SL CCA82310\_SL  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Fir

CCA2320\_SL CCA82320\_SL  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"




Fir

CCA2330\_SL CCA82330\_SL  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Fir


CCA2340\_SL CCA82340\_SL  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Fir

CCA2400\_SL CCA82400\_SL  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"

## LOW-E



Fir

CCA2300 CCA82300  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA2310 CCA82310  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA2320 CCA82320  
 3'0" x 6'8" | 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.


Note: See page 277 for important product details that may help with your purchase decision.



Fir

CCA2330  
 ▲ ★ 3  
 3'0" x 6'8"

CCA82330  
 ▲ ★ 3 E  
 3'0" x 8'0"



Fir

CCA2340  
 ▲ ★ 3  
 3'0" x 6'8"

CCA82340  
 ▲ ★ 3 E  
 3'0" x 8'0"



Fir

CCA2380  
 ▲ ★ 5  
 3'0" x 6'8"

CCA82380  
 ▲ ★ 5 E  
 3'0" x 8'0"



Fir

CCA2350  
 ▲ ★ 5  
 3'0" x 6'8"

CCA82350  
 ▲ ★ 5 E  
 3'0" x 8'0"



Fir

CCA2360  
 ▲ ★ 5  
 3'0" x 6'8"

CCA82360  
 ▲ ★ 5 E  
 3'0" x 8'0"



Fir

CCA2370  
 ▲ ★ 4  
 3'0" x 6'8"


CCA82370  
 ▲ ★ 4 E  
 3'0" x 8'0"



Fir

CCA4900  
 ▲ ★ 3  
 3'0" x 6'8"


CCA84900  
 ▲ ★ 3 E  
 3'0" x 8'0"



Fir

CCA4910L  
 ▲ ★ 3  
 3'0" x 6'8"

CCA4910R  
 ▲ ★ 3  
 3'0" x 6'8"



Fir

CCA84910L  
 ▲ ★ 3 E  
 3'0" x 8'0"

CCA84910R  
 ▲ ★ 3 E  
 3'0" x 8'0"



Fir

CCA4920L  
 ▲ ★ 5  
 3'0" x 6'8"

CCA4920R  
 ▲ ★ 5  
 3'0" x 6'8"

# Full Lites


Continued



Fir Grain



Mahogany Grain




Canvas


## Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Simulated Divided Lites (SDLF6)
- Elevated 10" Bottom Rail Options


## LOW-E



Fir		Fir	
CCA84920L	CCA84920R	CCA4930	CCA84930
3'0" x 8'0"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"



Fir		Fir		Fir	
CCA4940	CCA84940	CCA2400	CCA82400	CCA2300SL	CCA82300SL
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	12" x 6'8"	12" x 8'0"
				14" x 6'8"	14" x 8'0"



Fir		Fir		Fir	
CCA2310SL	CCA82310SL	CCA2320SL	CCA82320SL	CCA2330SL	CCA82330SL
12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA2340, Sidelite - CCA2400SL, Finish - Rustic Clay



Fir

CCA2340SL  
12" x 6'8"  
14" x 6'8"

CCA82340SL  
12" x 8'0"  
14" x 8'0"



Fir

CCA2400SL  
12" x 6'8"  
14" x 6'8"

CCA82400SL  
12" x 8'0"  
14" x 8'0"



Mahogany

CCR30020  
3'0" x 6'8"



Mahogany

CCR2025SL  
12" x 6'8"  
14" x 6'8"



Mahogany

CCR3400SL  
12" x 6'8"  
14" x 6'8"



Canvas

CCV10020  
3'0" x 6'8"




Canvas

CCV950SL  
12" x 6'8"  
14" x 6'8"



Canvas

CCV100SL  
12" x 6'8"  
14" x 6'8"





Mahogany Grain

Canvas

Key

- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)



Mahogany

CCM2801 | CCM82801  
 ▲ 3'0" x 6'8" | ▲ 3'0" x 8'0"



Mahogany

CCM9923  
 3'0" x 6'8"



Mahogany

CCR9925SL | CCR89925SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Canvas

CCV9922 | CCV89922  
 3'0" x 6'8" | 3'0" x 8'0"

ARBORWATCH. ◆ ■■



Canvas

CCV911SL | CCV8111SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Mahogany

CCM81418  
 3'0" x 8'0"



Mahogany

CCM1419  
 3'0" x 6'8"



Mahogany

CCR1423SL | CCR81423SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"

AUGUSTINE. ✕



Canvas

CCV1418 | CCV81418  
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1423SL | CCV81423SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Mahogany

CCM805027  
 3'0" x 8'0"



Mahogany

CCM1485  
 3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany  
CCM1495  
3'0" x 6'8"

Mahogany  
CCR3400XNSL | CCR8000XNSL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

Canvas  
CCV05027 | CCV805027  
3'0" x 6'8" | 3'0" x 8'0"

Canvas  
CCV100XNSL | CCV8100XNSL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

**BORRASSA. X**



Mahogany  
CCM81519  
3'0" x 8'0"


Mahogany  
CCM1475  
3'0" x 6'8"

Mahogany  
CCM1465  
3'0" x 6'8"

Mahogany  
CCR3400XHSL | CCR8000XHSL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

Canvas  
CCV1519 | CCV81519  
3'0" x 6'8" | 3'0" x 8'0"

**LONGFORD™** ◆



Canvas  
CCV100XHSL | CCV8100XHSL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

Mahogany  
CCM892  
3'0" x 8'0"

Mahogany  
CCM203  
3'0" x 6'8"

Mahogany  
CCM303  
3'0" x 6'8"

# 3/4 Lites

Continued



Mahogany Grain

## Canvas

### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDLF6)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XK = Reeded
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

## LONGFORD™ ◆ ❏



Mahogany	Mahogany		Canvas		Canvas	
CCM3303SL ▲ 12" x 6'8" 14" x 6'8"	CCR3407SL ▲ 12" x 6'8" 14" x 6'8"	CCR8007SL ▲ 12" x 8'0" 14" x 8'0"	CCV05023 3'0" x 6'8"	CCV805023 3'0" x 8'0"	CCV103SL ▲ 12" x 6'8" 14" x 6'8"	CCV8103SL ▲ 12" x 8'0" 14" x 8'0"

## LUCERNA◆ ◆ ❏



Mahogany		Mahogany		Mahogany
CCM2802 ▲ 3'0" x 6'8"	CCM82802 ▲ 3'0" x 8'0"	CCR3412SL ▲ 12" x 6'8" 14" x 6'8"	CCR8102SL ▲ 12" x 8'0" 14" x 8'0"	CCM204 3'0" x 6'8"



Mahogany	Mahogany	Canvas		Canvas	
CCM302 3'0" x 6'8"	CCM3302SL ▲ 12" x 6'8" 14" x 6'8"	CCV05022 3'0" x 6'8"	CCV805022 3'0" x 8'0"	CCV3412SL ▲ 12" x 6'8" 14" x 6'8"	CCV8102SL ▲ 12" x 8'0" 14" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

\*Not available with Chinchilla (XJ) glass.

Note: See page 277 for important product details that may help with your purchase decision.




Mahogany

CCR3408SL | CCR8008SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 ▲ 14" x 6'8" | ▲ 14" x 8'0"



Canvas

CCV05028 | CCV805028  
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV108SL | CCV8108SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 ▲ 14" x 6'8" | ▲ 14" x 8'0"



Mahogany

CCM2803 | CCM82803  
 ▲ 3'0" x 6'8" | ▲ 3'0" x 8'0"



Mahogany

CCR1851SL | CCR81851SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 ▲ 14" x 6'8" | ▲ 14" x 8'0"



Mahogany

CCM1844  
 3'0" x 6'8"



Mahogany

CCM1842  
 3'0" x 6'8"




Mahogany

CCM1843SL  
 ▲ 12" x 6'8"  
 ▲ 14" x 6'8"



Canvas

CCV1843 | CCV81843  
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1851SL | CCV81851SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 ▲ 14" x 6'8" | ▲ 14" x 8'0"

PRIVACY & TEXTURED



Mahogany

CCM2804\_\* | CCM82804\_\*  
 ▲ 6 | ▲ 6  
 3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCM2806\_\* | CCM82806\_\*  
 ▲ 6 | ▲ 6  
 3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCM2812\_\* | CCM82815\_\*  
 ▲ 6 | ▲ 6  
 3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCM2800\_\* | CCM82800\_\*  
 ▲ 6 | ▲ 6  
 3'0" x 6'8" | 3'0" x 8'0"

# 3/4 Lites

Continued



Mahogany Grain

## Canvas

### Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDL6)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XE = Satin Etch**      **XR = Rainglass**
- XC = Chord**        **XN = Granite**
- XJ = Chinchilla**

## PRIVACY & TEXTURED



Mahogany

CCM200XC  
CCM200XN  
3'0" x 6'8"



Mahogany

CCM300XC  
CCM300XN  
3'0" x 6'8"



Mahogany

CCR2025\_SL    CCR82035\_SL  
        
12" x 6'8"      12" x 8'0"  
14" x 6'8"      14" x 8'0"



Mahogany

CCR3400\_SL    CCR8000\_SL  
        
12" x 6'8"      12" x 8'0"  
14" x 6'8"      14" x 8'0"



Canvas

CCV05020XC  
CCV05020XN  
3'0" x 6'8"



Canvas

CCV950\_SL    CCV8950\_SL\*  
        
12" x 6'8"      12" x 8'0"  
14" x 6'8"      14" x 8'0"



Canvas

CCV100\_SL    CCV8100\_SL\*  
        
12" x 6'8"      12" x 8'0"  
14" x 6'8"      14" x 8'0"

## LOW-E



Mahogany

CCM2804    CCM82804  
          
3'0" x 6'8"    3'0" x 8'0"



Mahogany

CCM2806    CCM82806  
          
3'0" x 6'8"    3'0" x 8'0"



Mahogany

CCM2812    CCM82815  
          
3'0" x 6'8"    3'0" x 8'0"



Mahogany

CCM2800  
 3'0" x 6'8"

CCM82800  
 3'0" x 8'0"



Mahogany

CCR2025SL  
 12" x 6'8"  
 14" x 6'8"

CCR82035SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

CCR3400SL  
 12" x 6'8"  
 14" x 6'8"

CCR8000SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

CCM200  
 3'0" x 6'8"



Mahogany

CCM300  
 3'0" x 6'8"



Mahogany

CCM3300SL  
 12" x 6'8"  
 14" x 6'8"



Canvas

CCV05020  
 3'0" x 6'8"

CCR805020  
 3'0" x 8'0"



Canvas

CCV950SL  
 12" x 6'8"  
 14" x 6'8"

CCR8950SL  
 12" x 8'0"  
 14" x 8'0"



Canvas

CCV100SL  
 12" x 6'8"  
 14" x 6'8"

CCR8100SL  
 12" x 8'0"  
 14" x 8'0"





Mahogany Grain

Canvas

Key

- ◆ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)

Optional Accessories



Clavos

Strap Hinge

HOMEWARD™ ◆ ▣



Mahogany

CCR9921 3'0" x 6'8"  
 CCR89921 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR9919 3'0" x 6'8"  
 CCR89919 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR9918 3'0" x 6'8"  
 CCR89918 3'0" x 8'0"



Mahogany

CCR822218 3'0" x 8'0"  
 3'6" x 8'0"



Canvas

CCV9919 3'0" x 6'8"  
 CCR89919 3'0" x 8'0"



Canvas

CCV9918 3'0" x 6'8"  
 CCR89918 3'0" x 8'0"

ARBORWATCH® ◆ ▣



Mahogany

CCR1417 3'0" x 6'8"  
 CCR81417 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR1415 3'0" x 6'8"  
 CCR81415 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR1414 3'0" x 6'8"  
 CCR81414 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Augustine Glass, Door – CCR20527, Finish – New Earth

**AUGUSTINE. X**



Mahogany

CCR822214  
3'0" x 8'0"  
3'6" x 8'0"



Canvas

CCV1415 | CCV81415  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1414 | CCV81414  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR04027 | CCR804027  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20527 | CCR820527  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20027 | CCR820027  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822227  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR04037 | CCR804037  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"

**AUGUSTINE** *Continues on next page.*



**AUGUSTINE.X**

2/3 Lites

Continued




**Mahogany Grain**

**Canvas**

**Key**

- ◆ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (W)

**Optional Accessories**



Mahogany

CCR20537 3'0" x 6'8"  
CCR820537 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20037 3'0" x 6'8"  
CCR820037 3'0" x 8'0"



Mahogany

CCR20537A 3'0" x 6'8"  
CCR820537A 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20037A 3'0" x 6'8"  
CCR820037A 3'0" x 8'0"



Canvas

CCV20527 3'0" x 6'8"  
CCV820527 3'0" x 8'0"



Canvas

CCV22027 3'0" x 6'8"  
CCV822027 3'0" x 8'0"

**BORRASSA.X**



Canvas

CCV20537 3'0" x 6'8"  
CCV820537 3'0" x 8'0"



Mahogany

CCR1518 3'0" x 6'8"  
CCR81518 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1516 3'0" x 6'8"  
CCR81516 3'0" x 8'0"  
3'6" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCR1515 | CCR81515  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822215  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1514 | CCR81514  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1512 | CCR81512  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1511 | CCR81511  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR1512A | CCR81512A  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1511A | CCR81511A  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1516 | CCV81516  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1515 | CCV81515  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1512 | CCV81512  
3'0" x 6'8" | 3'0" x 8'0"

PROVINCIAL™ ◆



Mahogany

CCR804028  
3'0" x 8'0"



Mahogany

CCR820528  
3'0" x 8'0"

**PROVINCIAL™** ◆ ◆



Mahogany

CCR820028  
3'0" x 8'0"



Mahogany

CCR822228  
3'0" x 8'0"



Canvas

CCV820528  
3'0" x 8'0"



Canvas

CCV822028  
3'0" x 8'0"

**LONGFORD™** ◆ ◆



Mahogany

CCR04023 | CCR804023  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20523 | CCR820523  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20023 | CCR820023  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822223  
3'0" x 8'0"



Canvas

CCV20523 | CCV820523  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22023 | CCV822023  
3'0" x 6'8" | 3'0" x 8'0"

2/3 Lites

Continued



Mahogany Grain

Canvas

Key

- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)

Optional Accessories



Clavos



Strap Hinge

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCR04022 | CCR804022  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20522 | CCR820522  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20022 | CCR820022  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822222  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR804032  
3'0" x 8'0"



Mahogany

CCR820532  
3'0" x 8'0"



Mahogany

CCR820032  
3'0" x 8'0"



Mahogany

CCR820532A  
3'0" x 8'0"



Mahogany

CCR820032A  
3'0" x 8'0"

ZAHA. ◆ ::



Canvas

CCV20522 | CCV820522  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22022 | CCV822022  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV820532  
3'0" x 8'0"



Mahogany

CCR1841 | CCR81841  
3'0" x 6'8" | 3'0" x 8'0"

2/3 Lites

Continued



Mahogany Grain

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XE = Satin Etch      XR = Rainglass
- XG = Chord          XN = Granite

Optional Accessories



Clavos




Strap Hinge



Mahogany		Mahogany		Mahogany
CCR1839	CCR81839	CCR1838	CCR81838	CCR822238
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 8'0"



Mahogany	Mahogany	Mahogany	Mahogany
CCR81847	CCR81846	CCR81845	CCR81846A
3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"



Mahogany	Canvas		Canvas		Canvas
CCR81845A	CCV1839	CCV81839	CCV1838	CCV81838	CCV81846
3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

\*Not available with Satin Etch (XE) or Rainglass (XR) glass.

Note: See page 277 for important product details that may help with your purchase decision.

**PRIVACY & TEXTURED**



Mahogany

CCR04020\_\* | CCR804020\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20520\_\* | CCR820520\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20020\_\* | CCR820020\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822220\_\*  
3'0" x 8'0"



Mahogany

CCR804030\_\*  
3'0" x 8'0"



Mahogany

CCR820530\_\*  
3'0" x 8'0"



Mahogany

CCR820030\_\*  
3'0" x 8'0"



Mahogany

CCR820530A\_\*  
3'0" x 8'0"



Canvas

CCV20520\_\* | CCV820520\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22020\_\* | CCV822020\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV820530\_\*  
3'0" x 8'0"



Mahogany

CCM302L\_\* | CCM302R\_\*  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8302L\_\* | CCM8302R\_\*  
3'0" x 8'0" | 3'0" x 8'0"

**PRIVACY & TEXTURED**

2/3 Lites

Continued



**Mahogany Grain**

**Key**

Flush-Glazed Glass with Square Sticking (F6)

Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

**XE = Satin Etch      XR = Rainglass**  
**XC = Chord          XN = Granite**



Mahogany

CCM304L\_\_ | CCM304R\_\_  
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8304L\_\_ | CCM8304R\_\_  
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM303L\_\_ | CCM303R\_\_  
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8303L\_\_ | CCM8303R\_\_  
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM301CAL\_\_ | CCM301CAR\_\_  
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8301CAL\_\_ | CCM8301CAR\_\_  
 3'0" x 8'0" | 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCM305CAL\_ CCM305CAR\_  
 3'0" x 6'8" 3'0" x 6'8"



Mahogany

CCM8305CAL\_ CCM8305CAR\_  
 3'0" x 8'0" 3'0" x 8'0"



Mahogany

CCM306CAL\_ CCM306CAR\_  
 3'0" x 6'8" 3'0" x 6'8"

LOW-E



Mahogany

CCM8306CAL\_ CCM8306CAR\_  
 3'0" x 8'0" 3'0" x 8'0"



Mahogany

CCR04020 CCR804020  
 3'0" x 6'8" 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR20520 CCR820520  
 3'0" x 6'8" 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR20020 CCR820020  
 3'0" x 6'8" 3'0" x 8'0"



Mahogany

CCR822220  
 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR804030  
 3'0" x 8'0"



Mahogany

CCR820530  
 3'0" x 8'0"



Mahogany

CCR820030  
 3'0" x 8'0"

Continued



Mahogany Grain

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDLF6)

LOW-E



Mahogany

CCR820530A  
  
 3'0" x 8'0"



Mahogany

CCR820030A  
  
 3'0" x 8'0"



Canvas

CCV20520 | CCV820520  
 |   
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22020 | CCV822020  
 |   
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV820530  
  
 3'0" x 8'0"



Mahogany

CCM302L | CCM302R  
  |    
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8302L | CCM8302R  
  |    
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM304L | CCM304R  
   |     
 3'0" x 6'8" | 3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCM8304L | CCM8304R  
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM303L | CCM303R  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8303L | CCM8303R  
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM301CAL | CCM301CAR  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8301CAL | CCM8301CAR  
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM305CAL | CCM305CAR  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8305CAL | CCM8305CAR  
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM306CAL | CCM306CAR  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8306CAL | CCM8306CAR  
3'0" x 8'0" | 3'0" x 8'0"

1/2 Lites



Mahogany Grain

Canvas

**Key**

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

**XE = Satin Etch**

**HOMEWARD™**



Mahogany

CCM9926  
3'0" x 6'8"



Canvas

CCV9926  
3'0" x 6'8"

**ARBORWATCH™**



Mahogany

CCM1424  
3'0" x 6'8"



Canvas

CCV1424  
3'0" x 6'8"

**PROVINCIAL™**



Canvas

CCV06028  
3'0" x 6'8"

**LONGFORD™**



Mahogany

CCM603  
3'0" x 6'8"



Canvas

CCV06023  
3'0" x 6'8"

**LUCERNA™**



Mahogany

CCM612  
3'0" x 6'8"



Canvas

CCV06022  
3'0" x 6'8"

**PRIVACY & TEXTURED**



Mahogany

CCM600XE  
3'0" x 6'8"



Canvas

CCV06020XE  
3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Lucerna Glass, Door – CCV06022, Finish – Cabernet

LOW-E



Mahogany

CCM600

★  
3'0" x 6'8"



Canvas

CCV06020


★  
3'0" x 6'8"



# Craftsman



Fir Grain



Canvas



Fir

CCA231  
▲  
3'0" x 6'8"

CCA8231  
▲  
3'0" x 8'0"



Fir

CCA87132  
▲  
3'6" x 8'0"



Fir

CCA211  
▲  
3'0" x 6'8"

CCA8211  
▲  
3'0" x 8'0"

## Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XC = Chord
- XR = Rainglass
- XJ = Chinchilla
- XN = Granite

## Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf  
Pairs with 3'6" wide doors.



4-Block Dentil Shelf



Fir

CCA87112  
▲  
3'6" x 8'0"



Fir

CCA3401SL  
▲  
12" x 6'8"  
14" x 6'8"

CCA3501SL  
▲  
12" x 8'0"  
14" x 8'0"



Fir

CCA211SL  
▲  
12" x 6'8"  
14" x 6'8"



Canvas

CCV931  
▲  
3'0" x 6'8"



Canvas

CCV911  
▲  
3'0" x 6'8"



Canvas

CCV911SL  
▲  
12" x 6'8"  
14" x 6'8"



Canvas

CCV9011SL  
▲  
12" x 6'8"  
14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Fir

CCA9300  
▲ 3'0" x 6'8"

CCA89300  
▲ 3'0" x 8'0"



Fir

CCA87131  
▲ 3'6" x 8'0"



Fir

CCA9100  
▲ 3'0" x 6'8"

CCA89100  
▲ 3'0" x 8'0"



Fir

CCA87111  
▲ 3'6" x 8'0"



Fir

CCA1423SL  
▲ 12" x 6'8"

CCA81423SL  
▲ 14" x 6'8"



Fir

CCA9100SL  
▲ 12" x 6'8"

▲ 14" x 6'8"



Canvas

CCV4300  
▲ 3'0" x 6'8"



Canvas

CCV4100  
▲ 3'0" x 6'8"



Canvas

CCV1423SL  
▲ 12" x 6'8"

▲ 14" x 6'8"



Canvas

CCV4100SL  
▲ 12" x 6'8"

▲ 14" x 6'8"

PRIVACY & TEXTURED



Fir

CCA220\_▲  
▲ 3'0" x 6'8"

CCA8220\_▲  
▲ 3'0" x 8'0"



Fir

CCA87200XR  
▲ 3'6" x 8'0"



Fir

CCA230\_▲  
▲ 3'0" x 6'8"

CCA8230\_▲  
▲ 3'0" x 8'0"



Fir

CCA87300XR  
▲ 3'6" x 8'0"

# Craftsman

Continued



Fir Grain

Canvas

## Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XE = Satin Etch      XR = Rainglass
- XC = Chord          XN = Granite
- XJ = Chinchilla

## Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf  
Pairs with 3'6" wide doors.



4-Block Dentil Shelf

## PRIVACY & TEXTURED



Fir

CCA240\_\_\*    CCA8240\_\_\*  
 3'0" x 6'8"    3'0" x 8'0"



Fir

CCA87400XR  
 3'6" x 8'0"



Fir

CCA260\_\_\*    CCA8260\_\_\*  
 3'0" x 6'8"    3'0" x 8'0"



Fir

CCA87600XR  
 3'6" x 8'0"



Fir

CCA210\_\_\*    CCA8210\_\_\*  
 3'0" x 6'8"    3'0" x 8'0"



Fir

CCA87100XR  
 3'6" x 8'0"



Fir

CCA3450\_\_SL\*    CCA3560\_\_SL\*  
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"



Fir

CCA3400\_\_SL\*    CCA3500\_\_SL\*  
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"



Fir

CCA220\_\_SL\*  
 12" x 6'8"  
 14" x 6'8"



Fir

CCA210\_\_SL\*  
 12" x 6'8"  
 14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

\*Not available with Satin Etch (XE) glass.

Note: See page 277 for important product details that may help with your purchase decision.



Canvas

CCV920\_\*  
 ▲ ■  
 3'0" x 6'8"



Canvas

CCV930\_\*  
 ▲ ■  
 3'0" x 6'8"



Canvas

CCV940\_\*  
 ▲ ■  
 3'0" x 6'8"



Canvas

CCV960\_\*  
 ▲ ■  
 3'0" x 6'8"



Canvas

CCV910\_\*  
 ▲  
 3'0" x 6'8"



Canvas

CCV950\_SL  
 ▲ ■  
 12" x 6'8"  
 14" x 6'8"



Canvas

CCV8950\_SL\*  
 ▲ ■  
 12" x 8'0"  
 14" x 8'0"



Canvas

CCV100\_SL  
 ▲  
 12" x 6'8"  
 14" x 6'8"



Canvas

CCV8100\_SL\*  
 ▲  
 12" x 8'0"  
 14" x 8'0"

CCV920\_SL\*  
 ▲ ■  
 12" x 6'8"  
 14" x 6'8"

CCV910\_SL\*  
 ▲  
 12" x 6'8"  
 14" x 6'8"

**LOW-E**



Fir

CCA220  
 ▲ ■  
 3'0" x 6'8"

CCA8220  
 ▲ ■  
 3'0" x 8'0"



Fir

CCA87200  
 ▲ ■  
 3'6" x 8'0"



Fir

CCA230  
 ▲ ■  
 3'0" x 6'8"

CCA8230  
 ▲ ■  
 3'0" x 8'0"



Fir

CCA87300  
 ▲ ■  
 3'6" x 8'0"



Fir

CCA240  
 ▲ ■  
 3'0" x 6'8"


CCA8240  
 ▲ ■  
 3'0" x 8'0"

# Craftsman

Continued



Fir Grain



Canvas

## Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

## Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf

Pairs with 3'6" wide doors.



4-Block Dentil Shelf

## LOW-E



Fir

CCA87400  
  
 3'6" x 8'0"



Fir

CCA260 | CCA8260  
 |   
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA87600  
  
 3'6" x 8'0"



Fir

CCA210 | CCA8210  
 |   
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA87100  
  
 3'6" x 8'0"



Fir

CCA3450SL | CCA3560SL  
 |   
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Fir

CCA3400SL | CCA3500SL  
 |   
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Fir

CCA220SL  
  
 12" x 6'8"  
 14" x 6'8"



Fir

CCA210SL  
  
 12" x 6'8"  
 14" x 6'8"



Canvas

CCV920  
  
 3'0" x 6'8"



Canvas

CCV930  
  
 3'0" x 6'8"



Canvas

CCV940  
  
 3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA230, Sidelites - CCA3400SL, Finish - Raven



Canvas

CCV960

▲ ★ 🏠  
3'0" x 6'8"



Canvas

CCV910

▲ ★ 🏠  
3'0" x 6'8"



Canvas

CCV950SL

▲ ★ 🏠  
12" x 6'8"  
14" x 6'8"

CCV8950SL

▲ ★ 🏠  
12" x 8'0"  
14" x 8'0"



Canvas

CCV100SL

▲ ★ 🏠  
12" x 6'8"  
14" x 6'8"

CCV8100SL

▲ ★ 🏠  
12" x 8'0"  
14" x 8'0"



Canvas

CCV9020SL

▲ ★ 🏠  
12" x 6'8"  
14" x 6'8"



Canvas

CCV9010SL

▲ ★ 🏠  
12" x 6'8"  
14" x 6'8"



# Solid Panels



Fir Grain

## Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Door Divider Bars (DDBF3)
-  Door Divider Bars (DDBF4)
-  Door Divider Bars (DDBF5)
-  WBDR Options
-  Elevated 10" Bottom Rail Options



Fir

CCA1125	CCA81125
 	  
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA1149	CCA81149
 	  
3'0" x 6'8"	3'0" x 8'0"




Fir

CCA1127	CCA81127
 	  
3'0" x 6'8"	3'0" x 8'0"




Fir

CCA4905	CCA84905
 	  
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA4915L	CCA4915R
 	 
3'0" x 6'8"	3'0" x 6'8"



Fir

CCA84915L	CCA84915R
  	  
3'0" x 8'0"	3'0" x 8'0"



Fir

CCA4925L	CCA4925R
 	 
3'0" x 6'8"	3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Fir

CCA84925L CCA84925R  
  
 3'0" x 8'0" | 3'0" x 8'0"



Fir

CCA4935 CCA84935  
  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA4945 CCA84945  
  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1166 CCA81166  
  
 3'0" x 6'8" | 3'0" x 8'0"



Fir


CCA1158 CCA81158  
  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1147 CCA81147  
  
 3'0" x 6'8" | 3'0" x 8'0"

HOMeward™



Fir

CCA2420SL CCA82420SL  
  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"

ARBORWATCH™



Fir

CCA2410SL CCA82410SL  
  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.



Fir

CCA1100 CCA81100  
  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1133 CCA81133  
  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1145 CCA81145  
  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1150 CCA81150  
  
 3'0" x 6'8" | 3'0" x 8'0"

# Solid Panels

Continued



Walnut Grain

## Key

-  Low-E Glass (LE)
-  WBDR Options
-  Elevated 10" Bottom Rail Options



Walnut

<b>CCW1000</b>  	<b>CCW81000</b>  
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW900L</b> 	<b>CCW8900L</b> 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW900R</b> 	<b>CCW8900R</b> 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW901L</b> 	<b>CCW8901L</b> 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW901R</b> 	<b>CCW8901R</b> 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW902L</b> 	<b>CCW8902L</b> 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Note: See page 277 for important product details that may help with your purchase decision.

Bottom: Classic Craft Walnut Grain Door – CCW902R; Low-E Glass Direct Set Sidelites – DRS2131SL, Transoms – 19200T, 19210T, Finish – Shale

Right Page: Classic Craft Walnut Grain Door – CCW8906R; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Driftwood

For transoms, see page 94.

Note: Product images show exterior side of door.



Walnut

<b>CCW902R</b> 6	<b>CCW8902R</b> 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW903</b> 6	<b>CCW8903</b> 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW904L</b> 6	<b>CCW8904L</b> 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW904R</b> 6	<b>CCW8904R</b> 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW905</b> 9E	<b>CCW8905</b> 9E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW906L</b> 9	<b>CCW8906L</b> 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW906R</b> 9	<b>CCW8906R</b> 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW907L</b> 9	<b>CCW8907L</b> 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW907R</b> 6	<b>CCW8907R</b> 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

LOW-E



Direct Set

<b>DRS2131SL</b> *	<b>DRS82131SL</b> *
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"

# Solid Panels

Continued



**Mahogany Grain**



Mahogany

CCR100 | CCR8100  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCM890  
3'0" x 8'0"



Mahogany

CCR8222  
3'0" x 8'0"  
3'6" x 8'0"

## Canvas

### Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF6)
-  WBDR Options
-  WBDR / HVHZ Options

### Optional Accessories



Clavos



Strap Hinge



Mahogany

CCR100R | CCR8100R  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCR8005A  
3'0" x 8'0"



Mahogany

CCR205A | CCR8205A  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR200A | CCR8200A  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR8225  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR8005  
3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCR040  
3'0" x 6'8"

CCR8040  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR205  
3'0" x 6'8"

CCR8205  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR200  
3'0" x 6'8"

CCR8200  
3'0" x 8'0"



Mahogany

CCM60  
3'0" x 6'8"

**HAMMERED**



Mahogany

CCR2025XHSL  
12" x 6'8"  
14" x 6'8"

CCR82035XHSL  
12" x 8'0"  
14" x 8'0"



Canvas

CCV200  
3'0" x 6'8"



Canvas

CCV205  
3'0" x 6'8"

CCV8205  
3'0" x 8'0"



Canvas

CCV220  
3'0" x 6'8"

CCV8220  
3'0" x 8'0"



Canvas

CCV831  
3'0" x 8'0"



Canvas

CCV060  
3'0" x 6'8"



Canvas

CCV050  
3'0" x 6'8"

**HAMMERED**



Canvas

CCV950XHSL  
12" x 6'8"  
14" x 6'8"

CCV8950XHSL  
12" x 8'0"  
14" x 8'0"

# Transoms

Transoms can be stained or painted to match Classic Craft. door systems.

## HOMeward™ ◆ ❏



**HWRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**HW30T**  
3'0" Door Only

## ARBORWATCH. ◆ ❏



**ABRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only




**AB30T**  
3'0" Door Only

## LONGFORD™ ◆ ❏



**LFET**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LFRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LF30T**  
3'0" Door Only

## PROVINCIAL™ ◆ ❏



**CC040T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**CC420T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**CC400T**  
3'0" Door Only

## LUCERNA. ◆ ❏



**LCET**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LCRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LC30T**  
3'0" Door Only

## ZAHA. ◆ ❏



**ZHRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## LOW-E



Grille Sticks Applied



**19020T**  
\*  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19220T**  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19200T**  
\*  
3'0" Door Only



**19210T**  
\*  
12" & 14"  
Sidelite Only

### Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ❏ Brushed Nickel Caming (1C)

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door - CCV9925, Sidelites - CCV911SL, Transom - HWRT




# Classic Craft® Hinged Patio Doors

## A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.



## GRAIN & TEXTURE OPTIONS



Fir Grain



Mahogany Grain



Canvas

## GLASS OPTIONS



Low-E Glass




Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

### EnLiten™ Flush-Glazed Warranty Riders

See page 115 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

## AVAILABLE CONFIGURATIONS



■ = Available	Classic Craft
<b>Door Selections</b>	
Material	Fiberglass
Warranty	1x Transferable Lifetime
Finish Options	Stain or Paint
<b>Flush-Glazed Glass Selections</b>	
Low-E Glass with and without Divided Lites 🔥	■
Privacy & Textured Glass with and without Divided Lites 🔥	■
<b>Lip-Lite Glass Selections</b>	
Low-E Glass with and without Divided Lites	■
Privacy & Textured Glass with and without Divided Lites	■
<b>Available Sizes</b>	
Heights	6'8", 8'0"
Single Widths	3'0"
Double Widths	6'0"
Triple Widths	9'0"
Retrofit Openings	
<b>Additional Options</b>	
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame
<b>Impact-Rated Options</b>	
Tru-Defense Eligible	■

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.


## EnLiten™ Flush-Glazed Low-E Glass




### AVAILABLE COLLECTIONS

- Classic Craft® Fir Grain
- Classic Craft® Mahogany Grain

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS




## EnLiten™ Flush-Glazed Low-E Glass with Divided Lites




### AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White


# Low-E Glass




## AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain
- Classic Craft® Canvas

## AVAILABLE DOOR STYLES



## AVAILABLE CONFIGURATIONS



# Fiber-Classic® & Smooth-Star®

## Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offer options to fit virtually every entrance — from front entry to patio to utility doors — at an excellent value.

Top: Fiber-Classic Oak Collection, Salinas Glass, Door - FC115, Sidelite - FC115SL, Finish - Raven  
Bottom: Fiber-Classic Mahogany Collection, Saratoga Glass, Door - FCM6240, Finish - New Earth  
Right Page: Smooth-Star, Calix Glass, Door - S4521, Finish - Estuary





## Grain Options



### FIBER-CLASSIC® MAHOGANY COLLECTION™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



### FIBER-CLASSIC® OAK COLLECTION™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



### SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

## See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 250–256.



## Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 106.
- Lite frame options include Advanta® lite frame with no screw plugs and a standard Lip-lite frame, starting on page 130. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25–27" wide glass, starting on page 115.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



<sup>1</sup>Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit [thermatru.com](http://thermatru.com) for details.

<sup>2</sup>Comparison of fiberglass to wood doors (both without glass).

# Door Construction

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



## 1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

## 2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.<sup>1</sup> Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

## 3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

## 4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood<sup>2</sup>, Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.



**NEW** Select full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.

## Additional Options

-  WBDR Options: Look for this icon to find door styles that can be configured for WBDR.<sup>1</sup>
-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.<sup>1</sup>
-  Fire-Rated Options: Available on solid-panel doors. See pages 232–235.

### FLUSH-GLAZED OPTIONS

Look for these icons (🔥💧) to find doors styles with flush-glazed glass. See pages 116–129.

## Warranties

**LIFETIME** Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 277 for more information.  
LIMITED WARRANTY

-  Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners. See page 115 for more information.
-  Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense. Warranty Rider when properly assembled and installed with all Therma-Tru® specified system components, in accordance with the Rider. See page 8–9 for details.

	Fiber-Classic Mahogany Collection	Fiber-Classic Oak Collection	Smooth-Star
<b>■ = Available</b> <b>▪ = Not Applicable</b> <b>S = Stain</b> <b>P = Paint</b>			
<b>Door Widths</b>			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	▪	▪	■
<b>Door Heights</b>			
6'6"	▪	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
<b>Glass Options</b>			
Decorative	16	16	16
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	▪	▪	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Low-E	■	■	■
Clear	■	■	■
<b>Additional Options</b>			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■

### RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 28–29.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors



<sup>1</sup>Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Left: Smooth-Star, Clear Glass, Door – S8140  
Right Page: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL



## Vented Sidelites

Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. **In fact, only Therma-Tru offers vented sidelites with decorative glass.** Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens — available in bronze and white — are designed for worry-free use.



### AVAILABLE SIZES

Height	Width	
	12"	14"
6'6"	■	■
6'8"	■	■
8'0"		■

Note: Impact-rated options not available for vented sidelites. Advanta lite frame only available with 14" vented sidelites.

### AVAILABLE CONFIGURATIONS



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

# Decorative & Specialty Glass Designs

## Blackstone®

Traditional English design meets

1 clear curved bevels, 2 rainglass and coming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.

### PRIVACY RATING



Black Nickel




Brushed Nickel

## Crystalline™

This time-honored design features geometric styling brought to life with 1 glue chip glass, 2 glue chip bevels, 3 clear bevels and coming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.

### PRIVACY RATING



Black Nickel



Brushed Nickel

## Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with

1 slump glass, 2 clear bevels, 3 clear antique glass and coming.

### PRIVACY RATING



Black Nickel




Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Salinas®

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.

### PRIVACY RATING



Wrought Iron

## Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and coming. The curved design adds unique appeal.

### PRIVACY RATING



Black Nickel



Brushed Nickel

## Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels, 2 diamond glass, 3 reeded glass and coming. The geometric pattern bridges both modern and traditional designs.

### PRIVACY RATING



Black Nickel



Brushed Nickel

## Texas Star

Beautifully crafted with ① clear bevels, ② curved bevels, ③ clear waterglass, ④ granite glass, ⑤ glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

### PRIVACY RATING



Black Nickel



Brushed Nickel


## Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses ① clear baroque glass, ② clear curved bevels, ③ waterglass, ④ granite glass and coming to add beauty to any entry.

### PRIVACY RATING



Black Nickel



Brushed Nickel



Brass


## Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features ① oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.

### PRIVACY RATING



Wrought Iron



<sup>1</sup>Brass coming not available for Impact-rated products.


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Concorde™

There's just something friendly about Concorde's cheery four-leaf design.

1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.

### PRIVACY RATING



Black Nickel



Brushed Nickel




Brass

## Kensington™

Kensington speaks European elegance while offering modest privacy with its

1 clear bevels, 2 glue chip glass, 3 granite glass and caming.

### PRIVACY RATING



Black Nickel




Brushed Nickel

## Pembridge™

Simplistic in its design, Pembridge features a field of 1 hammered glass framed by 2 gray baroque glass and 3 multifaceted bevels. A central diamond shape adds a decorative touch.

### PRIVACY RATING



Black Nickel



Brushed Nickel



Brass<sup>1</sup>

Note: The use of gray baroque glass varies based on glass size.

## Axis®


Simple and smart, Axis combines

① narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of ② clear glass bevels completes this linear design, ideal for Modern home styles.

### PRIVACY RATING



Black Nickel



## Calix

Calix includes an on-trend "x" design and a delicate diamond pattern with ① clear glass, providing fine-lined geometric appeal.

### PRIVACY RATING



Black Nickel



Brushed Nickel



Brass


## Latitude

Latitude showcases ① seedy glass and simple curved details in a half-moon geometric design.

### PRIVACY RATING



Black Nickel



Brushed Nickel



Brass


<sup>1</sup>See your Therma-Tru seller for details on product availability.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Echelon

Echelon provides **1** clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.


### PRIVACY RATING



## Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- 1** Single-Hand Operator
- 2** Privacy Bar



## Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



## Privacy & Textured Glass



### REEDED

Privacy Rating: 7



### SATIN ETCH

Privacy Rating: 10



### CHORD

Privacy Rating: 10



### CHINCHILLA

Privacy Rating: 10



### RAINGLASS

Privacy Rating: 8



### GRANITE

Privacy Rating: 10

Also Available: **Low-E & Clear Glass**

# Divided Lites

Additional grid patterns can be created through our simulated divided lite (SDL) lineal program. See your Therma-Tru seller for details.

## SIMULATED DIVIDED LITES (SDLs) WITH GRILLES BETWEEN GLASS (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (     ) icons.

Shown with flat bronze GBGs (recommended).



## SIMULATED DIVIDED LITES (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the (     ) icons.



## GRILLES BETWEEN GLASS (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (    ) icons.



## FIXED GRILLES

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home's décor.

Look for the (  ) icon.



Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Clear Glass with SDLs, Door - S82103, Sidelites - S8000SL



### SDL BAR OPTIONS

Grained

Smooth



(28.6 mm / 1.125 in.)  
Look for the (  ) icon.

Grained

Smooth



(28.6 mm / 1.125 in.)  
Look for the (  ) icon.

Grained

Smooth




(88.9 mm / 3.5 in.)  
Look for the (  ) icon.

Smooth SDL bars are color-matched to PrismaGuard® Alpine.

### GBG BAR OPTIONS

Flat

Contour



(20 mm / 0.787 in.)

(18 mm / 0.708 in.)

### GBG Color Options



White Almond<sup>1</sup> Bronze<sup>1</sup> Black Tan<sup>2</sup> Stone<sup>2</sup>

<sup>1</sup>Almond and Bronze GBGs available in flat bars only.

<sup>2</sup>Available in Special Quote Program.

 Simulated Divided Lites (SDL)

 Simulated Divided Lites (SDLF1)

 Simulated Divided Lites (SDLF2)

 Flat or Contour White Grilles  
Between Glass (GBGF / GBGC)

 Flat Almond Grilles  
Between Glass (GBGF)

 Flat Bronze Grilles  
Between Glass (GBGF)

 Flat or Contour Black Grilles  
Between Glass (GBGF / GBGC)

 Fixed Grilles (FXG)

## Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



1-1/2"    1-1/4"    1"            1-3/4"    1-1/4"    1"



18"



## Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf<sup>1</sup>



Smooth-Star. 4-Block Dentil Shelf<sup>1</sup>



<sup>1</sup>Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

<sup>2</sup>EnLiten flush-glazed designs offer up to a 16% increase in visible glass area compared to conventional lite frames.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on product sizes and options, limited warranties, exclusions and Riders.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T, Finish – Acorn; Dentil Shelf

# EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. Expand your view by 16%<sup>2</sup> — choose flush-glazed glass for more natural light and a sleek, uninterrupted aesthetic.



## See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



**Flush-Glazed Glass with Detailed Sticking**  
Look for the ( 🔥 ) symbol.



**Flush-Glazed Glass with Square Sticking**  
Look for the ( 💧 ) symbol.



**Lip-Lite Frame**

## Warranty riders for peace of mind.

### EnLiten™ Flush-Glazed Riders

#### For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

#### For Homeowners


Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.





## TRANSOMS

For transoms, see page 201.



## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

									
Oak	Oak	Oak	Oak	Oak	Oak	Oak			
<b>FC1205_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC1207_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>2010_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>2050_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>2050_SL</b> ▲▲ 12" x 6'8" 14" x 6'8"	<b>FC5700_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC85700_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			
									
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
<b>FC5710_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC85710_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC5720_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC85720_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC691_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC8691_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC685L_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC8685L_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC685R_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC8685R_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door - FC5700, Sidelite - FC5700SL, Finish - Wildflower Honey

**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.

Fiber-Classic & Smooth-Star

						
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC5700_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>FC5710_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>FC5720_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>S1205_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S1207_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S2010_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S2050_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲

				
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S5705_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85705_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5715_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85715_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5725_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲

				
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S2000_SL-4C*</b> ▲ 10" x 6'8" ▲ 12" x 6'8" ▲ 14" x 6'8" ▲	<b>S5700_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85700_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5710_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85710_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES** *Continues on next page.*

▲ Flush-Glazed Glass with Detailed Sticking (FG)  
▲ Flush-Glazed Glass with Square Sticking (FG)

★ Low-E Glass (LE)  
■ Simulated Divided Lites (SDL)  
■ Simulated Divided Lites (SDLF1)

■ Simulated Divided Lites (SDLF2)  
● Vented Sidelite Options  
Ⓞ WBDR Options

E Elevated 10" Bottom Rail Options  
▲ 6'6" Height Available

**NEW** Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold .

Fiber-Classic & Smooth-Star



Smooth

<b>S3400L_</b> 	<b>S83400L_</b> 
26" x 6'8"	26" x 8'0"
28" x 6'8"	28" x 8'0"
210" x 6'8"	210" x 8'0"
30" x 6'8"	30" x 8'0"



Smooth

<b>S3400R_</b> 	<b>S83400R_</b> 
26" x 6'8"	26" x 8'0"
28" x 6'8"	28" x 8'0"
210" x 6'8"	210" x 8'0"
30" x 6'8"	30" x 8'0"



Smooth

<b>S3300_</b> 	<b>S83300_</b> 
26" x 6'8"	26" x 8'0"
28" x 6'8"	28" x 8'0"
210" x 6'8"	210" x 8'0"
30" x 6'8"	30" x 8'0"



Smooth

<b>S3500L_</b> 	<b>S83500L_</b> 
26" x 6'8"	26" x 8'0"
28" x 6'8"	28" x 8'0"
210" x 6'8"	210" x 8'0"
30" x 6'8"	30" x 8'0"



Smooth

<b>S3500R_</b> 	<b>S83500R_</b> 
26" x 6'8"	26" x 8'0"
28" x 6'8"	28" x 8'0"
210" x 6'8"	210" x 8'0"
30" x 6'8"	30" x 8'0"



Smooth

<b>S685L_</b> 	<b>S8685L_</b> 
26" x 6'8" 	26" x 8'0" 
28" x 6'8" 	28" x 8'0" 
210" x 6'8" 	210" x 8'0" 
30" x 6'8" 	30" x 8'0" 



Smooth

<b>S685R_</b> 	<b>S8685R_</b> 
26" x 6'8" 	26" x 8'0" 
28" x 6'8" 	28" x 8'0" 
210" x 6'8" 	210" x 8'0" 
30" x 6'8" 	30" x 8'0" 



Smooth

<b>S3600L_</b> 	<b>S83600L_</b> 
26" x 6'8"	26" x 8'0"
28" x 6'8"	28" x 8'0"
210" x 6'8"	210" x 8'0"
30" x 6'8"	30" x 8'0"



Smooth

<b>S3600R_</b> 	<b>S83600R_</b> 
26" x 6'8"	26" x 8'0"
28" x 6'8"	28" x 8'0"
210" x 6'8"	210" x 8'0"
30" x 6'8"	30" x 8'0"



Smooth

<b>S5700_SL</b> 	<b>S85227_SL</b> 
10" x 6'8" 	12" x 8'0" 
12" x 6'8" 	14" x 8'0" 
14" x 6'8" 	



Smooth

<b>S5710_SL</b> 	<b>S85228_SL</b> 
10" x 6'8" 	12" x 8'0" 
12" x 6'8" 	14" x 8'0" 
14" x 6'8" 	



Smooth

<b>S5720_SL</b> 	<b>S85229_SL</b> 
10" x 6'8" 	12" x 8'0" 
12" x 6'8" 	14" x 8'0" 
14" x 6'8" 	

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

## PRIVACY & TEXTURED GLASS



Oak

2000\_  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"

8000\_  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

2000\_SL  
 12" x 6'8"  
 14" x 6'8"



Smooth

S2000\_  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

S8000\_  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S2000\_SL  
 10" x 6'8"  
 12" x 6'8" (70")  
 14" x 6'8" (70")

S85225\_SL  
 12" x 8'0"  
 14" x 8'0"

## INTERNAL BLINDS



Smooth

S2600  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

S82600  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

## CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM1205SL  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Mahogany

FCM1206SL  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Mahogany

FCM1204SL  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Mahogany

FCM2009SL  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Oak

FC1205  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

FC1206  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

FC1207  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

2010  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

FC1204  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

2050  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"




Oak

8000-12  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

8000-18  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

FC1205SL  
 12" x 6'8"  
 14" x 6'8"



Oak

FC1206SL  
 12" x 6'8"  
 14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)


- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)



- Flat Bronze Grilles Between Glass (GBGF)
- Vented Sidelite Options
- WBDR Options

- Elevated 10" Bottom Rail Options
- 6'6" Height Available


**NEW** Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR<sup>®</sup> requirements in all 50 states indicated in gold .

Fiber-Classic & Smooth-Star

								
Oak	Oak	Oak	Oak	Oak	Oak	Oak		
<b>FC1204SL</b>  12" x 6'8" 14" x 6'8"	<b>2050SL</b>  12" x 6'8" 14" x 6'8"	<b>2009</b>  20" x 6'8" 26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>8000-9</b>  20" x 8'0" 26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>2009SL</b>  12" x 6'8" 14" x 6'8"	<b>FC5700</b>  26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC85700</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FC5710</b>  26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC85710</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"
								
Oak	Oak	Oak	Oak	Oak	Oak			
<b>FC5720</b>  26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC85720</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FC691</b>  26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC8685L</b>  26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC5700SL</b>  12" x 6'8" 14" x 6'8"	<b>FC5710SL</b>  12" x 6'8" 14" x 6'8"			
								
Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth		
<b>FC5720SL</b>  12" x 6'8" 14" x 6'8"	<b>S1205</b>  26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	<b>S1206</b>  26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	<b>S1207</b>  26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	<b>S2010</b>  26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	<b>S1204</b>  26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	<b>S2050</b>  26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 		

					
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S8000-12</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8000-18</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5705</b>  2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S85705</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5715</b>  2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S85715</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					
<b>S5725</b>  2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S85725</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1205SL</b>  10" x 6'8" ⚠ 12" x 6'8" ⚠ (70") 14" x 6'8" ⚠ (70")			

								
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S1206SL</b>  10" x 6'8" ⚠ 12" x 6'8" ⚠ (70") 14" x 6'8" ⚠ (70")	<b>S1204SL</b>  10" x 6'8" ⚠ 12" x 6'8" ⚠ (70") 14" x 6'8" ⚠ (70")	<b>S2010SL</b>  10" x 6'8" ⚠ 12" x 6'8" ⚠ (70") 14" x 6'8" ⚠ (70")	<b>S85226SL</b>  12" x 8'0" 14" x 8'0"	<b>S2000SL-2C</b>  10" x 6'8" ⚠ 12" x 6'8" ⚠ (70") 14" x 6'8" ⚠ (70")	<b>S2000SL-4C</b>  10" x 6'8" ⚠ 12" x 6'8" ⚠ (70") 14" x 6'8" ⚠ (70")	<b>S2009</b>  2'0" x 6'8" ⚠ 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S8000-9</b>  2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2009SL</b>  10" x 6'8" ⚠ 12" x 6'8" ⚠ (70") 14" x 6'8" ⚠ (70")

					
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S5700</b>  2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S85700</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5710</b>  2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S85710</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5720</b>  2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S85720</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					
<b>S691</b>  2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S8691</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S3400L</b>  2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83400L</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF1)

-  Simulated Divided Lites (SDLF2)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)

-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Vented Sidelite Options

-  WBDR Options
-  Elevated 10" Bottom Rail Options
-  6'6" Height Available

**CLEAR GLASS WITH DIVIDED LITES** *Continued* 



Smooth

**S3400R**  
     
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83400R**  
     
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S33300**  
     
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S833300**  
     
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S3500L**  
     
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83500L**  
     
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S3500R**  
     
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83500R**  
     
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S685L**  
     
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8" 

**S8685L**  
     
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S685R**  
     
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8" 

**S8685R**  
     
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S3600L**  
     
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83600L**  
     
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S3600R**  
     
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83600R**  
     
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S5700SL**  
     
 10" x 6'8"   
 12" x 6'8"  (70")  
 14" x 6'8"  (70")

**S85227SL**  
    
 12" x 8'0"  
 14" x 8'0"




Smooth

**S5710SL**  
     
 10" x 6'8"   
 12" x 6'8"  (70")  
 14" x 6'8"  (70")

**S85228SL**  
     
 12" x 8'0"  
 14" x 8'0"

**CLEAR GLASS** 



Smooth

**S5720SL**  
     
 10" x 6'8"   
 12" x 6'8"  (70")  
 14" x 6'8"  (70")

**S85229SL**  
     
 12" x 8'0"  
 14" x 8'0"



Oak

**2000**  
  
 2'0" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"

**8000**  
  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**2000SL**  
  
 12" x 6'8"  
 14" x 6'8"



Smooth

**S2000**  
     
 2'0" x 6'8"   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8" 

**S8000**  
     
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S2000SL**  
     
 10" x 6'8"   
 12" x 6'8"  (70")  
 14" x 6'8"  (70")

**S85225SL**  
    
 12" x 8'0"  
 14" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**


Note: See page 277 for important product details that may help with your purchase decision.

Right Page, Top: Smooth-Star, Chinchilla Glass with SDLs, Door - S2104XJ, Finish - Granite



## TRANSOMS

For transoms, see page 201.



## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S2103_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82103_</b> ▲▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2104_</b> ▲▲▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82105_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S82106_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2250_</b> ▲▲▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82107_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S84886_SL</b> ▲▲ 12" x 8'0" 14" x 8'0"

## PRIVACY & TEXTURED GLASS


<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S2103_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>S2104_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>S2250_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>S2200_</b> ▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82200_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8000_SL</b> ▲ 12" x 8'0" 14" x 8'0"	<b>S2200_SL</b> ▲ 12" x 6'8" 14" x 6'8"

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Low-E Glass (LE)
- ▲ Simulated Divided Lites (SDL)
- ▲ Simulated Divided Lites (SDLF1)
- ▲ Simulated Divided Lites (SDLF2)
- Vented Sidelite Options
- WBDR Options
- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

## CLEAR GLASS WITH DIVIDED LITES



## CLEAR GLASS



### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XE = Satin Etch    XJ = Chinchilla    XN = Granite  
 XC = Chord        XR = Rainglass


Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Impressions Storm & Entry Door System - IM100, Finish - Brown; Smooth-Star, Clear Glass with SDLs, Door - S2150, Finish - Elk



**TRANSOMS**

For transoms, see page 201.



**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



Smooth

S4200\_   
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Smooth

S84200\_   
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S6200\_   
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Smooth

S8200\_   
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S4200\_SL   
 12" x 6'8" (70")  
 14" x 6'8" (70")

S84200\_SL   
 12" x 8'0"  
 14" x 8'0"

S6200\_SL   
 12" x 6'8" (70")  
 14" x 6'8" (70")

S86200\_SL   
 12" x 8'0"  
 14" x 8'0"

**PRIVACY & TEXTURED GLASS**



Smooth

S3200\_   
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Smooth

S83200\_   
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

S3200\_SL   
 12" x 6'8" (70")  
 14" x 6'8" (70")

S83200\_SL   
 12" x 8'0"  
 14" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES**



Smooth

S1350   
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Smooth

S2150   
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Smooth

S1409   
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLFI)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)

- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Elevated 10" Bottom Rail Options

**CLEAR GLASS WITH DIVIDED LITES** *Continued* 



Smooth

**S4200**

 2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**S84200**

 2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S6200**

 2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**S86200**

 2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S9200**

 2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**S89200**

 2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S4200SL**

 12" x 6'8" (7'0")  
14" x 6'8" (7'0")

**S84200SL**

 12" x 8'0"  
14" x 8'0"



Smooth

**S6200SL**

 12" x 6'8" (7'0")  
14" x 6'8" (7'0")

**S86200SL**

 12" x 8'0"  
14" x 8'0"

**CLEAR GLASS** 



Smooth

**S2100**

 2'6" x 6'8"  
2'8" x 6'8"  
3'0" x 6'8"



Smooth

**S3200**

 2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**S83200**

 2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S3200SL**

 12" x 6'8" (7'0")  
14" x 6'8" (7'0")

**S83200SL**

 12" x 8'0"  
14" x 8'0"



**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**

**XE = Satin Etch**

**XC = Chord**

**XJ = Chinchilla**

**XR = Rainglass**

**XN = Granite**

\*Not available with Reeded (XK) glass.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 277 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Low-E Glass with SDLs, Door - S4200, Sidelite - S3200SL, Finish - Canyon

Right Page: Fiber-Classic Mahogany Collection, Saratoga Glass, Door - FCM6240, Sidelites - FCM6201SL, Transom - 19750T, Finish - Sweet Date



## TRANSOMS

For transoms, see page 201.

## OPTIONAL DENTIL SHELVES\*\*



### 4-Block Dentil Shelf

Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.



### 4-Block Dentil Shelf

Available for all Craftsman-lite Smooth-Star doors.

## SARATOGA™



Mahogany

**FCM6240** **FCM86240**  
 ▲ **E** 28" x 6'8" (70") 28" x 8'0"  
 210" x 6'8" (70") 210" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



Mahogany

**FCM6201SL** **FCM86201SL**  
 ▲ 12" x 6'8" (70") 12" x 8'0"  
 14" x 6'8" (70") 14" x 8'0"




Mahogany

**FCM6240SL** **FCM86240SL**  
 ▲ 12" x 6'8" (70") 12" x 8'0"  
 14" x 6'8" (70") 14" x 8'0"



Smooth

**S6240** **S86240**  
 ▲ **E** 28" x 6'8" (70") 28" x 8'0"  
 210" x 6'8" (70") 210" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



Smooth

**S6201SL** **S86201SL**  
 ▲ 10" x 6'8" 12" x 8'0"  
 12" x 6'8" (70") 14" x 8'0"  
 14" x 6'8" (70")



Smooth

**S6240SL** **S86240SL**  
 ▲ 12" x 6'8" (70") 12" x 8'0"  
 14" x 6'8" (70") 14" x 8'0"

## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Mahogany

**FCM4812\_\*** **FCM84812\_\***  
 ▲ **E** 28" x 6'8" (70") 28" x 8'0"  
 210" x 6'8" (70") 210" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



Mahogany

**FCM4813\_\*** **FCM84813\_\***  
 ▲ **E** 28" x 6'8" (70") 28" x 8'0"  
 210" x 6'8" (70") 210" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



Mahogany

**FCM4814\_\*** **FCM84814\_\***  
 ▲ **E** 28" x 6'8" (70") 28" x 8'0"  
 210" x 6'8" (70") 210" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



Mahogany

**FCM4816\_\*** **FCM84816\_\***  
 ▲ **E** 28" x 6'8" (70") 28" x 8'0"  
 210" x 6'8" (70") 210" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



Mahogany

**FCM2050\_SL** **FCM84886\_SL**  
 ▲ 12" x 6'8" (70") 12" x 8'0"  
 14" x 6'8" (70") 14" x 8'0"

## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continues on next page.*

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ★ Low-E Glass (LE)

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF)

- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)

- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E** Elevated 10" Bottom Rail Options

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES** *Continued*



**Mahogany**

FCM4812\_SL\* FCM84812\_SL\*  
 ▲ R E ▲ R E  
 12" x 6'8" (70") 12" x 8'0"  
 14" x 6'8" (70") 14" x 8'0"



**Smooth**

S4812\_\* S84812\_\*  
 ▲ R E ▲ R E  
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



**Smooth**

S4813\_\* S84813\_\*  
 ▲ R E ▲ R E  
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



**Smooth**

S4814\_\* S84814\_\*  
 ▲ R E ▲ R E  
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



**Smooth**

S4816\_\* S84816\_\*  
 ▲ R E ▲ R E  
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



**Smooth**

S2010\_SL S84886\_SL  
 ▲ R E ▲ R E  
 10" x 6'8" ▲ 12" x 8'0"  
 12" x 6'8" ▲ (70") 14" x 8'0"  
 14" x 6'8" ▲ (70")



**Smooth**

S4812\_SL\* S84812\_SL\*  
 ▲ R E ▲ R E  
 12" x 6'8" (70") 12" x 8'0"  
 14" x 6'8" (70") 14" x 8'0"



**Mahogany**

FCM4810\_\* FCM84810\_\*  
 ▲ E ▲  
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



**Mahogany**

FCM2000\_SL FCM8000\_SL  
 ▲ R E ▲ R E  
 12" x 6'8" (70") 12" x 8'0"  
 14" x 6'8" (70") 14" x 8'0"



**Mahogany**

FCM4810\_SL\* FCM84810\_SL\*  
 ▲ R E ▲ R E  
 12" x 6'8" (70") 12" x 8'0"  
 14" x 6'8" (70") 14" x 8'0"

**PRIVACY & TEXTURED GLASS**



**Smooth**

S4810\_\* S84810\_\*  
 ▲ E ▲  
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



**Smooth**

S2000\_SL S8000\_SL  
 ▲ R E ▲ R E  
 10" x 6'8" ▲ 12" x 8'0"  
 12" x 6'8" ▲ (70") 14" x 8'0"  
 14" x 6'8" ▲ (70")



**Smooth**

S4810\_SL\* S84810\_SL\*  
 ▲ R E ▲ R E  
 12" x 6'8" (70") 12" x 8'0"  
 14" x 6'8" (70") 14" x 8'0"



**Mahogany**

FCM4812 FCM84812  
 ▲ R E ▲ R E  
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



**Mahogany**

FCM4813 FCM84813  
 ▲ R E ▲ R E  
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES**

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded  
 XE = Satin Etch

XC = Chord  
 XJ = Chinchilla

XR = Rainglass  
 XN = Granite

\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.



**Mahogany**

**FCM4814**  
 ▲ ★ R E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**FCM84814**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Mahogany**

**FCM4816**  
 ▲ ★ R E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**FCM84816**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Mahogany**

**FCM2050SL**  
 ▲ ★ R E  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FCM84886SL**  
 ▲ ★ R E  
 12" x 8'0"  
 14" x 8'0"



**Mahogany**

**FCM4812SL**  
 ▲ ★ R  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FCM84812SL**  
 ▲ ★ R  
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4812**  
 ▲ ★ R E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S84812**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S4813**  
 ▲ ★ R E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S84813**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S4814**  
 ▲ ★ R E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S84814**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S4816**  
 ▲ ★ R E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S84816**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S2010SL**  
 ▲ ★ R E  
 10" x 6'8" ▲ (70")  
 12" x 6'8" ▲ (70")  
 14" x 6'8" ▲ (70")

**S84886SL**  
 ▲ ★ R  
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4812SL**  
 ▲ ★ R  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**S84812SL**  
 ▲ ★ R  
 12" x 8'0"  
 14" x 8'0"

**CLEAR GLASS**



**Mahogany**

**FCM4810**  
 ▲ ★ E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**FCM84810**  
 ▲ ★  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Mahogany**

**FCM2000SL**  
 ▲ ★  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FCM8000SL**  
 ▲ ★  
 12" x 8'0"  
 14" x 8'0"



**Mahogany**

**FCM4810SL**  
 ▲ ★  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FCM84810SL**  
 ▲ ★  
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4810**  
 ▲ ★ E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S84810**  
 ▲ ★  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S2000SL**  
 ▲ ★  
 10" x 6'8" ▲  
 12" x 6'8" ▲ (70")  
 14" x 6'8" ▲ (70")

**S8000SL**  
 ▲ ★  
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4810SL**  
 ▲ ★  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**S84810SL**  
 ▲ ★  
 12" x 8'0"  
 14" x 8'0"

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ★ Low-E Glass (LE)
- Simulated Divided Lites (SDLFI)

- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)

- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

# Lite Frames

Therma-Tru® doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.

 For Impact-rated lite frame, see page 27.

Fiber-Classic & Smooth-Star



## Advanta® Lite Frame<sup>1</sup>

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the (   ) symbols.

## Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	ADVANTA LITE FRAME	STANDARD LITE FRAME
<b>Flat Option</b>		
<b>Scrolled Option</b>		
<b>Plugless Design</b>	■	
<b>Buff Option</b>	■	■
<b>White Option</b> (Alpine Color-Matched)	■	■
<b>Durable Weather-Resistant Material</b>	■	■
<b>Decorative &amp; Privacy Glass<sup>1</sup></b>	■	
<b>Clear &amp; Specialty Glass<sup>1</sup></b>	■	■

<sup>1</sup>See your Therma-Tru seller for details on product availability.

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

# Full Lites

Note: Product images show exterior side of door.



## TRANSOMS

For transoms, see page 201.



Fiber-Classic & Smooth-Star

## BLACKSTONE. ◆ ❖

Mahogany		Mahogany		Mahogany		Mahogany		Oak		Oak	
FCM108 6 28" x 68" 210" x 68" 30" x 68"	FCM871 6 28" x 80" 210" x 80" 30" x 80"	FCM310 6E 26" x 68" (70")* 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	FCM816 6E 26" x 80" 28" x 80" 210" x 80" 30" x 80"	FCM871SL 6 12" x 80" 14" x 80"	FCM808SL 6E 10" x 68"* 12" x 68" (70") 14" x 68" (70")	FCM81918SL 6E 12" x 80" 14" x 80"	FC108 6E 26" x 68"* 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	81918P 6 28" x 80" 210" x 80" 30" x 80"	FC310 6E 26" x 68" Δ (70")* 28" x 68" Δ (70") 210" x 68" Δ (70") 30" x 68" Δ (70")	FC816 6E 26" x 80"* 28" x 80" 210" x 80" 30" x 80"	
Oak		Oak		Smooth		Smooth		Smooth		Smooth	
FC108SL 6 10" x 68"* 12" x 68" 14" x 68"	81918PSL 6 12" x 80" 14" x 80"	FC808SL 6E 12" x 68" Δ (70") 14" x 68" Δ (70")	81918SL 6E 12" x 80" 14" x 80"	S6002 6E 26" x 68"* 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	S85892 6E 26" x 80"* 28" x 80" 210" x 80" 30" x 80"	S310 6E 26" x 68" Δ* 28" x 68" Δ (70") 210" x 68" Δ (70") 30" x 68" Δ (70") 36" x 68"	S816 6E 26" x 80"* 28" x 80" 210" x 80" 30" x 80" 36" x 80"	S6002SL 6E 12" x 68" 14" x 68"	S85892SL 6E 12" x 80" 14" x 80"	S4570SL 6E 10" x 68"* 12" x 68" Δ (70") 14" x 68" Δ (70")	S85927SL 6E 12" x 80" 14" x 80"

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ❖ Brushed Nickel Caming (1C)


- Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available

CRYSTALLINE™ ◆ ◆

Fiber-Classic & Smooth-Star

					
Mahogany		Mahogany		Oak	
<b>FCM16</b> 28" x 68" 210" x 68" 30" x 68"	<b>FCM8114</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	<b>FCM668</b> 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>FCM814</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	<b>FCM8114SL</b> 12" x 8"0" 14" x 8"0"	<b>FCM18101SL</b> 10" x 68" 12" x 68" (70") 14" x 68" (70")
<b>FCM81800SL</b> 12" x 8"0" 14" x 8"0"	<b>FC16</b> 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>81800P</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	<b>FC668</b> 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>FC814</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	

					
Oak		Smooth		Smooth	
<b>FC46SL</b> 10" x 68" 12" x 68" 14" x 68"	<b>81800PSL</b> 12" x 8"0" 14" x 8"0"	<b>18101SL</b> 12" x 68" (70") 14" x 68" (70")	<b>81800SL</b> 12" x 8"0" 14" x 8"0"	<b>S916</b> 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>S814</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"
<b>S668</b> 28" x 68" (70") 210" x 68" (70") 30" x 68" (70") 36" x 68"	<b>S815</b> 28" x 8"0" 210" x 8"0" 30" x 8"0" 36" x 8"0"	<b>S916SL</b> 12" x 68" 14" x 68"	<b>S814SL</b> 12" x 8"0" 14" x 8"0"	<b>S6130SL</b> 10" x 68" 12" x 68" (70") 14" x 68" (70")	<b>S84586SL</b> 12" x 8"0" 14" x 8"0"

SEDONA ◆ ◆

					
Mahogany		Mahogany		Oak	
<b>FCM100</b> 28" x 68" 210" x 68" 30" x 68"	<b>FCM872</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	<b>FCM241</b> 26" x 68" (70")* 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>FCM822</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	<b>FCM872SL</b> 12" x 8"0" 14" x 8"0"	<b>FCM816SL</b> 10" x 68" 12" x 68" (70") 14" x 68" (70")
<b>FCM81968SL</b> 12" x 8"0" 14" x 8"0"	<b>FC100</b> 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>81968P</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	<b>FC241</b> 26" x 68" (70")* 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>FC822</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	

\*Not available with Advanta lite frame.  
Note: See page 277 for important product details that may help with your purchase decision.



Oak

**FC100SL**  
 10" x 6'8"  
 12" x 8"  
 14" x 8"



Oak

**81968PSL**  
 12" x 8"  
 14" x 8"



Smooth

**S139**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S241**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 3'6" x 6'8"



Smooth

**S139SL**  
 12" x 6'8"  
 14" x 6'8"



Smooth

**S604SL**  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

**SALINAS. X**



Mahogany

**FCM113**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM369**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM814SL**  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



Mahogany

**FCM81919SL**  
 12" x 8"  
 14" x 8"



Oak

**FC113**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC369**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FCM113SL**  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



Oak

**81919PSL**  
 12" x 8"  
 14" x 8"



Smooth

**S6008**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S85893**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S369**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 3'6" x 6'8"



Smooth

**S817**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

No Stile Lines  
 Black Nickel Caming (1D)  
 Brushed Nickel Caming (1C)

Wrought Iron (1W)  
 Scrolled & Flat Advanta Lite Frame  
 Not available for 2'4" and 2'6" doors or 10" sidelites.

Vented Sidelite Options  
 WBDR Options  
 WBDR / HVHZ Options

Elevated 10" Bottom Rail Options  
 6'6" Height Available

MAPLE PARK. ◆ ◆

							
Mahogany	Mahogany	Mahogany	Oak	Oak	Oak	Oak	Smooth
<b>FCM900</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM1006</b> 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>FCM812SL</b> 10" x 6'8"* 12" x 6'8" (70") 14" x 6'8" (70")	<b>FC900</b> 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>FC1006</b> 28" x 6'8" Δ (70") 210" x 6'8" Δ (70") 30" x 6'8" Δ (70")	<b>FC900SL</b> 10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>FC812SL</b> 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S6100</b> 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")

Fiber-Classic & Smooth-Star

SARATOGA. ◆ ◆

							
Smooth	Smooth	Smooth	Mahogany	Mahogany	Mahogany	Mahogany	
<b>S1006</b> 28" x 6'8" Δ (70") 210" x 6'8" Δ (70") 30" x 6'8" Δ (70") 36" x 6'8"	<b>S6100SL</b> 12" x 6'8" 14" x 6'8"	<b>S6131SL</b> 10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>FCM905</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM6093</b> 26" x 6'8" (70")* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>FCM815SL</b> 10" x 6'8"* 12" x 6'8" (70") 14" x 6'8" (70")	<b>FCM81986SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM893SL</b> 12" x 8'0" 14" x 8'0"

									
Oak	Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth		
<b>FC905</b> 26" x 6'8"* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>FC6093</b> 26" x 6'8" (70")* 28" x 6'8" Δ (70") 210" x 6'8" Δ (70") 30" x 6'8" Δ (70")	<b>FC905SL</b> 10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>81986PSL</b> 12" x 8'0" 14" x 8'0"	<b>FC815SL</b> 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>81986SL</b> 12" x 8'0" 14" x 8'0"	<b>S154</b> 26" x 6'8"* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>S6093</b> 26" x 6'8" Δ* 28" x 6'8" Δ (70") 210" x 6'8" Δ (70") 30" x 6'8" Δ (70") 36" x 6'8"	<b>S154SL</b> 12" x 6'8" 14" x 6'8"	<b>S8602SL</b> 12" x 8'0" 14" x 8'0"

\*Not available with Advanta lite frame.  
Note: See page 277 for important product details that may help with your purchase decision.

TEXAS STAR ◆◆



Smooth

S602SL

10" x 6'8"\*  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")

S85932SL

12" x 8'0"  
 14" x 8'0"



Mahogany

FCM142

2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM1029

2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Mahogany

FCM817SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Oak

FC142

2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Oak

FC1029

2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")



Oak

FC142SL

10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"



Oak

FC817SL

12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Smooth

S6070

2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Smooth

S1029

2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")  
 3'6" x 6'8"



Smooth

S6070SL

12" x 6'8"  
 14" x 6'8"



Smooth

S6135SL

10" x 6'8"\*  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Mahogany

FCM104

2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM874

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

FCM6094

2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

FCM821

2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

FCM818SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

FCM81921SL

12" x 8'0"  
 14" x 8'0"



Mahogany

FCM874SL

12" x 8'0"  
 14" x 8'0"



Oak

FC104

2'6" x 6'8"\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

81921P

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

FC6094

2'6" x 6'8" Δ (70")\*  
 2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")

FC821

2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

WELLESLEY™ ◆◆◆

WELLESLEY Continues on next page.

- No Stile Lines
- Black Nickel Caming (ID)
- Brushed Nickel Caming (IC)
- Brass Caming (IA)


- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options

- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Δ 6'6" Height Available

					
Oak	Oak	Smooth	Smooth	Smooth	
<b>FC104SL</b>  10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>81921PSL</b>  12" x 8'0" 14" x 8'0"	<b>S155</b>  26" x 6'8" 28" x 6'8" (70") 210" x 6'8" (70") 3'0" x 6'8" (70")	<b>S85896</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>S6094</b>  26" x 6'8" Δ* 28" x 6'8" Δ (70") 210" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"	<b>S821</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0" 3'6" x 8'0"
<b>S155SL</b>  12" x 6'8" 14" x 6'8"	<b>S85896SL</b>  12" x 8'0" 14" x 8'0"				

**RISERVA** 

					
Smooth	Mahogany	Mahogany	Mahogany	Mahogany	
<b>S5870SL</b>  10" x 6'8" 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S85934SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM574</b>  28" x 6'8" 210" x 6'8" 3'0" x 6'8"	<b>FCM8574</b>  28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>FCM571</b>  26" x 6'8" (70")* 28" x 6'8" (70") 210" x 6'8" (70") 3'0" x 6'8" (70")	<b>FCM8571</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0"
<b>FCM572SL</b>  10" x 6'8" 12" x 6'8" (70") 14" x 6'8" (70")	<b>FCM8572SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM573SL</b>  10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FCM8573SL</b>  12" x 8'0" 14" x 8'0"	<b>S574</b>  26" x 6'8" 28" x 6'8" (70") 210" x 6'8" (70") 3'0" x 6'8" (70")	<b>S8574</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0"
					
Oak	Oak	Oak	Oak	Smooth	

\*Not available with Advanta lite frame.  
Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S571



26" x 6'8" Δ\*  
28" x 6'8" Δ (70")  
210" x 6'8" Δ (70")  
30" x 6'8" Δ (70")  
36" x 6'8"

S8571



26" x 8'0"\*  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"  
36" x 8'0"



Smooth

S573SL



12" x 6'8"  
14" x 6'8"

S8573SL



12" x 8'0"  
14" x 8'0"



Smooth

S572SL



10" x 6'8"\*  
12" x 6'8" Δ (70")  
14" x 6'8" Δ (70")

S8572SL



12" x 8'0"  
14" x 8'0"



Mahogany

FCM910



28" x 6'8"  
210" x 6'8"  
30" x 6'8"

FCM890



28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Mahogany

FCM6095



26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")

FCM820



26" x 8'0"\*  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Mahogany

FCM809SL



10" x 6'8"\*  
12" x 6'8" Δ (70")  
14" x 6'8" Δ (70")

FCM81928SL



12" x 8'0"  
14" x 8'0"



Mahogany

FCM890SL



12" x 8'0"  
14" x 8'0"



Oak

FC910



26" x 6'8"\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")

81928P



28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Oak

FC6095



26" x 6'8" Δ (70")\*  
28" x 6'8" Δ (70")  
210" x 6'8" Δ (70")  
30" x 6'8" Δ (70")

FC820



26" x 8'0"\*  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Oak

FC910SL



10" x 6'8"\*  
12" x 6'8"  
14" x 6'8"

81928PSL



12" x 8'0"  
14" x 8'0"



Oak

FC809SL



12" x 6'8" Δ (70")  
14" x 6'8" Δ (70")

81928SL



12" x 8'0"  
14" x 8'0"



Smooth

S6090



26" x 6'8"\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")

S85895



26" x 8'0"\*  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

S6095



26" x 6'8" Δ\*  
28" x 6'8" Δ (70")  
210" x 6'8" Δ (70")  
30" x 6'8" Δ (70")  
36" x 6'8"

S820



26" x 8'0"\*  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"  
36" x 8'0"



Smooth

S416SL



12" x 6'8"  
14" x 6'8"

S85895SL



12" x 8'0"  
14" x 8'0"



Smooth

S4070SL



10" x 6'8"\*  
12" x 6'8" Δ (70")  
14" x 6'8" Δ (70")

S85930SL



12" x 8'0"  
14" x 8'0"

- No Stile Lines
- ◆ Black Nickel Caming (ID)
- Brushed Nickel Caming (IC)
- ◆ Brass Caming (IA)

- ✗ Wrought Iron (IW)
- ▢ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

- Vented Sidelite Options
- Ⓜ WBDR Options
- Ⓜ WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available



Mahogany

**FCM148**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Mahogany

**FCM626**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Mahogany

**FCM813SL**  
 10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Oak

**FC148**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Oak

**FC626**  
 28" x 6'8" Δ (70")  
 210" x 6'8" Δ (70")  
 30" x 6'8" Δ (70")



Oak

**FC148SL**  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC813SL**  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Smooth

**S160**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

PEMBRIDGE™ ◆ ◆ ◆



Smooth

**S626**  
 28" x 6'8" Δ (70")  
 210" x 6'8" Δ (70")  
 30" x 6'8" Δ (70")  
 36" x 6'8"



Smooth

**S160SL**  
 12" x 6'8"  
 14" x 6'8"




Smooth

**S6132SL**  
 10" x 6'8"\*  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Mahogany

**FCM6550**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Mahogany

**FCM6500**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Mahogany

**FCM86550SL**  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM6500SL**  
 10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Oak

**FCM86500SL**  
 12" x 8'0"  
 14" x 8'0"

**FC6550**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC86550**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC6500**  
 28" x 6'8" Δ (70")  
 210" x 6'8" Δ (70")  
 30" x 6'8" Δ (70")

**FC86500**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC6550SL**  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"

**FC86500SL**  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC6500SL**  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")

**FC86500SL**  
 12" x 8'0"  
 14" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

<b>S6550</b> ◆ 6E 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>S86550</b> ◆ 6 28" x 8'0" 210" x 8'0" 30" x 8'0"
---	---




Smooth

<b>S6500</b> ◆ 6E 28" x 6'8" Δ (70") 210" x 6'8" Δ (70") 30" x 6'8" Δ (70") 36" x 6'8"	<b>S86500</b> ◆ 6 28" x 8'0" 210" x 8'0" 30" x 8'0" 36" x 8'0"
---	---



Smooth

<b>S6550SL</b> ◆ 6 12" x 6'8" 14" x 6'8"	<b>S86550SL</b> ◆ 6 12" x 8'0" 14" x 8'0"
---	--



Smooth

<b>S6500SL</b> ◆ 6E 10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S86500SL</b> ◆ 6 12" x 8'0" 14" x 8'0"
---	--



Mahogany

<b>FCM1652</b> ◆ 6 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM81652</b> ◆ 6 28" x 8'0" 210" x 8'0" 30" x 8'0"
--	---



Mahogany

<b>FCM1651</b> ◆ 6E 24" x 6'8"* 26" x 6'8" (70")* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>FCM81651</b> ◆ 6 26" x 8'0"* 28" x 8'0" 210" x 8'0" 30" x 8'0"
---	--



Mahogany

<b>FCM1651SL</b> ◆ 6E 10" x 6'8"* 12" x 6'8" (70") 14" x 6'8" (70")	<b>FCM81651SL</b> ◆ 6 12" x 8'0" 14" x 8'0"
---	--



Mahogany

<b>FCM1652SL</b> ◆ 6 12" x 8'0" 14" x 8'0"
---



Oak

<b>FC1652</b> ◆ 6E 26" x 6'8"* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")
---



Oak

<b>FC81652</b> ◆ 6 28" x 8'0" 210" x 8'0" 30" x 8'0"
--



Oak

<b>FC1652SL</b> ◆ 6 10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>FC81652SL</b> ◆ 6 12" x 8'0" 14" x 8'0"
---	---



Oak

<b>FC1651SL</b> ◆ 6E 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>FC81651SL</b> ◆ 6 12" x 8'0" 14" x 8'0"
---	---



Smooth

<b>S1652</b> ◆ 6E 26" x 6'8"* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>S81652</b> ◆ 6 26" x 8'0"* 28" x 8'0" 210" x 8'0" 30" x 8'0"
--	--



Smooth

<b>S1651</b> ◆ 6E 24" x 6'8" Δ* 26" x 6'8" Δ* 28" x 6'8" Δ (70") 210" x 6'8" Δ (70") 30" x 6'8" Δ (70") 36" x 6'8"	<b>S81651</b> ◆ 6 26" x 8'0"* 28" x 8'0" 210" x 8'0" 30" x 8'0" 36" x 8'0"
---	--



Smooth

<b>S1652SL</b> ◆ 6 12" x 6'8" 14" x 6'8"	<b>S81652SL</b> ◆ 6 12" x 8'0" 14" x 8'0"
---	--



Smooth

<b>S1651SL</b> ◆ 6E 10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S81651SL</b> ◆ 6 12" x 8'0" 14" x 8'0"
---	--

- No Stile Lines
- ◆ Black Nickel Caming (ID)
- Brushed Nickel Caming (IC)
- ◆ Brass Caming (IA)

- ▤ Flat Lite Frame
- ▤ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

- Vented Sidelite Options
- 6 WBDL Options
- 6 WBDL / HVHZ Options


- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available



Mahogany

**FCM2223**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM82223**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM2389**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM82389**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM2389SL**  
  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**FCM82389SL**  
  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM82223SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC2223**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FC82223**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC2389**  
  
 2'8" x 6'8" Δ (7'0")  
 2'10" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")

**FC82389**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC2223SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"


**FC82223SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC2389SL**  
  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")


**FC82389SL**  
  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S2223**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S82223**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




Smooth

**S2389**  
  
 2'8" x 6'8" Δ (7'0")  
 2'10" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")  
 3'6" x 6'8"

**S82389**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"


LATITUDE ◆ ◆ ◆ ◆



Smooth

**S2223SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S82223SL**  
  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S2389SL**  
  
 10" x 6'8"  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")

**S82389SL**  
  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM2213**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM82213**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM2382**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM82382**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM2382SL**  
  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**FCM82382SL**  
  
 12" x 8'0"  
 14" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

**FCM82213SL**  
 12" x 8"0"  
 14" x 8"0"



Oak

**FC2213**  
 28" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FC82213**  
 28" x 8"0"  
 2'10" x 8"0"  
 3'0" x 8"0"



Oak

**FC2382**  
 28" x 6'8" Δ (7'0")  
 2'10" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")

**FC82382**  
 28" x 8"0"  
 2'10" x 8"0"  
 3'0" x 8"0"



Oak

**FC2213SL**  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"

**FC82213SL**  
 12" x 8"0"  
 14" x 8"0"



Oak

**FC2382SL**  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")

**FC82382SL**  
 12" x 8"0"  
 14" x 8"0"



Smooth

**S2213**  
 28" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S82213**  
 28" x 8"0"  
 2'10" x 8"0"  
 3'0" x 8"0"



Smooth

**S2382**  
 28" x 6'8" Δ (7'0")  
 2'10" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")  
 3'6" x 6'8"

**S82382**  
 28" x 8"0"  
 2'10" x 8"0"  
 3'0" x 8"0"  
 3'6" x 8"0"



Smooth

**S2213SL**  
 12" x 6'8"  
 14" x 6'8"

**S82213SL**  
 12" x 8"0"  
 14" x 8"0"



Smooth

**S2382SL**  
 10" x 6'8"\*  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")

**S82382SL**  
 12" x 8"0"  
 14" x 8"0"

**ECHELON** ◆ ◆ ◆



Mahogany

**FCM2385**  
 28" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM82233**  
 28" x 8"0"  
 2'10" x 8"0"  
 3'0" x 8"0"



Mahogany

**FCM2385**  
 28" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM82385**  
 28" x 8"0"  
 2'10" x 8"0"  
 3'0" x 8"0"



Mahogany

**FCM2385SL**  
 10" x 6'8"\*  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")

**FCM82385SL**  
 12" x 8"0"  
 14" x 8"0"



Mahogany

**FCM82233SL**  
 12" x 8"0"  
 14" x 8"0"



Oak

**FC2233**  
 28" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FC82233**  
 28" x 8"0"  
 2'10" x 8"0"  
 3'0" x 8"0"



Oak

**FC2385**  
 28" x 6'8" Δ (7'0")  
 2'10" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")

**FC82385**  
 28" x 8"0"  
 2'10" x 8"0"  
 3'0" x 8"0"

**ECHELON** Continues on next page.

No Stile Lines

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

Scrolled & Flat Advanta Lite Frame  
 Not available for 2'4" and 2'6" doors or 10" sidelites.

Vented Sidelite Options

Elevated 10" Bottom Rail Options

WBDR Options

WBDR / HVHZ Options

6'6" Height Available



							
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
<b>FC18_SL</b> ☀️ 🗑️ 10" x 6'8" 12" x 6'8" ⚠️ (70") 14" x 6'8"	<b>12102_SL</b> ☀️ 🗑️ 🟢 🟡 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")	<b>FC06188_SL**</b> ☀️ 🗑️ 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC06184_SL**</b> ☀️ 🗑️ 🟢 🟡 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")	<b>FC06189_SL**</b> ☀️ 🗑️ 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC06185_SL**</b> ☀️ 🗑️ 🟢 🟡 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")	<b>FC06190_SL**</b> ☀️ 🗑️ 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC06186_SL**</b> ☀️ 🗑️ 🟢 🟡 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")

						
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S128</b> ☀️ 🗑️ E 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>S141</b> ☀️ 🗑️ 🟢 E 2'8" x 6'8" ⚠️ (70") 2'10" x 6'8" ⚠️ (70") 3'0" x 6'8" ⚠️ (70") 3'6" x 6'8"	<b>S108</b> ☀️ 🗑️ E 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>S6063</b> ☀️ 🗑️ E 2'8" x 6'8" ⚠️ (70") 2'10" x 6'8" ⚠️ (70") 3'0" x 6'8" ⚠️ (70") 3'6" x 6'8"	<b>S308_SL</b> ☀️ 🗑️ 12" x 6'8" 14" x 6'8"	<b>S1170_SL</b> ☀️ 🗑️ 🟢 🟡 10" x 6'8" 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")	<b>S605_SL**</b> ☀️ 🗑️ 12" x 6'8" 14" x 6'8"

				
Smooth	Smooth	Smooth	Smooth	Smooth
<b>S6124_SL**</b> ☀️ 🗑️ 🟢 🟡 10" x 6'8" 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")	<b>S606_SL**</b> ☀️ 🗑️ 12" x 6'8" 14" x 6'8"	<b>S6125_SL**</b> ☀️ 🗑️ 🟢 🟡 10" x 6'8" 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")	<b>S607_SL**</b> ☀️ 🗑️ 12" x 6'8" 14" x 6'8"	<b>S6126_SL**</b> ☀️ 🗑️ 🟢 🟡 10" x 6'8" 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")

**PRIVACY & TEXTURED GLASS**


			
Mahogany	Mahogany		
<b>FCM10</b> ☀️ 🗑️ 🟢 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM870</b> ☀️ 🗑️ 🟢 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1283</b> ☀️ 🗑️ 🟢 E 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>FCM81200</b> ☀️ 🗑️ 🟢 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

PRIVACY & TEXTURED GLASS *Continues on next page.*

- No Stile Lines
- ☀️ Low-E Glass (LE)
- 🗑️ Simulated Divided Lites (SDL)
- 🗑️ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 🗑️ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 🟢 Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- 🌀 WBDR Options
- 🌀 WBDR / HVHZ Options
- ⚠️ 6'6" Height Available

**NEW** Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.


Fiber-Classic & Smooth-Star

				
Mahogany	Mahogany	Oak	Oak	Oak
FCM870_SL ★☆☆☆☆ 12" x 8'0" 14" x 8'0"	FCM12101_SL ★☆☆☆☆ 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81200_SL ★☆☆☆☆ 12" x 8'0" 14" x 8'0"	FC10 ★☆☆☆☆E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81200P_ ★☆☆☆☆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
			1283 ★☆☆☆☆E 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	81200 ★☆☆☆☆ 2'6" x 8'0"* 2'10" x 8'0" 3'0" x 8'0"
				FC47_SL ★☆☆☆☆ 10" x 6'8"* 12" x 6'8" 14" x 6'8"
				81200P_SL ★☆☆☆☆ 12" x 8'0" 14" x 8'0"

				
Oak	Smooth	Smooth	Smooth	Smooth
12101_SL ★☆☆☆☆ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81200_SL ★☆☆☆☆ 12" x 8'0" 14" x 8'0"	S118 ★☆☆☆☆E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S818 ★☆☆☆☆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S140 ★☆☆☆☆E 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"
			S8140 ★☆☆☆☆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S100_SL ★☆☆☆☆ 12" x 6'8" 14" x 6'8"
				S8601_SL ★☆☆☆☆ 12" x 8'0" 14" x 8'0"
				S601_SL ★☆☆☆☆E 10" x 6'8"* 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")
				S81086_SL ★☆☆☆☆E 12" x 8'0" 14" x 8'0"

**INTERNAL BLINDS**

				
Mahogany	Mahogany	Mahogany	Mahogany	Oak
FCM141 ★☆☆☆☆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8115 ★☆☆☆☆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1286 ★☆☆☆☆E 2'4" x 6'8"* 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM81225 ★☆☆☆☆E 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM8115SL ★☆☆☆☆ 12" x 8'0" 14" x 8'0"
				FCM1286SL ★☆☆☆☆E 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")
				FCM81225SL ★☆☆☆☆E 12" x 8'0" 14" x 8'0"
				FC141 ★☆☆☆☆E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
				81225P ★☆☆☆☆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded      XC = Chord      XR = Rainglass  
XE = Satin Etch      XJ = Chinchilla      XN = Granite

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.




Oak

1286

- 24" x 6'8"  $\Delta$ \*
- 26" x 6'8"  $\Delta$  (70")\*
- 28" x 6'8"  $\Delta$  (70")
- 210" x 6'8"  $\Delta$  (70")
- 30" x 6'8"  $\Delta$  (70")

81225

- 26" x 8'0"\*
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"




Oak

FC141SL

- 10" x 6'8"\*
- 12" x 6'8"
- 14" x 6'8"

81225PSL

- 12" x 8'0"
- 14" x 8'0"



Oak

1286SL

- 12" x 6'8"  $\Delta$  (70")
- 14" x 6'8"  $\Delta$  (70")

81225SL

- 12" x 8'0"
- 14" x 8'0"



Smooth

S130

- 26" x 6'8"\*
- 28" x 6'8" (70")
- 210" x 6'8" (70")
- 30" x 6'8" (70")

S829

- 26" x 8'0"\*
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S6061

- 24" x 6'8"  $\Delta$ \*
- 26" x 6'8"  $\Delta$ \*
- 28" x 6'8"  $\Delta$  (70")
- 210" x 6'8"  $\Delta$  (70")
- 30" x 6'8"  $\Delta$  (70")
- 36" x 6'8"

S81225

- 26" x 8'0"\*
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"
- 36" x 8'0"



Smooth

S130SL

- 12" x 6'8"
- 14" x 6'8"

S829SL

- 12" x 8'0"
- 14" x 8'0"



Smooth

S6128SL

- 10" x 6'8"\*
- 12" x 6'8"  $\Delta$  (70")
- 14" x 6'8"  $\Delta$  (70")

S85928SL

- 12" x 8'0"
- 14" x 8'0"

### CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM1209

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"



Mahogany

FCM1201

- 26" x 6'8" (70")\*
- 28" x 6'8" (70")
- 210" x 6'8" (70")
- 30" x 6'8" (70")



Mahogany

FCM1211

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"



Mahogany

FCM1202

- 26" x 6'8" (70")\*
- 28" x 6'8" (70")
- 210" x 6'8" (70")
- 30" x 6'8" (70")



Mahogany

FCM1212

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"



Mahogany

FCM1203

- 26" x 6'8" (70")\*
- 28" x 6'8" (70")
- 210" x 6'8" (70")
- 30" x 6'8" (70")



Mahogany

FCM138

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"



Mahogany

FCM1285

- 26" x 6'8" (70")\*
- 28" x 6'8" (70")
- 210" x 6'8" (70")
- 30" x 6'8" (70")



Mahogany

FCM1208

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"



Mahogany

FCM1200

- 26" x 6'8" (70")\*
- 28" x 6'8" (70")
- 210" x 6'8" (70")
- 30" x 6'8" (70")



Mahogany

FCM18

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- No Stile Lines
  - ☀ Low-E Glass (LE)
  - ▭ Simulated Divided Lites (SDL)
  - ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◇ Flat Almond Grilles Between Glass (GBGF)
  - ◆ Flat Bronze Grilles Between Glass (GBGF)
  - ▭ Flat Lite Frame
- ▭ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
  - ▭ Standard Lite Frame Available
- Vented Sidelite Options
  - 6 WBDR Options
  - 6 WBDR / HVHZ Options
  - E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

**NEW**


Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ▽.

Fiber-Classic & Smooth-Star



Mahogany

**FCM1284**  
 6E  
 26" x 68" (70")\*  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")



Mahogany

**FCM828**  
 6  
 28" x 80"  
 210" x 80"  
 30" x 80"



Mahogany

**FCM81828**  
 6  
 26" x 80"\*  
 28" x 80"  
 210" x 80"  
 30" x 80"



Mahogany

**FCM81208P**  
 6  
 28" x 80"  
 210" x 80"  
 30" x 80"



Mahogany

**FCM81829**  
 6  
 26" x 80"\*  
 28" x 80"  
 210" x 80"  
 30" x 80"



Mahogany

**FCM1201SL**  
 6  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Mahogany

**FCM1202SL**  
 6  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Mahogany

**FCM1200SL**  
 6  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Mahogany

**FCM12102SL**  
 6  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Mahogany

**FCM81208PSL**  
 6  
 12" x 80"  
 14" x 80"



Mahogany

**FCM81208SL**  
 6  
 12" x 80"  
 14" x 80"



Mahogany

**FCM6124SL**  
 6  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Mahogany

**FCM6125SL**  
 6  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Mahogany

**FCM6126SL**  
 6  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Mahogany

**FCM198**  
 6  
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany

**FCM1289**  
 6E  
 26" x 68" (70")\*  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")



Mahogany

**FCM1289SL**  
 6  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Oak

**FC1209**  
 6E  
 26" x 68"\*  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")



Oak

**FC1201**  
 6E  
 26" x 68" Δ (70")\*  
 28" x 68" Δ (70")  
 210" x 68" Δ (70")  
 30" x 68" Δ (70")



Oak

**FC1211**  
 6E  
 26" x 68"\*  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")



Oak

**FC1202**  
 6E  
 26" x 68" Δ (70")\*  
 28" x 68" Δ (70")  
 210" x 68" Δ (70")  
 30" x 68" Δ (70")

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Oak      Oak      Oak      Oak      Oak      Oak      Oak

**FC1212**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 26" x 6'8" LE  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC1203**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 26" x 6'8" Δ (70")\*  
 28" x 6'8" Δ (70")  
 210" x 6'8" Δ (70")  
 30" x 6'8" Δ (70")


**FC138**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 26" x 6'8" LE  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**1285**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 26" x 6'8" Δ (70")\*  
 28" x 6'8" Δ (70")  
 210" x 6'8" Δ (70")  
 30" x 6'8" Δ (70")

**FC1208**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 26" x 6'8" LE  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC1200**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 26" x 6'8" Δ (70")\*  
 28" x 6'8" Δ (70")  
 210" x 6'8" Δ (70")  
 30" x 6'8" Δ (70")

**FC18**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 26" x 6'8" LE  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Oak      Oak      Oak      Oak      Oak      Oak      Oak

**1284**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 26" x 6'8" Δ (70")\*  
 28" x 6'8" Δ (70")  
 210" x 6'8" Δ (70")  
 30" x 6'8" Δ (70")

**FC828**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 28" x 8'0"  
 210" x 8'0"  
 3'0" x 8'0"


**81828**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 26" x 8'0" LE  
 28" x 8'0" (70")  
 210" x 8'0" (70")  
 3'0" x 8'0" (70")

**81208P**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 28" x 8'0"  
 210" x 8'0"  
 3'0" x 8'0"

**81208**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 26" x 8'0" LE  
 28" x 8'0" (70")  
 210" x 8'0" (70")  
 3'0" x 8'0" (70")

**FC1209SL**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 10" x 6'8" LE  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FC1201SL**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Oak      Oak      Oak      Oak      Oak      Oak      Oak      Oak

**FC1211SL**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 10" x 6'8" LE  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FC1202SL**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")

**FC1208SL**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 10" x 6'8" LE  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FC1200SL**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")

**FC18SL**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 10" x 6'8" LE  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**12102SL**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")

**81208PSL**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 12" x 8'0"  
 14" x 8'0"

**81208SL**  
 \* ♦ ♦ ♦ ♦ ♦ E  
 12" x 8'0"  
 14" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*

- No Stile Lines
- ☀ Low-E Glass (LE)
- ▨ Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ▨ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ▨ Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ▨ Standard Lite Frame Available
- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ▲ 66" Height Available

**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.

Fiber-Classic & Smooth-Star

							
Oak	Oak						
<b>FC06188SL</b> 10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>FC06184SL</b> 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>FC06189SL</b> 10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>FC06185SL</b> 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>FC06190SL</b> 10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>FC06186SL</b> 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>FC198</b> 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>1289</b> 2'6" x 6'8" Δ (70")* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70")

						
Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth
<b>FC198SL</b> 10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>FC1289SL</b> 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S1209</b> 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>S1201</b> 2'6" x 6'8" Δ* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"	<b>S1211</b> 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>S1202</b> 2'6" x 6'8" Δ* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"	<b>S1212</b> 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")

						
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S1203</b> 2'6" x 6'8" Δ* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"	<b>S128</b> 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>S141</b> 2'6" x 6'8" Δ* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"	<b>S1208</b> 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>S1200</b> 2'6" x 6'8" Δ* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"	<b>S108</b> 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>S6063</b> 2'6" x 6'8" Δ* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"

\*Not available with Advanta lite frame.  
Note: See page 277 for important product details that may help with your purchase decision.

									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth		
<b>S828</b>                 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S81828</b>                 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S808</b>                 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S81208</b>                 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S1209SL</b>                 12" x 6'8" 14" x 6'8"	<b>S1201SL</b>                 10" x 6'8"* 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	<b>S1211SL</b>                 12" x 6'8" 14" x 6'8"	<b>S1202SL</b>                 10" x 6'8"* 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")		
									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S1208SL</b>                 12" x 6'8" 14" x 6'8"	<b>S1200SL</b>                 10" x 6'8"* 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	<b>S308SL</b>                 12" x 6'8" 14" x 6'8"	<b>S1170SL</b>                 10" x 6'8"* 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	<b>S808SL</b>                 12" x 8'0" 14" x 8'0"	<b>S81186SL</b>                 12" x 8'0" 14" x 8'0"	<b>S605SL</b>                 12" x 6'8" 14" x 6'8"	<b>S8605SL</b>                 12" x 8'0" 14" x 8'0"	<b>S6124SL</b>                 10" x 6'8"* 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	<b>S85924SL</b>                 12" x 8'0" 14" x 8'0"
									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S606SL</b>         									

**CLEAR GLASS WITH DIVIDED LITES** *Continued*

**CLEAR GLASS**



**Smooth**

**S198SL**  
  
 12" x 6'8"  
 14" x 6'8"



**Smooth**

**S6062SL**  
  
 10" x 6'8"\*  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")




**Mahogany**

**FCM10**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Mahogany**

**FCM870**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Mahogany**

**FCM1283**  
  
 2'4" x 6'8"\*  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**Mahogany**

**FCM81200**  
  
 2'0" x 8'0"\*  
 2'4" x 8'0"\*  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM12101SL**  
  
 10" x 6'9"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



**FCM81200SL**  
  
 12" x 8'0"  
 14" x 8'0"



**Mahogany**

**FCM870SL**  
  
 12" x 8'0"  
 14" x 8'0"




**Oak**

**FC10**  
  
 2'6" x 6'8"\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")




**Oak**

**81200P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Oak**

**1283**  
  
 2'4" x 6'8" Δ\*  
 2'6" x 6'8" Δ (70")\*  
 2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")



**Oak**

**81200**  
  
 2'0" x 8'0"\*  
 2'4" x 8'0"\*  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC47SL**  
  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"



**81200PSL**  
  
 12" x 8'0"  
 14" x 8'0"



**12101SL**  
  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



**81200SL**  
  
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S118**  
  
 2'6" x 6'8"\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**Smooth**

**S818**  
  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**Smooth**

**S140**  
  
 2'0" x 6'8"\*  
 2'4" x 6'8" Δ\*\*  
 2'6" x 6'8" Δ\*\*  
 2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")  
 3'6" x 6'8"



**Smooth**

**S8140**  
  
 2'0" x 8'0"\*  
 2'4" x 8'0"\*  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**Smooth**

**S100SL**  
  
 12" x 6'8"  
 14" x 6'8"



**Smooth**

**S8601SL**  
  
 12" x 8'0"  
 14" x 8'0"



**S601SL**  
  
 10" x 6'8"\*  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



**S81086SL**  
  
 12" x 8'0"  
 14" x 8'0"



**Direct Set**

**DRS2131SL**  
  
 12" x 6'8" (70")  
 14" x 6'8" (70")



**Direct Set**

**DRS82131SL**  
  
 12" x 8'0"  
 14" x 8'0"

\*Not available with Advanta lite frame.

\*\*Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.


# 3/4 Lites

Note: Product images show exterior side of door.



## TRANSOMS

For transoms, see page 201.



Fiber-Classic & Smooth-Star

## BLACKSTONE. ◆ ◆

<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>
<b>FCM765</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM765SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM882SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC765</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC770</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81952P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				<b>FC765SL</b> 6 12" x 6'8" 14" x 6'8"	<b>81952PSL</b> 6 12" x 8'0" 14" x 8'0"
					<b>S975</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

## CRYSTALLINE™ ◆ ◆

<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>
<b>S979</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S894</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S975SL</b> 6 12" x 6'8" 14" x 6'8"	<b>S894SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM38</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM38SL</b> 6 12" x 6'8" 14" x 6'8"
				<b>FCM8105SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC38</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
					<b>FC772</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
					<b>81953P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CRYSTALLINE Continues on next page.

- No Stile Lines
- ☀ Low-E Glass (LE)
- 🐢 Turtle Glass
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Lite Frame
- ◆ Standard Lite Frame Available
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⬆ Elevated 10" Bottom Rail Options
- ⬆ 6'6" Height Available

**CRYSTALLINE™** ♦ ■ *Continued*

**SEDONA** ♦ ■

Fiber-Classic & Smooth-Star

			
<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC38SL</b> 12" x 6'8" 14" x 6'8"	<b>81953PSL</b> 12" x 8'0" 14" x 8'0"	<b>S977</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S981</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
<b>S888</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S758SL</b> 12" x 6'8" 14" x 6'8"	<b>S888SL</b> 12" x 8'0" 14" x 8'0"	

	
<b>Mahogany</b>	<b>Mahogany</b>
<b>FCM131</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM131SL</b> 12" x 6'8" 14" x 6'8"
	<b>FCM883SL</b> 12" x 8'0" 14" x 8'0"

					
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC131</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC773</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81954P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC131SL</b> 12" x 6'8" 14" x 6'8"	<b>81954PSL</b> 12" x 8'0" 14" x 8'0"	<b>S95</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
				<b>S91</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S887</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					<b>S91SL</b> 12" x 6'8" 14" x 6'8"
					<b>S887SL</b> 12" x 8'0" 14" x 8'0"

**SALINAS. X**

					
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>
<b>FCM115</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM115SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM884SL</b> 12" x 8'0" 14" x 8'0"	<b>FC115</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC775</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81955P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				<b>FC115SL</b> 12" x 6'8" 14" x 6'8"	<b>81955PSL</b> 12" x 8'0" 14" x 8'0"
					<b>S6009</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

MAPLE PARK. ◆ ■ ■



Smooth

S6010  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S895  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6009SL  
  
 12" x 6'8"  
 14" x 6'8"

S895SL  
  
 12" x 8'0"  
 14" x 8'0"



Mahogany

FCM902  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM902SL  
  
 12" x 6'8"  
 14" x 6'8"

FCM887SL  
  
 12" x 8'0"  
 14" x 8'0"



Oak

FC902  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

FC777  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

81957P  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

SARATOGA. ◆ ■ ■



Oak

FC902SL  
  
 12" x 6'8"  
 14" x 6'8"

81957PSL  
  
 12" x 8'0"  
 14" x 8'0"



Smooth

S6102  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S6103  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S85898  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6102SL  
  
 12" x 6'8"  
 14" x 6'8"

S85898SL  
  
 12" x 8'0"  
 14" x 8'0"



Mahogany

FCM907  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM907SL  
  
 12" x 6'8"  
 14" x 6'8"

FCM889SL  
  
 12" x 8'0"  
 14" x 8'0"



Oak

FC907  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

FC776  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

81956P  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

FC907SL  
  
 12" x 6'8"  
 14" x 6'8"

81956PSL  
  
 12" x 8'0"  
 14" x 8'0"



Smooth

S6092  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S982  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S891  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6092SL  
  
 12" x 6'8"  
 14" x 6'8"

S891SL  
  
 12" x 8'0"  
 14" x 8'0"

- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)
- ✗ Wrought Iron (IW)

- ▣ Scrolled & Flat Advanta Lite Frame  
 Not available for 24" and 26" doors or 10" sidelites.

- 6 WBDP Options
- 6 WBDP / HVHZ Options

TEXAS STAR ◆ ◆



<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>
<b>FCM143</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM143SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM8103SL</b> 12" x 8'0" 14" x 8'0"	<b>FC143</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FC778</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>81958P</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"
<b>FC143SL</b> 12" x 6'8" 14" x 6'8"	<b>81958PSL</b> 12" x 8'0" 14" x 8'0"	<b>S6071</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"			

Fiber-Classic & Smooth-Star

WELLESLEY™ ◆ ◆ ◆



<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>
<b>S6072</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S85901</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S6071SL</b> 12" x 6'8" 14" x 6'8"	<b>85901SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM147</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM147SL</b> 12" x 6'8" 14" x 6'8"
<b>FCM885SL</b> 12" x 8'0" 14" x 8'0"	<b>FC147</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FC779</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>81959P</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"		

RISERVA® X




<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>
<b>FC147SL</b> 12" x 6'8" 14" x 6'8"	<b>81959PSL</b> 12" x 8'0" 14" x 8'0"	<b>S6091</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S983</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S892</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S6091SL</b> 12" x 6'8" 14" x 6'8"
<b>S892SL</b> 12" x 8'0" 14" x 8'0"	<b>S6091SL</b> 12" x 6'8" 14" x 6'8"	<b>S892SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM543</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM545SL</b> 12" x 6'8" 14" x 6'8"	<b>81959P</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"
		<b>FCM8545SL</b> 12" x 8'0" 14" x 8'0"			




Oak	Oak	Oak	Smooth	Smooth	Smooth
<b>FC543</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC529</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC8529</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC545SL</b>  12" x 6'8" 14" x 6'8"	<b>FC8545SL</b>  12" x 8'0" 14" x 8'0"	<b>S543</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
<b>S529</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8529</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S545SL</b>  12" x 6'8" 14" x 6'8"	<b>S8545SL</b>  12" x 8'0" 14" x 8'0"		

**CONCORDE™** ◆ ◆ ◆



Mahogany	Mahogany	Oak	Oak	Oak	Smooth
<b>FCM912</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM912SL</b>  12" x 6'8" 14" x 6'8"	<b>FCM892SL</b>  12" x 8'0" 14" x 8'0"	<b>FC912</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC780</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81960P</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>FC912SL</b>  12" x 6'8" 14" x 6'8"	<b>81960PSL</b>  12" x 8'0" 14" x 8'0"	<b>S912</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"			

**KENSINGTON™** ◆ ◆ ◆



Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
<b>S97</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85902</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S757SL</b>  12" x 6'8" 14" x 6'8"	<b>S85902SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM156</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1442SL</b>  12" x 6'8" 14" x 6'8"
<b>FCM8107SL</b>  12" x 8'0" 14" x 8'0"	<b>FC156</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC20042</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81961P</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

**KENSINGTON** Continues on next page.

- ◆ Black Nickel Caming (ID)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ WBDOR Options
- ◆ Brushed Nickel Caming (IC)
- ◆ WBDOR Options
- ◆ Brass Caming (IA)
- ◆ Wrought Iron (IW)



**Oak**  
**FC1442SL**    
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"



**Smooth**  
**S20042**    
 2'8" x 6'8"    2'8" x 8'0"  
 2'10" x 6'8"    2'10" x 8'0"  
 3'0" x 6'8"    3'0" x 8'0"



**Smooth**  
**S156**   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Smooth**  
**S1442SL**    
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"



**Mahogany**  
**FCM6582**   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Mahogany**  
**FCM6580SL**   **FCM86580SL**   
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"



**Oak**  
**FC6582**   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Oak**  
**FC6580**   **FC86580**   
 2'8" x 6'8"    2'8" x 8'0"  
 2'10" x 6'8"    2'10" x 8'0"  
 3'0" x 6'8"    3'0" x 8'0"



**Oak**  
**FC6580SL**   **FC86580SL**   
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"



**Smooth**  
**S6582**   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Smooth**  
**S6580**   **S86580**   
 2'8" x 6'8"    2'8" x 8'0"  
 2'10" x 6'8"    2'10" x 8'0"  
 3'0" x 6'8"    3'0" x 8'0"



**Smooth**  
**S6580SL**   **S86580SL**   
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"

**AXIS** 



**Mahogany**  
**FC1647**   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Mahogany**  
**FCM1646SL**   **FCM81646SL**   
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"



**Oak**  
**FC1647**   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Oak**  
**FC1646**   **FC81646**   
 2'8" x 6'8"    2'8" x 8'0"  
 2'10" x 6'8"    2'10" x 8'0"  
 3'0" x 6'8"    3'0" x 8'0"



**Oak**  
**FC1646SL**   **FC81646SL**   
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"



**Smooth**  
**S1647**   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

CALIX ◆ ◆ ◆ ◆



Smooth

S1646  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S81646  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S1646SL  
 12" x 6'8"  
 14" x 6'8"

S81646SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

FCM389  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM4521SL  
 12" x 6'8"  
 14" x 6'8"

FCM84521SL  
 12" x 8'0"  
 14" x 8'0"



Oak

FC389  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

FC4521  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FC84521  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"


LATITUDE ◆ ◆ ◆ ◆



Oak

FC4521SL  
 12" x 6'8"  
 14" x 6'8"

FC84521SL  
 12" x 8'0"  
 14" x 8'0"



Smooth

S389  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S4521  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S84521  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S4521SL  
 12" x 6'8"  
 14" x 6'8"

S84521SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

FCM476  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM4525SL  
 12" x 6'8"  
 14" x 6'8"

FCM84525SL  
 12" x 8'0"  
 14" x 8'0"



Oak

FC476  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

FC4525  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FC84525  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

FC4525SL  
 12" x 6'8"  
 14" x 6'8"

FC84525SL  
 12" x 8'0"  
 14" x 8'0"



Smooth

S476  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S4525  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S84525  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S4525SL  
 12" x 6'8"  
 14" x 6'8"

S84525SL  
 12" x 8'0"  
 14" x 8'0"

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)


- ◆ Scrolled & Flat Advanta Lite Frame  
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ WBDOR Options





**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**

**NEW** Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.



**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**      **XC = Chord**      **XR = Rainglass**  
**XE = Satin Etch**      **XJ = Chinchilla**      **XN = Granite**

### PRIVACY & TEXTURED GLASS

							
<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>		
<b>S82_SL</b> 🏠 🗨️ 12" x 6'8" 14" x 6'8"	<b>S881_SL</b> 🏠 🗨️ 12" x 8'0" 14" x 8'0"	<b>FCM32_</b> 🌈 🗨️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM32_SL</b> 🌈 🗨️ 12" x 6'8" 14" x 6'8"	<b>FCM881_SL</b> 🌈 🗨️ 12" x 8'0" 14" x 8'0"	<b>FC32_</b> 🌈 🗨️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC766_</b> 🌈 🗨️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81943P_</b> 🌟 🌈 🗨️ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

### INTERNAL BLINDS

									
<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>				
<b>FC32_SL</b> 🌈 🗨️ 12" x 6'8" 14" x 6'8"	<b>81943P_SL</b> 🌈 🗨️ 12" x 8'0" 14" x 8'0"	<b>S80_</b> 🌈 🗨️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S90_</b> 🌈 🗨️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S880_</b> 🌟 🌈 🗨️ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S751_SL</b> 🌈 🗨️ 12" x 6'8" 14" x 6'8"	<b>S880_SL</b> 🌈 🗨️ 12" x 8'0" 14" x 8'0"	<b>FCM5425</b> 🌟 🌈 🗨️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM5425SL</b> 🌟 🌈 🗨️ 12" x 6'8" 14" x 6'8"	<b>FCM8110SL</b> 🌟 🌈 🗨️ 12" x 8'0" 14" x 8'0"
									
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>				
<b>FC5425</b> 🌟 🌈 🗨️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1964P</b> 🌟 🌈 🗨️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81964P</b> 🌟 🌈 🗨️ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC5425SL</b> 🌟 🌈 🗨️ 12" x 6'8" 14" x 6'8"	<b>81964PSL</b> 🌟 🌈 🗨️ 12" x 8'0" 14" x 8'0"	<b>S5425</b> 🌟 🌈 🗨️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S682</b> 🌟 🌈 🗨️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8682</b> 🌟 🌈 🗨️ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5425SL</b> 🌟 🌈 🗨️ 12" x 6'8" 14" x 6'8"	<b>S8682SL</b> 🌟 🌈 🗨️ 12" x 8'0" 14" x 8'0"

<p>🌟 Low-E Glass (LE)</p> <p>🏠 Simulated Divided Lites (SDL)</p> <p>🗨️ Flat Lite Frame</p>	<p>🌈 Scrolled &amp; Flat Advanta Lite Frame Not available for 24" and 26" doors or 10" sidelites.</p> <p>🗨️ Scrolled Advanta Lite Frame Not available for 24" and 26" doors or 10" sidelites.</p>	<p>🗨️ Standard Lite Frame Available</p> <p>🌈 WBDR Options</p> <p>🗨️ WBDR / HVHZ Options</p>
--	---	---

CLEAR GLASS WITH DIVIDED LITES

**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.

Fiber-Classic & Smooth-Star



Mahogany

**FCM2106**  
  
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany

**FCM2107**  
  
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany

**FCM2108**  
  
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany

**FCM82**  
  
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany

**FCM1089SL**  
  
 12" x 68"  
 14" x 68"



Mahogany

**FCM8313SL**  
  
 12" x 80"  
 14" x 80"

**FCM2101SL**  
  
 12" x 68"  
 14" x 68"

**FCM8313SL**  
  
 12" x 80"  
 14" x 80"



Mahogany

**FCM92SL**  
  
 12" x 68"  
 14" x 68"



Mahogany

**FCM8310SL**  
  
 12" x 80"  
 14" x 80"

**FCM8101SL**  
  
 12" x 80"  
 14" x 80"



Mahogany

**FCM81900SL**  
  
 12" x 80"  
 14" x 80"



Mahogany

**FCM81947SL**  
  
 12" x 80"  
 14" x 80"



Mahogany

**FCM81949SL**  
  
 12" x 80"  
 14" x 80"



Mahogany

**FCM1402**  
  
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany

**FCM1400SL**  
  
 12" x 68"  
 14" x 68"

**FCM81944SL**  
  
 12" x 80"  
 14" x 80"



Oak

**FC2106**  
  
 28" x 68"  
 210" x 68"  
 30" x 68"



Oak

**FC2107**  
  
 28" x 68"  
 210" x 68"  
 30" x 68"



Oak

**FC2108**  
  
 28" x 68"  
 210" x 68"  
 30" x 68"



Oak

**FC82**  
  
 28" x 68"  
 210" x 68"  
 30" x 68"



Oak

**FC1089**  
  
 28" x 68"  
 210" x 68"  
 30" x 68"



Oak

**FC8311**  
  
 28" x 80"  
 210" x 80"  
 30" x 80"

**FC2101**  
  
 28" x 68"  
 210" x 68"  
 30" x 68"

**FC8313**  
  
 28" x 80"  
 210" x 80"  
 30" x 80"



**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.

Fiber-Classic & Smooth-Star



<b>S2101</b> Smooth 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S8313</b> Smooth 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S2102</b> Smooth 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S8316</b> Smooth 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S881</b> Smooth 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S92</b> Smooth 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S8310</b> Smooth 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S882</b> Smooth 28" x 8'0" 210" x 8'0" 30" x 8'0"
---	---	---	---	--	---	---	--



<b>S1089SL</b> Smooth 12" x 6'8" 14" x 6'8"	<b>S8311SL</b> Smooth 12" x 8'0" 14" x 8'0"	<b>S2101SL</b> Smooth 12" x 6'8" 14" x 6'8"	<b>S8313SL</b> Smooth 12" x 8'0" 14" x 8'0"	<b>S82SL</b> Smooth 12" x 6'8" 14" x 6'8"	<b>S8310SL</b> Smooth 12" x 8'0" 14" x 8'0"	<b>S881SL</b> Smooth 12" x 8'0" 14" x 8'0"	<b>S8207SL</b> Smooth 12" x 8'0" 14" x 8'0"	<b>S8202SL</b> Smooth 12" x 8'0" 14" x 8'0"	<b>S8204SL</b> Smooth 12" x 8'0" 14" x 8'0"
--	--	--	--	--	--	---	--	--	--



<b>S1402</b> Smooth 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S1400</b> Smooth 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S898</b> Smooth 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S1400SL</b> Smooth 12" x 6'8" 14" x 6'8"	<b>S898SL</b> Smooth 12" x 8'0" 14" x 8'0"
---	---	--	--	---

**CLEAR GLASS**



<b>FCM32</b> Mahogany 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM32SL</b> Mahogany 12" x 6'8" 14" x 6'8"	<b>FCM881SL</b> Mahogany 12" x 8'0" 14" x 8'0"
---	--	---

Note: See page 277 for important product details that may help with your purchase decision.




# Oval Lites

Note: Product images show exterior side of door.



## TRANSOMS

For transoms, see page 201.



### BLACKSTONE. ◆ ◆



Mahogany

**FCM110**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM164**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC714**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC164**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC794**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

**S771**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

**S6085**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

### WELLESLEY. ◆ ◆ ◆



Smooth

**S997**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM106**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM163**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC713**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC163**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC796**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

Note: See page 277 for important product details that may help with your purchase decision.

**CONCORDE™** ◆ ◆ ◆



Smooth

**S774**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S6082**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S999**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM916**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM915**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

**FC916**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

**FC915**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**KENSINGTON™** ◆ ◆ ◆



Oak

**FC797**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S773**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S6084**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S1000**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM151**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM789**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

**FC709**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**PEMBRIDGE™** ◆ ◆ ◆



Oak

**FC151**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

**FC798**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S709**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S163**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S1001**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM6577**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM6575**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**PEMBRIDGE** *Continues on next page.*

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)

- ◆ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.



Oak

**FC6577**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC06575**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC6576**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S6577**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S6575**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S6576**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**CLEAR GLASS**



Mahogany

**FCM80**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM160**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC710**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC160**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC789**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S770**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S6080**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S992**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.


Bottom: Smooth-Star, Pembriidge Glass, Door S6576

Right Page: Fiber-Classic Mahogany Collection, Salinas Glass, Door - FCM114, Sidelites - FCM814SL, Transom - SART, Finish - Raven



**TRANSOMS**

For transoms, see page 201.



Fiber-Classic & Smooth-Star

**BLACKSTONE. ◆◆**

 <b>Mahogany</b> <b>FCM109</b> 28" x 68" 210" x 68" 30" x 68"		 <b>Mahogany</b> <b>FCM863</b> 28" x 80" 210" x 80" 30" x 80"		 <b>Mahogany</b> <b>FCM6032</b> 28" x 68" 210" x 68" 30" x 68"		 <b>Mahogany</b> <b>FCM6052</b> 28" x 68" 210" x 68" 30" x 68"		 <b>Mahogany</b> <b>FCM109SL</b> 12" x 68" 14" x 68"		 <b>Oak</b> <b>FCM863SL</b> 12" x 80" 14" x 80"		 <b>Oak</b> <b>FC109</b> 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")		 <b>Oak</b> <b>81933P</b> 28" x 80" 210" x 80" 30" x 80"		 <b>Oak</b> <b>81975P</b> 28" x 80" 210" x 80" 30" x 80"		 <b>Oak</b> <b>FC109SL</b> 12" x 68" 14" x 68"		 <b>Oak</b> <b>81933PSL</b> 12" x 80" 14" x 80"	
 <b>Smooth</b> <b>S6000</b> 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")		 <b>Smooth</b> <b>S81933P</b> 28" x 80" 210" x 80" 30" x 80"		 <b>Smooth</b> <b>S6032</b> 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")		 <b>Smooth</b> <b>S86032</b> 28" x 80" 210" x 80" 30" x 80"		 <b>Smooth</b> <b>S4314</b> 28" x 68" 210" x 68" 30" x 68"		 <b>Smooth</b> <b>S84314</b> 28" x 80" 210" x 80" 30" x 80"		 <b>Smooth</b> <b>S6052</b> 28" x 68" 210" x 68" 30" x 68"		 <b>Smooth</b> <b>S972</b> 28" x 68" 210" x 68" 30" x 68"		 <b>Smooth</b> <b>S85905</b> 28" x 80" 210" x 80" 30" x 80"		 <b>Smooth</b> <b>S6000SL</b> 12" x 68" 14" x 68"		 <b>Smooth</b> <b>S85912SL</b> 12" x 80" 14" x 80"	

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options



Mahogany

FCM898

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM898SL

12" x 8'0"  
14" x 8'0"



Oak

81935P

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

81977P

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

81935PSL

12" x 8'0"  
14" x 8'0"



Smooth

S81935P

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S86027

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

SEDONA ◆ ❖



Smooth

S84319

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S85907

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S85914SL

12" x 8'0"  
14" x 8'0"



Mahogany

FCM101

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM864

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM6025

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6045

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM101SL

12" x 6'8"  
14" x 6'8"



Mahogany

FCM864SL

12" x 8'0"  
14" x 8'0"



Oak

FC101

2'6" x 6'8"\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

81978P

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC101SL

12" x 6'8"  
14" x 6'8"



Oak

81936PSL

12" x 8'0"  
14" x 8'0"



Smooth

S211

2'6" x 6'8"\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

S81936P

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S6025



  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

S86025



  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S4328



  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S84328


  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6045

  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S35

  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S833

  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S294SL

  
 12" x 6'8"  
 14" x 6'8"

S85915SL

  
 12" x 8'0"  
 14" x 8'0"

**SALINAS** X



Mahogany

FCM114



  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM865



  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

FCM6031



  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM6051



  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM114SL



  
 12" x 6'8"  
 14" x 6'8"

FCM865SL



  
 12" x 8'0"  
 14" x 8'0"



Oak

FC114



  
 2'6" x 6'8"\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

81937P



  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

81980P



  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

FCM114SL



  
 12" x 6'8"  
 14" x 6'8"

81937PSL



  
 12" x 8'0"  
 14" x 8'0"



Smooth

S6006




  
 2'6" x 6'8"\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

S81937P



  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6031




  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

S86031




  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S4325




  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S84325



  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6051



  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

SALINAS Continues on next page.

-  Black Nickel Caming (ID)
-  Brushed Nickel Caming (IC)
-  Wrought Iron (IW)

-  Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

-  Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  WBDR Options
-  WBDR / HVHZ Options

-  Elevated 10" Bottom Rail Options

**SALINAS. X** *Continued*



Smooth

**S973**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S893**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**S6006SL**

12" x 6'8"  
 14" x 6'8"

**S85916SL**

12" x 8'0"  
 14" x 8'0"

**MAPLE PARK. ◆ ◆**



Mahogany

**FCM901**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM886**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**FCM6107**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM6108**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM901SL**

12" x 6'8"  
 14" x 6'8"

**FCM886SL**

12" x 8'0"  
 14" x 8'0"



Oak

**FC901**

28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**81939P**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**81982P**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC901SL**

12" x 6'8"  
 14" x 6'8"

**81939PSL**

12" x 8'0"  
 14" x 8'0"



Smooth

**S6101**

28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S81939P**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S6107**

28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S86107**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S4324**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S84324**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S6108**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S6106**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S85897**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**S6101SL**

12" x 6'8"  
 14" x 6'8"

**S85918SL**

12" x 8'0"  
 14" x 8'0"

**SARATOGA. ◆ ◆**



Mahogany

**FCM906**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM888**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM6029**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Mahogany

**FCM6049**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

					
<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FCM906SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM888SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC906</b> 6E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>81938P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81981P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC906SL</b> 6 12" x 6'8" 14" x 6'8"
			<b>81938PSL</b> 6 12" x 8'0" 14" x 8'0"	<b>S213</b> 6E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S81938P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					<b>S6029</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
					<b>S86029</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**TEXAS STAR** ◆ ❖

					
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>
<b>S4327</b> 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84327</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6049</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S41</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85908</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S291SL</b> 6 12" x 6'8" 14" x 6'8"
				<b>S85917SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM144</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
					<b>FCM899</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					<b>FCM6074</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

						
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FCM6075</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM899SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC144</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>81940P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81983P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81940PSL</b> 6 12" x 8'0" 14" x 8'0"	<b>S6073</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
						<b>S81940P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
						<b>S6074</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
						<b>S86074</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**TEXAS STAR** *Continues on next page.*

- ◆ Black Nickel Caming (ID)
- ❖ Brushed Nickel Caming (IC)
- ✕ Wrought Iron (IW)

- ▣ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- ▣ Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR Options

- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

TEXAS STAR  *Continued*

WELLESLEY 

Fiber-Classic & Smooth-Star



Smooth

**S4329**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S84329**  
  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S6075**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Smooth

**S6076**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S81983**  
  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**85919SL**  
  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM105**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM866**  
  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM6030**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Mahogany

**FCM6050**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Mahogany

**FCM105SL**  
  
 12" x 6'8"  
 14" x 6'8"

**FCM866SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC105**  
  
 26" x 6'8"  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**81941P**  
  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**81984P**  
  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC105SL**  
  
 12" x 6'8"  
 14" x 6'8"

**81941PSL**  
  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S214**  
  
 26" x 6'8"  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S81941P**  
  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S6030**  
  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S86030**  
  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S4330**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S84330**  
  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S6050**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Smooth

**S42**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S85909**  
  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S292SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S85922SL**  
  
 12" x 8'0"  
 14" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

**RISERVA X**

					
Mahogany		Mahogany		Oak	Oak
<b>FCM581</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8581</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM575</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM577</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM583SL</b>  12" x 6'8" 14" x 6'8"	<b>FCM8583SL</b>  12" x 8'0" 14" x 8'0"
<b>FC581</b>  2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FC8581</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC8579</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			

				
Oak	Smooth	Smooth	Smooth	Smooth
<b>FC583SL</b>  12" x 6'8" 14" x 6'8"	<b>FC8583SL</b>  12" x 8'0" 14" x 8'0"	<b>S581</b>  2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S8581</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S575</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
<b>S8575</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S4326</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84326</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S577</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	

**CONCORDE** ◆ ◆ ◆

					
Smooth	Smooth	Mahogany	Mahogany	Mahogany	Mahogany
<b>S579</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8579</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S583SL</b>  12" x 6'8" 14" x 6'8"	<b>S8583SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM911</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM891</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>FCM6026</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6046</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM911SL</b>  12" x 6'8" 14" x 6'8"	<b>FCM891SL</b>  12" x 8'0" 14" x 8'0"		

CONCORDE *Continues on next page.*

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ WBDR / HVHZ Options
- ◆ Elevated 10" Bottom Rail Options
- ◆ WBDR Options

Fiber-Classic & Smooth-Star



Oak

**FC911**  


2'6" x 6'8"  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

**81942P**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**81985P**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC911SL**  


12" x 6'8"  
14" x 6'8"

**81942PSL**  


12" x 8'0"  
14" x 8'0"



Smooth

**S426**  


2'6" x 6'8"  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

**S81942P**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S6026**  


2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

**S86026**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S4316**  


2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S84316**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S6046**  


2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S37**  


2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S837**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S430SL**  


12" x 6'8"  
14" x 6'8"

**S85920SL**  


12" x 8'0"  
14" x 8'0"

KENSINGTON™  



Mahogany

**FCM149**  


2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM8149**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

**FCM6036**  


2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM6056**  


2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM149SL**  


12" x 6'8"  
14" x 6'8"

**FCM867SL**  


12" x 8'0"  
14" x 8'0"



Oak

**FC149**  


2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

**FC8149**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC89701**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC149SL**  


12" x 6'8"  
14" x 6'8"

**FC8867SL**  


12" x 8'0"  
14" x 8'0"



Smooth

**SI61**  


2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

**S8149**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S6036



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

S86036



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S4320



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S84320



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S6056



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S43



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S89701



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S161SL



12" x 6'8"  
14" x 6'8"

S867SL



12" x 8'0"  
14" x 8'0"

PEMBRIDGE™



Mahogany

FCM6560



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM86560



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM6565



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6568



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6565SL



12" x 6'8"  
14" x 6'8"

FCM86560SL



12" x 8'0"  
14" x 8'0"



Oak

FC6560



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

FC86560



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC86536



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC6565SL



12" x 6'8"  
14" x 6'8"

FC86560SL



12" x 8'0"  
14" x 8'0"



Smooth

S6560



2'6" x 6'8"\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

S86560



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S6565



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

S86565



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S4323



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S84323



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S6568



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

PEMBRIDGE Continues on next page.

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ WBDP Options

- ◆ WBDP / HVHZ Options
- ◆ Elevated 10" Bottom Rail Options

**PEMBRIDGE™** ♦ ♦ ♦ Continued



Smooth

**S6536**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S86536**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S6565SL**

12" x 6'8"  
 14" x 6'8"

**S86560SL**

12" x 8'0"  
 14" x 8'0"

**AXIS.** ♦



Mahogany

**FCM1654**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM81654**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM1656**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Mahogany

**FCM1658**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Mahogany

**FCM1656SL**

12" x 6'8"  
 14" x 6'8"

**FCM81654SL**

12" x 8'0"  
 14" x 8'0"

Fiber-Classic & Smooth-Star



Oak

**FC1654**

26" x 6'8"  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC81654**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC81653**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC1656SL**

12" x 6'8"  
 14" x 6'8"

**FC81654SL**

12" x 8'0"  
 14" x 8'0"



Smooth

**S1654**

26" x 6'8"  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S81654**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S1656**

28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S81656**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S4311**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S84311**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S1658**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Smooth

**S1653**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S81653**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S1656SL**

12" x 6'8"  
 14" x 6'8"

**S81654SL**

12" x 8'0"  
 14" x 8'0"

**CALIX** ♦ ♦ ♦



Mahogany

**FCM386**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM8386**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM387**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

									
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>				
<b>FCM394</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM387SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM8386SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC386</b> 6E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FC8386</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC8392</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC387SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FC8386SL</b> 6 12" x 8'0" 14" x 8'0"	<b>S386</b> 6E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S8386</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

								
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>				
<b>S387</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S8387</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S4310</b> 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84310</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S394</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S392</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8392</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S387SL</b> 6 12" x 6'8" 14" x 6'8"	<b>S8386SL</b> 6 12" x 8'0" 14" x 8'0"

**LATITUDE** ◆ ◆ ◆

						
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FCM8498</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM8498SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC8498</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC8489</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC8498SL</b> 6 12" x 8'0" 14" x 8'0"	<b>S8498</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8467</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

LATITUDE *Continues on next page.*

- ◆ Black Nickel Caming (1D)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ WBDR / HVHZ Options
- ◆ Brushed Nickel Caming (1C)
- ◆ WBDR Options
- ◆ Elevated 10" Bottom Rail Options
- ◆ Brass Caming (1A)



Smooth

S84322

    
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



Smooth

S8489

    
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



Smooth

S8498SL

    
 12" x 8'0"   
 14" x 8'0"



Mahogany

FCM65\_

    
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



Mahogany

FCM6022\_

    
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



Mahogany

FCM6042\_

    
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



Mahogany

FCM8321\_

    
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



Mahogany

FCM65\_SL

    
 12" x 6'8"   
 14" x 6'8"



Mahogany

FCM3487\_SL

    
 12" x 8'0"   
 14" x 8'0"



Oak

FC65\_

     
 2'8" x 6'8" (70")   
 2'10" x 6'8" (70")   
 3'0" x 6'8" (70")



Oak

FC8321\_

    
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



Oak

FC832\_

    
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



Oak

FC63\_SL

    
 12" x 6'8"   
 14" x 6'8"



Oak

FC3487\_SL

    
 12" x 8'0"   
 14" x 8'0"



Smooth

S262\_

     
 2'8" x 6'8" (70")   
 2'10" x 6'8" (70")   
 3'0" x 6'8" (70")



Smooth

S6022\_

     
 2'8" x 6'8" (70")   
 2'10" x 6'8" (70")   
 3'0" x 6'8" (70")



Smooth

S6042\_

    
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



Smooth

S32\_

    
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



Smooth

S8321\_

    
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



Smooth

S86022\_

     
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



Smooth

S832\_

    
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

## PRIVACY & TEXTURED GLASS



Smooth

S263\_SL

12" x 6'8"  
14" x 6'8"



Smooth

S3487\_SL

12" x 8'0"  
14" x 8'0"



Mahogany

FCM62\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM862\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM6021\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6041\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM104\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Mahogany

FCM62\_SL

12" x 6'8"  
14" x 6'8"



Oak

FCM862\_SL

12" x 8'0"  
14" x 8'0"



Oak

FC62\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

81929P\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC104

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

81971P\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

FC48\_SL

12" x 6'8"  
14" x 6'8"



Smooth

81929P\_SL

12" x 8'0"  
14" x 8'0"



Smooth

S206\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

S81929P\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S6021\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

S830\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S6021\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

S86021\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S4305\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S84305\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S6041\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S104\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

S30\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S830\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S210\_SL

12" x 6'8"  
14" x 6'8"

S85910\_SL

12" x 8'0"  
14" x 8'0"

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- Simulated Divided Lites (SDL)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options

- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

# INTERNAL BLINDS



Mahogany

**FCM678**

2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM8678**

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM6035**

2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM6055**

2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM116**

2'6" x 6'8" (7'0")\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Mahogany

**FCM678SL**

12" x 6'8"  
 14" x 6'8"

**FCM8678SL**

12" x 8'0"  
 14" x 8'0"



Oak

**FC678**

2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FC8678**

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC116**

2'6" x 6'8" (7'0")\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

**FC8971**

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC678SL**

12" x 6'8"  
 14" x 6'8"

**FC8678SL**

12" x 8'0"  
 14" x 8'0"



Smooth

**S132**

2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S8132**

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6035**

2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S86035**

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S4308**

2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S84308**

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6055**

2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S131**

2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Smooth

**S971**

2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8971**

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S132SL**

12" x 6'8"  
 14" x 6'8"

**S8132SL**

12" x 8'0"  
 14" x 8'0"

## SCREEN VENTED LITES\*\*



Smooth

**S243**

2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Smooth

**S6034**

2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

\*Not available with Advanta lite frame.

\*\*Features a gliding operation and sash locking system.

Note: See page 277 for important product details that may help with your purchase decision.

CLEAR GLASS WITH DIVIDED LITES



Smooth

S6054

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S137

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Mahogany

FCM8322

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM8323

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM8324

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM65

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6022

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6042

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM8321

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM8675SL

12" x 8'0"  
14" x 8'0"



Mahogany

FCM65SL FCM7125SL

12" x 6'8" 12" x 8'0"  
14" x 6'8" 14" x 8'0"



Mahogany

FCM3487SL

12" x 8'0"  
14" x 8'0"



Mahogany

FCM1408

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM8145

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM1405

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM1406

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM1405SL FCM8145SL

12" x 6'8" 12" x 8'0"  
14" x 6'8" 14" x 8'0"



Oak

FC8322

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC8323

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC8324

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC65

2'6" x 6'8"\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

FC8321

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

■ No Stile Lines

☀ Low-E Glass (LE)

🗡 Simulated Divided Lites (SDL)

◆ Contour or Flat White Grilles  
Between Glass (GBGF / GBGC)

◆ Contour or Flat Almond Grilles  
Between Glass (GBGF / GBGC)

◆ Contour or Flat Bronze Grilles  
Between Glass (GBGF / GBGC)

🗡 Scrolled & Flat  
Advanta Lite Frame  
Not available for 2'4" and  
2'6" doors or 10" sidelites.

🗡 Standard Lite  
Frame Available

6 WBDR Options

6 WBDR / HVHZ Options

E Elevated 10" Bottom  
Rail Options

**CLEAR GLASS WITH DIVIDED LITES** *Continued*



Oak

**FC8318**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC8319**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC8320**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC832**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC8675SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC63SL** | **FC7125SL**  
  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC3487SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC1408**  
  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Oak

**FC8145**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC8144** | **FC1408SL** | **FC8145SL**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 12" x 6'8"  
 14" x 8'0"



Smooth

**S8322**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S8326**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S84318**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S8323**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S8327**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S84313**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S8324**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S8328**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S84309**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S262**  
  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Smooth

**S6022**  
  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

						
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S4307</b>     2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6042</b>     2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8321</b>      2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8325</b>      2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S84312</b>     2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8318</b>     2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8319</b>      2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S8320</b>     2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S32</b>      2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S832</b>      2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S115</b>      2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S8675SL</b>     12" x 8'0" 14" x 8'0"	<b>S263SL</b>      12" x 6'8" 14" x 6'8"	<b>S7125SL</b>      12" x 8'0" 14" x 8'0"	<b>S3487SL</b>      12" x 8'0" 14" x 8'0"	<b>S1408</b>       2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S8145</b>     2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

								
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S1405</b>      2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S81405</b>      2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S4321</b>      2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84321</b>      2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1406</b>     2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1407</b>     2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8144</b>     2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1405SL</b>     12" x 6'8" 14" x 6'8"	<b>S8145SL</b>     12" x 8'0" 14" x 8'0"

-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)

-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

-  Fixed Grilles (FXG)
-  Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
-  Standard Lite Frame Available


-  WBDR Options
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options





## TRANSOMS

For transoms, see page 201.



Fiber-Classic & Smooth-Star

### BLACKSTONE. ◆ ◆



Smooth

S6013

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### SEDONA ◆ ◆



Smooth

S294

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### SALINAS. ✕



Smooth

S6014

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### MAPLE PARK. ◆ ◆



Smooth

S6104

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### SARATOGA.™ ◆ ◆



Smooth

S291

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### WELLESLEY.™ ◆ ◆ ◆



Smooth

S292

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### RISERVA. ✕



Smooth

S585

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### CONCORDE.™ ◆ ◆ ◆



Smooth

S430

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

- No Stile Lines
- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- ◆ Standard Lite Frame Available
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

**KENSINGTON™** ◆ ◆ ◆



Smooth

**S162**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**PEMBRIDGE™** ◆ ◆ ◆ ◆



Smooth

**S6572**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**AXIS◆**



Smooth

**S1661**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**CALIX◆** ◆ ◆ ◆ ◆



Smooth

**S398**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



Smooth

**S807\_**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**PRIVACY & TEXTURED GLASS**



Smooth

**S289\_**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES**



Smooth

**S807**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Smooth

**S1411**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**CLEAR GLASS**



Smooth

**S289**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**


# Center Lites

Note: Product images show exterior side of door.



## TRANSOMS

For transoms, see page 201.



Fiber-Classic & Smooth-Star

### BLACKSTONE. ◆ ◆

Oak	Oak	Smooth	Smooth
<b>FC80943</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86243</b> ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S9343</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83143</b> ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

### SEDONA ◆ ◆

Oak	Oak	Smooth
<b>FC80952</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86252</b> ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S9352</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

### SALINAS. ✕

Smooth	Oak	Oak	Smooth
<b>S83152</b> ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC80953</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86253</b> ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S9353</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

### MAPLE PARK. ◆ ◆

Oak	Oak
<b>FC80955</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86255</b> ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (ID)
- ◆ Brushed Nickel Caming (IC)
- ◆ Brass Caming (IA)
- ✕ Wrought Iron (IW)
- ✕ Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frame Not available for 24" and 26" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame Not available for 24" and 26" doors or 10" sidelites.
- ◆ Standard Lite Frame Available

**MAPLE PARK** ◆ ◆



**S9355**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83155**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SARATOGA** ◆ ◆



**FC80954**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC86254**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S9354**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83154**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**WELLESLEY** ◆ ◆ ◆



**FC80949**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC86249**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S9349**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83149**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**RISERVA** ✕



**FC507**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC549**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S507**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**CONCORDE** ◆ ◆ ◆



**S549**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC80947**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC86247**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S9347**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83147**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**KENSINGTON** ◆ ◆ ◆



**FC80942**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC86242**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

- XK = Reeded**      **XC = Chord**      **XR = Rainglass**
- XE = Satin Etch**      **XJ = Chinchilla**      **XN = Granite**

**PEMBRIDGE™** ◆ ◆ ◆ ◆



Smooth

S9342

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

S83142

28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"



Oak

FC6534

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

FC86533

28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"



Smooth

S6534

28" x 6'8"  
210" x 6'8"  
3'0" x 6'8"



Smooth

S86533

28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"

**AXIS.◆**



Oak

FC1655

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

FC81649

28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"



Smooth

S1655

28" x 6'8"  
210" x 6'8"  
3'0" x 6'8"



Smooth

S81649

28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"



Oak

FC393

28" x 6'8"  
210" x 6'8"  
3'0" x 6'8"



Oak

FC8390

28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"



Smooth

S393

28" x 6'8"  
210" x 6'8"  
3'0" x 6'8"

**CALIX◆◆◆◆**

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



Smooth

S8390

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Oak

FC809203

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

FC862203

28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"



Smooth

S93203

28" x 6'8"  
210" x 6'8"  
3'0" x 6'8"



Smooth

S831203

28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"

- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ WBDP / HVHZ Options

## PRIVACY & TEXTURED GLASS

			
Oak	Oak	Smooth	Smooth
<b>FC80920_</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86220_</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S9320_</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83120_</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

## INTERNAL BLINDS

		
Oak	Oak	Smooth
<b>FC925</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC8972</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S925</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

## CLEAR GLASS WITH DIVIDED LITES

						
Smooth	Oak	Oak	Smooth	Smooth	Oak	Oak
<b>S8972</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC809203</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC862203</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S93203</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S831203</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC1404</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC8141</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

## CLEAR GLASS

					
Smooth	Smooth	Oak	Oak	Smooth	Smooth
<b>S1404</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8141</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC80920</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86220</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S9320</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83120</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**      **XC = Chord**      **XR = Rainglass**  
**XE = Satin Etch**      **XJ = Chinchilla**      **XN = Granite**

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

\*\*Available with Advanta flat lite frame only.

\*\*\*Available with Advanta flat lite frame or Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Calix Glass, Door- S3540, Finish - Arctic Ice



## TRANSOMS

For transoms, see page 201.

### OPTIONAL DENTIL SHELVES\*



#### 4-Block Dentil Shelf

Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.



#### 4-Block Dentil Shelf

Available for all Craftsman-lite Smooth-Star doors.

## SEDONA ◆◆



<b>S2650**</b> LE	<b>S82650**</b> LE	<b>FCM604</b> LE	<b>S604</b> LE	<b>S8604</b> LE
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

## MAPLE PARK ◆◆



<b>S2630***</b> LE	<b>S82630***</b> LE	<b>FCM609</b> LE	<b>S609</b> LE	<b>S8609</b> LE
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

## SARATOGA ◆◆



<b>FCM602</b> LE	<b>S2660***</b> LE	<b>S82660***</b> LE	<b>S602</b> LE	<b>S8602</b> LE
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

## RISERVA ✕



<b>FCM508</b> LE	<b>S2670***</b> LE	<b>S82670***</b> LE
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**RISERVA** Continues on next page.

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (ID)
- ◆◆ Brushed Nickel Caming (IC)
- ◆◆◆ Brass Caming (IA)
- 🏠 Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available
- ◆ WBD / HVHZ Options

Fiber-Classic & Smooth-Star

**RISERVA** X Continued



Smooth

<b>S508</b> 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8508</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--

**PEMBRIDGE** ◆ ◆ ◆ ◆



Mahogany

**FCM6520**  
6E  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

<b>S2640*</b> 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82640*</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



Smooth

<b>S6520</b> 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S86520</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---

**AXIS** ◆



Mahogany

**FCM1650**  
6E  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**CALIX** ◆ ◆ ◆ ◆



Smooth

<b>S2620*</b> 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82620*</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



Smooth

<b>S1650</b> 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S81650</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



Mahogany

**FCM6975**  
6E  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

<b>S3540*</b> 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83540*</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



Smooth

<b>S6975</b> 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S86975</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



Mahogany

**FCM605**  
6E  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM606**  
6E  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM607**  
6E  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM608**  
6E  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S605**  
6E  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

<b>S606</b> 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8606</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XE = Satin Etch**    **XJ = Chinchilla**    **XN = Granite**  
**XC = Chord**        **XR = Rainglass**

\*Available with Advanta flat lite frame or Impact-rated lite frame only.  
Note: See page 277 for important product details that may help with your purchase decision.

**PRIVACY & TEXTURED GLASS**



Smooth

Smooth

**S607**  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8607**  

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S608**  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8608**  

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM601**  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S2610** \*  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S82610** \*  

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S601**  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8600**  

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES**



Mahogany

**FCM605**  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM606**  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM607**  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM608**  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S605**  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8605**  

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S606**  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8606**  

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**CLEAR GLASS**



Smooth

**S607**  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8607**  

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S608**  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8608**  

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM601**  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S2610** \*  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S82610** \*  

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S601**  

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8601**  

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)

- Simulated Divided Lites (SDL)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Standard Lite Frame Available
- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

# Minimal Lites


Note: Product images show exterior side of door.

Fiber-Classic & Smooth-Star



## TRANSOMS

For transoms, see page 201.



### MAPLE PARK. ◆ ◆

Mahogany		Oak		Smooth	
<b>FCM736</b>	<b>FCM8736</b>	<b>FC736</b>	<b>FC8736</b>	<b>S736</b>	<b>S8736</b>
28" x 6'8"	28" x 8'0"	28" x 6'8" (70")	28" x 8'0"	28" x 6'8" (70")	28" x 8'0"
210" x 6'8"	210" x 8'0"	210" x 6'8" (70")	210" x 8'0"	210" x 6'8" (70")	210" x 8'0"
30" x 6'8"	30" x 8'0"	30" x 6'8" (70")	30" x 8'0"	30" x 6'8" (70")	30" x 8'0"

### SARATOGA™ ◆ ◆

Mahogany		Oak	
<b>FCM707</b>	<b>FCM8707</b>	<b>FC707</b>	<b>FC8707</b>
28" x 6'8"	28" x 8'0"	28" x 6'8" (70")	28" x 8'0"
210" x 6'8"	210" x 8'0"	210" x 6'8" (70")	210" x 8'0"
30" x 6'8"	30" x 8'0"	30" x 6'8" (70")	30" x 8'0"

### WELLESLEY™ ◆ ◆ ◆

Smooth		Mahogany		Oak		Smooth	
<b>S707</b>	<b>S8707</b>	<b>FCM721</b>	<b>FCM8721</b>	<b>FC721</b>	<b>FC8721</b>	<b>S721</b>	<b>S8721</b>
28" x 6'8" (70")	28" x 8'0"	28" x 6'8"	28" x 8'0"	28" x 6'8" (70")	28" x 8'0"	28" x 6'8" (70")	28" x 8'0"
210" x 6'8" (70")	210" x 8'0"	210" x 6'8"	210" x 8'0"	210" x 6'8" (70")	210" x 8'0"	210" x 6'8" (70")	210" x 8'0"
30" x 6'8" (70")	30" x 8'0"	30" x 6'8"	30" x 8'0"	30" x 6'8" (70")	30" x 8'0"	30" x 6'8" (70")	30" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Concorde Glass, Door – FC917, Sidelite – FC910SL



Mahogany

**FCM735**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM8735**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC735**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC8735**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S735**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S8735**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM745**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM8745**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC745**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC8745**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Smooth

**S745**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S8745**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM752**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM8752**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC752**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC8752**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S752**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S8752**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM704**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM8704**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

CLEAR GLASS



Oak

**FC704**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC8704**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S704**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S8704**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM708**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM8708**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC708**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC8708**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S708**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S8708**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

- Low-E Glass (LE)
- Black Nickel Caming (ID)
- Brushed Nickel Caming (IC)
- Brass Caming (IA)

- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)

- Fixed Grilles (FXG)
- Standard Lite Frame Available
- Elevated 10" Bottom Rail Options

**CONCORDE™** ◆ ◆ ◆



Oak

**FC917**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S454**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES**



Oak

**FC23**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S255**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**CLEAR GLASS**



Oak

**FC803**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S256**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES**



Smooth

**S236**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S237**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

(Scalloped Lite Frame)

**S8317**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**PEMBRIDGE™** ◆ ◆ ◆



Mahogany

**FCM6570**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM86570**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC6570**

2'6" x 6'8" (7'0")\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**FC86570**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S6570**

2'6" x 6'8"\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**S86570**

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**AXIS.◆**



Mahogany

**FCM1645**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM81645**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC1645**

2'6" x 6'8" (7'0")\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**FC81645**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S1645**

2'6" x 6'8"\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**S81645**

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**

**XE = Satin Etch**

**XC = Chord**

**XJ = Chinchilla**

**XR = Rainglass**

**XN = Granite**

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

## PRIVACY & TEXTURED GLASS



Mahogany

FCM61\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM861\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC61\_

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

FC861\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S296\_

2'6" x 6'8"\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S896\_

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

## CLEAR GLASS



Mahogany

FCM61

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM861

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC61

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

FC861

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"




Smooth

S296

2'6" x 6'8"\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S896

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



## Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



Smooth

S140STC

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S8140STC

2'6" x 8'0"\*  
2'8" x 8'0"  
3'0" x 8'0"



Smooth

S141STC

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")



Smooth

S6063STC

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

- No Stile Lines
- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (ID)
- Brushed Nickel Caming (IC)

- ◆ Brass Caming (IA)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)

- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Fixed Grilles (FXG)

- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available

- Elevated 10" Bottom Rail Options

# Solid Panel


Note: Product images show exterior side of door.

Fiber-Classic & Smooth-Star



## TRANSOMS

For transoms, see page 201.



Mahogany

**FCM31**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM220**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM205**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM755**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM600**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM60**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



**FCM860**

28" x 8'0"  
210" x 6'8"  
30" x 8'0"



Mahogany

**FCM1000**

20" x 6'8"  
24" x 6'8"  
26" x 6'8" (70")  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")



Oak

**FC31**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC809**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC755**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC862**

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Oak

**FC60**

26" x 6'8" (70")  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")



**FC860**

28" x 8'0"  
210" x 8'0"  
30" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.



Oak

1000

- 20" x 6'8"
- 24" x 6'8" <sup>△</sup>
- 26" x 6'8" <sup>△</sup> (70")
- 28" x 6'8" <sup>△</sup> (70")
- 210" x 6'8" <sup>△</sup> (70")
- 30" x 6'8" <sup>△</sup> (70")

81000

- 20" x 8'0"
- 24" x 8'0"
- 26" x 8'0"
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S93

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"



Smooth

S45

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"



Smooth

S220

- 28" x 6'8" (70")
- 210" x 6'8" (70")
- 30" x 6'8" (70")



Smooth

S1100

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S81100

- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S3301

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S83301

- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S3401L

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S83401L

- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S3401R

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S83401R

- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S3501L

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S83501L

- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S3501R

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S83501R

- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S3601L

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S83601L

- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S3601R

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S83601R

- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S5701

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S85701

- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S5721

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S85721


- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"

SOLID PANEL *Continues on next page.*

- No Stile Lines
- 2 Door Divider Bars (DDBF2)
- 6 WBDR Options


- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- E Elevated 10" Bottom Rail Options

**SOLID PANEL** *Continued*




Pair full-lite Shaker flush-glazed sidelites with solid-panel doors for natural light in the entry.

<b>Smooth</b> S85230SL E 12" x 8'0" 14" x 8'0"	<b>Smooth</b> S85700_SL E 12" x 8'0" 14" x 8'0"	<b>Smooth</b> S85710_SL E 12" x 8'0" 14" x 8'0"	<b>Smooth</b> S85720_SL E 12" x 8'0" 14" x 8'0"	<b>Smooth</b> S85700SL E 12" x 8'0" 14" x 8'0"	<b>Smooth</b> S85710SL E 12" x 8'0" 14" x 8'0"	<b>Smooth</b> S85720SL E 12" x 8'0" 14" x 8'0"
--	---	---	---	--	--	--



<b>Smooth</b> S120 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>Smooth</b> S8120 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>Smooth</b> S200 E 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>Smooth</b> S897 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>Smooth</b> S205 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>Smooth</b> S8201 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>Smooth</b> S755 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>Smooth</b> S31 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>Smooth</b> S831 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	---	--	--	---	--	---	--



<b>Smooth</b> S960 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>Smooth</b> S4800 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>Smooth</b> S84800 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>Smooth</b> S600 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>Smooth</b> S8600 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>Smooth</b> S210 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>Smooth</b> S810 E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>Smooth</b> S100 E 2'0" x 6'8" Δ 2'4" x 6'8" Δ 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	<b>Smooth</b> S81000 E 2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"
--	---	--	--	---	--	---	---	--

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

- |                        |                        |                       |
|------------------------|------------------------|-----------------------|
| <b>XK = Reeded</b>     | <b>XC = Chord</b>      | <b>XR = Rainglass</b> |
| <b>XE = Satin Etch</b> | <b>XJ = Chinchilla</b> | <b>XN = Granite</b>   |

# Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

## BLACKSTONE. ♦ ■■



**BSRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## SEDONA ♦ ■■



**19055T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**19520T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SALINAS. ✕



**SART**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## MAPLE PARK. ♦ ■■



**FWRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SARATOGA.™ ♦ ■■



**19750T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



**19740T**  
3'0" Door Only

## WELLESLEY.™ ♦ ■■ ❖



**19730T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



**19720T**  
3'0" Door Only

## RISERVA. ✕



**RSRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## CONCORDE.™ ♦ ■■ ❖



**CNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## KENSINGTON.™ ♦ ■■



**KNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## PEMBRIDGE.™ ♦ ■■ ❖



**PBRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

## AXIS. ♦



**AXRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

## CALIX. ♦ ■■ ❖



**CXRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**CX30T**  
3'0" Door Only

## LATITUDE. ♦ ■■ ❖



**LTRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**LT30T**  
3'0" Door Only

## ECHELON. ♦ ■■ ❖



**ECRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**EC30T**  
3'0" Door Only

## CLEAR GLASS



Grille Sticks Applied



**19020T**  
\*  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems




Grille Sticks Applied



**19220T**  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19200T**  
\*  
3'0" Door Only



**19210T**  
\*  
12" & 14" Sidelite Only

■ No Stile Lines

🔥 Flush-Glazed Glass with Detailed Sticking (FG)

☀️ Low-E Glass (LE)

■ Simulated Divided Lites (SDLF2)

♦ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

❖ Brass Caming (1A)

✕ Wrought Iron (1W)

6 WBDP Options

6 WBDP / HVHZ Options

⤴️ 6'6" Height Available

E Elevated 10" Bottom Rail Options

# Hinged Patio Doors

Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions

## Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass, Doors – S118

Bottom: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine, Onyx

## DOOR SELECTIONS



**Fiber-Classic®  
Mahogany  
Collection™**



**Fiber-Classic®  
Oak Collection™**




**Smooth-Star.**




**Profiles™  
& Traditions**

(Wood-grained images shown in Driftwood stain.)

## GLASS SELECTIONS



Internal Blinds



Low-E / Clear

### Divided Lites

For details on divided lite options, see pages 112–113.



Simulated  
Divided  
Lites



Grilles  
Between  
Glass



Fixed  
Grilles

### Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 30–31 for details.

### Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

### EnLiten™ Flush-Glazed Warranty Riders

See page 115 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

■ = Available

	Fiber-Classic	Smooth-Star	Profiles	Traditions
<b>Door Selections</b>				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
<b>Flush-Glazed Glass Selections</b>				
Internal Blinds ▲		■		
Low-E Glass with and without Divided Lites ▲	■	■		
Clear Glass with and without Divided Lites ▲	■	■		
Privacy & Textured Glass with and without Divided Lites ▲	■	■		
<b>Lip-Lite Glass Selections</b>				
Internal Blinds	■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■
Clear Glass with and without Divided Lites	■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■
<b>Available Sizes</b>				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"
Double Widths	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
<b>Additional Options</b>				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	■	■	■	■
Tru-Defense Eligible	■	■		

# EnLiten™ Flush-Glazed

## Internal Blinds




### AVAILABLE COLLECTIONS

- Smooth-Star.

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



Hinged Patio Doors


## Colonial Style Divided Lites




### AVAILABLE COLLECTIONS

- Fiber-Classic. Oak
- Smooth-Star.

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS




### Prairie Style Divided Lites




#### AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

#### AVAILABLE DOOR STYLES



#### AVAILABLE CONFIGURATIONS




### Low-E / Clear Glass




#### AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

#### AVAILABLE DOOR STYLES



#### AVAILABLE CONFIGURATIONS



# Lite Frames


## Internal Blinds




### AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



## Colonial Style Divided Lites




### AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS




### Prairie Style Divided Lites




#### AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

#### AVAILABLE DOOR STYLES



#### AVAILABLE CONFIGURATIONS



### Low-E / Clear Glass




#### AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

#### AVAILABLE DOOR STYLES



#### AVAILABLE CONFIGURATIONS



# Profiles™ Steel Doors

## Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Screen Vented Glass, Door - 1004HD  
Bottom: Profiles, Sedona Glass, Door - 996HD, Sidelite - 139SL



# Traditions Steel Doors

## Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions, Clear Glass, Door - TS118, Sidelites - 100SL  
Bottom: Traditions Door - TS210



# Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.<sup>1</sup>

 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 232–235.

	Profiles	Traditions
■ = Available		
• = Not Applicable		
P = Paint		

## Door Widths

Width	Profiles	Traditions
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•

## Door Heights

Height	Profiles	Traditions
6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■

## Glass Options

Option	Profiles	Traditions
Decorative	16	16
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■

## Frame Options

Option	Profiles	Traditions
Advanta Lite Frame	■	■
Standard Lite Frame	■	■
Impact Lite Frame	■	■

## Additional Options

Finish	Profiles	Traditions
Finish	P	P



## Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



## Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



## RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options on pages 202–207.

5'0" Patio Opening = (2) 2'4" Doors  
6'0" Patio Opening = (2) 2'10" Doors

<sup>1</sup>Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.


<sup>2</sup>Decorative glass designs are shown in Profiles only.

<sup>3</sup>Brass caming not available for Impact.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.




## Privacy & Textured Glass



**Reeded (XK)**  
Glass Privacy Rating: 7



**Satin Etch (XE)**  
Glass Privacy Rating: 10



**Chord (XC)**  
Glass Privacy Rating: 10



**Chinchilla (XJ)**  
Glass Privacy Rating: 10



**Rainglass (XR)**  
Glass Privacy Rating: 8



**Granite (XN)**  
Glass Privacy Rating: 10

### Glass Privacy Rating Scale



Also Available:

**Divided Lites**  
**Clear Glass**



\*Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door - 968HD, Sidelites - 971SLHD

# Full Lites

## BLACKSTONE. ◆ ◆



**310**  
◆ ◆

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

**310SL**  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## CRYSTALLINE™ ◆ ◆



**916**  
◆ ◆

28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

**916SL**  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## SEDONA ◆ ◆



**139**  
◆ ◆

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

**139SL**  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## SALINAS. ✕



**369**  
◆ ◆

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

**369SL**  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## MAPLE PARK. ◆ ◆



**1006**  
◆ ◆

28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

**1006SL**  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## SARATOGA™ ◆ ◆



**610**  
◆ ◆

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

**610SL**  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## TEXAS STAR ◆ ◆



**1029**  
◆ ◆

28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

**1029SL**  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## WELLESLEY™ ◆ ◆ ◆



**620**  
◆ ◆

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

**620SL**  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## RISERVA. ✕



**571**  
◆ ◆

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

**TS572SL**  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

- ◆ Black Nickel Caming (1D)
- ◆ ◆ Brushed Nickel Caming (1C)
- ◆ ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ◆ WBD / HVHZ Options
- ▲ 6'6" Height Available

**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.

Profiles & Traditions Steel

**CONCORDE™** ◆ ◆ ◆



**1028**  
26  
26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")



**416SL**  
26  
10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**KENSINGTON™** ◆ ◆ ◆



**626**  
26  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")



**626SL**  
26  
10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**PEMBRIDGE™** ◆ ◆ ◆



**6500HD**  
26  
24" x 6'8"\*  
26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")



**6500SL**  
26  
10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**AXIS◆**



**1651HD**  
26  
24" x 6'8"\*  
26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")



**1651SL**  
26  
10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**CALIX◆ ◆ ◆**



**2389HD**  
26  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")



**2389SL**  
26  
10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**LATITUDE◆ ◆ ◆**



**2382HD**  
26  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")



**2382SL**  
26  
10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**ECHELON◆ ◆ ◆**



**2385HD**  
26  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")



**2385SL**  
26  
10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



**128**  
26  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")



**108**  
26  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")



**6184 SL\*\***  
26  
10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")



**6185 SL\*\***  
26  
10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")



**6186 SL\*\***  
26  
10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")



**632 SL**  
26  
10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Advanta Lite Frame.

\*\*Not available with Reeded (XK) glass.

\*\*\*Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

## PRIVACY & TEXTURED GLASS



118

28" x 6'8" (70")\*  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



100\_SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

## INTERNAL BLINDS



130

24" x 6'8"\*  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



130SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

## CLEAR GLASS WITH DIVIDED LITES



1201

26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



1202

26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



1203

26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



128

26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



1200

26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



108

26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



1201SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



1202SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



1200SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



632SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



6184SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

## CLEAR GLASS



6185SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



6186SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



198

26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



198SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



118

2'0" x 6'8"\*\*\*\*  
 24" x 6'8"\*\*\*\*  
 26" x 6'8" (70")\*\*\*\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



100SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

Low-E Glass (LE)

Turtle Glass

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat Almond Grilles Between Glass (GBGF)

Flat Bronze Grilles Between Glass (GBGF)

Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Fixed Grilles (FXG)

Flat Lite Frame

Standard Lite Frame Available

Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

WBDR / HVHZ Options

6'6" Height Available

# 3/4 Lites

## BLACKSTONE. ♦ ♦



**1037HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1037SLHD**  
 12" x 6'8"  
 14" x 6'8"

## CRYSTALLINE.™ ♦ ♦



**1042HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**956SLHD**  
 12" x 6'8"  
 14" x 6'8"

## SEDONA ♦ ♦



**965HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**965SLHD**  
 12" x 6'8"  
 14" x 6'8"

## SALINAS. ✕



**968HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**971SLHD**  
 12" x 6'8"  
 14" x 6'8"

## MAPLE PARK. ♦ ♦



**1009HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1009SLHD**  
 12" x 6'8"  
 14" x 6'8"

## SARATOGA.™ ♦ ♦



**1039HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1039SLHD**  
 12" x 6'8"  
 14" x 6'8"

## TEXAS STAR ♦ ♦



**1040HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1040SLHD**  
 12" x 6'8"  
 14" x 6'8"

## WELLESLEY.™ ♦ ♦ ♦



**1041HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1041SLHD**  
 12" x 6'8"  
 14" x 6'8"

## RISERVA. ✕



**544HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**546SLHD**  
 12" x 6'8"  
 14" x 6'8"

## CONCORDE.™ ♦ ♦ ♦



**967HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**967SLHD**  
 12" x 6'8"  
 14" x 6'8"

## KENSINGTON.™ ♦ ♦



**03142HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**966SLHD**  
 12" x 6'8"  
 14" x 6'8"

## PEMBRIDGE.™ ♦ ♦ ♦



**6582HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**6580SLHD**  
 12" x 6'8"  
 14" x 6'8"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**



# Oval Lites

## BLACKSTONE™



**1025HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## WELLESLEY™



**1022HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## CONCORDE™



**1024HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## KENSINGTON™



**630HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## PEMBRIDGE™



**6578HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## CLEAR GLASS



**1020HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

# 1/2 Lites

## BLACKSTONE™



**309HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**1001HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1117HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**311SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

## SEDONA™



**211HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**996HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1114HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**294SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

## SALINAS™



**374HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**1002HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1115HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**371SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

## MAPLE PARK™



**1007HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**1011HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1116HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1007SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

\*Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.

**SARATOGA™** ◆ ◆



**613HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**988HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**1112HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**615SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**TEXAS STAR** ◆ ◆




**1032HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**1035HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**1111HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**WELLESLEY™** ◆ ◆ ◆



**623HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**989HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**1120HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**625SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**RISERVA®** X



**582HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**576HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**578HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**584SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**CONCORDE™** ◆ ◆ ◆



**426HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**999HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**1118HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**430SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**KENSINGTON™** ◆ ◆



**627HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**631HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**1113HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**628SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available
- 6 WBDP / HVHZ Options

**PEMBRIDGE™** ◆ ◆ ◆ ◆



**6560HD**  
 26" x 68" (70")\*  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**6565HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"

**6568HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"

**6565SLHD**  
 12" x 68" (70")  
 14" x 68" (70")

**AXIS.** ◆



**1660HD**  
 26" x 68" (70")\*  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**1657HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"

**1659HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"

**1657SLHD**  
 12" x 68" (70")  
 14" x 68" (70")

**CALIX** ◆ ◆ ◆ ◆



**835HD**  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**395HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"

**397HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"

**395SLHD**  
 12" x 68" (70")  
 14" x 68" (70")

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



**262HD**  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**982HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"

**1123HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"

**263SLHD**  
 12" x 68" (70")  
 14" x 68" (70")

**PRIVACY & TEXTURED GLASS**



**206HD**  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**980HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"

**1101 HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"

**104**  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**210SLHD**  
 12" x 68" (70")  
 14" x 68" (70")

**INTERNAL BLINDS**



**132HD**  
 26" x 68" (70")\*  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**984HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Advanta Lite Frame.

\*\*Features a gliding operation and sash locking system.

Note: See page 277 for important product details that may help with your purchase decision.

## SCREEN VENTED LITES\*\*



**1121HD**  
 \* **6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**131**  
 \* **6E**  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**132SLHD**  
 \* **6**  
 12" x 6'8" (70")  
 14" x 6'8" (70")



**243HD**  
**E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**1004HD**  
**E**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1102HD**  
**E**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**137**  
**E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

## CLEAR GLASS WITH DIVIDED LITES



**262HD**  
**6**  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**982HD**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1123HD**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**115HD**  
**E**  
 2'6" x 6'8" (70")  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**263SLHD**  
**6**  
 12" x 6'8" (70")  
 14" x 6'8" (70")



**1408HD**  
**6**  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**1405HD**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1406HD**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

## CLEAR GLASS



**1405SLHD**  
**6**  
 12" x 6'8" (70")  
 14" x 6'8" (70")



**206HD**  
**6**  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**980HD**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1101HD**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**104**  
**6E**  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**105**  
**E**  
 2'6" x 6'8" (70")  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**210SLHD**  
**6**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

# Twin 1/2 Lites

## BLACKSTONE.™



**311HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## SEDONA



**294HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## SALINAS. X



**371HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## MAPLE PARK.™



**1008HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## SARATOGA.™



**615HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## WELLESLEY.™



**625HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## RISERVA. X



**588HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## CONCORDE.™



**430HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## KENSINGTON.™



**628HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## PEMBRIDGE.™



**6572HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## AXIS.™



**1662HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## CALIX



**396HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## PRIVACY & TEXTURED GLASS



**263HD\_**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")



**289HD\_**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Advanta Lite Frame.  
 \*\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.



**PRIVACY & TEXTURED GLASS**



**601\_HD\***  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES**



**605HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**606HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**607HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**608HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**CLEAR GLASS**



**601HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**Minimal Lites**

**MAPLE PARK**



**736HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**SARATOGA™**



**707HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**WELLESLEY™**



**721HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**CONCORDE™**



**735HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**PEMBRIDGE™**



**745HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**CLEAR GLASS WITH DIVIDED LITES**



**752HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**704HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**CLEAR GLASS**



**708HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**CONCORDE™**



**454HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

**CLEAR GLASS WITH DIVIDED LITES**



**255HD**  
 \* ♦ ♦ ♦ ♦  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**CLEAR GLASS**



**256HD**  
 \*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**CLEAR GLASS WITH DIVIDED LITES**



**236HD**  
 ♦ ♦  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**237HD**  
 \* ♦ ♦  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")  
 (Scalloped Lite Frame)

**PEMBRIDGE™**  
 ♦ ♦ ♦



**6570HD**  
 ♦  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**6570SLHD**  
 ♦  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**AXIS. ♦**



**1643HD**  
 ♦  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**1643SLHD**  
 ♦  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**PRIVACY & TEXTURED GLASS**



**296HD**  
 ♦  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**296SLHD**  
 ♦  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**CLEAR GLASS**



**296HD**  
 \* ♦  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**296SLHD**  
 \* ♦  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**Solid Panel**



**969HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**978HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1005HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**205HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**203HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**210HD**  
 9  
 26" x 6'8" (70")  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**100**  
 9E  
 20" x 6'8"  
 24" x 6'8"  
 26" x 6'8" (70")  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")  
 36" x 6'8" (70")

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- 🏠 Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Fixed Grilles (FXG)
- └ Flat Lite Frame
- ▨ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ▨ Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- 🔸 Standard Lite Frame Available
- 9 WBDL / HVHZ Options
- E Elevated 10" Bottom Rail Options

# Full Lites


## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

					
<b>TS128</b> * 28 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>TS108</b> * 28 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>6184 SL*</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")	<b>6185 SL*</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")	<b>6186 SL*</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")	<b>632 SL</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")

## PRIVACY & TEXTURED GLASS

	
<b>TS118</b> * 28 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>818</b> * 28 28" x 8'0" 210" x 8'0" 30" x 8'0"

## PRIVACY & TEXTURED GLASS

	
<b>100 SL</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")	<b>818 SL</b> * 28 12" x 8'0" 14" x 8'0"

## INTERNAL BLINDS

			
<b>TS130</b> * 28 24" x 6'8"*** 26" x 6'8"*** 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>829</b> * 28 26" x 8'0"*** 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>130SL</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")	<b>829SL</b> * 28 12" x 8'0" 14" x 8'0"

## CLEAR GLASS WITH DIVIDED LITES

		
<b>TS1201</b> * 28 26" x 6'8"*** 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>TS1202</b> * 28 26" x 6'8"*** 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>TS1203</b> * 28 26" x 6'8"*** 28" x 6'8" 210" x 6'8" 30" x 6'8"

							
<b>TS128</b> * 28 26" x 6'8"*** 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>TS1200</b> * 28 26" x 6'8"*** 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>TS108</b> * 28 26" x 6'8"*** 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>828</b> * 28 26" x 8'0"*** 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>808</b> * 28 26" x 8'0"*** 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>1201SL</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")	<b>1202SL</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")	<b>1200SL</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Reeded (XK) glass.

\*\*Not available with Advanta Lite Frame.

\*\*\*Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR. requirements in all 50 states indicated in gold.

							
<b>632SL</b>    10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>828SL</b>    12" x 8'0" 14" x 8'0"	<b>6184SL</b>    10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>86184SL</b>    12" x 8'0" 14" x 8'0"	<b>6185SL</b>    10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>86185SL</b>    12" x 8'0" 14" x 8'0"	<b>6186SL</b>    10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>86186SL</b>    12" x 8'0" 14" x 8'0"

**CLEAR GLASS**

					
<b>TS198</b>    2'6" x 6'8"*** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>198SL</b>    10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>TS118</b>    2'0" x 6'8"*** 2'4" x 6'8"*** 2'6" x 6'8"*** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>818</b>    2'0" x 8'0"*** 2'6" x 8'0"*** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>100SL</b>    10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>818SL</b>    12" x 8'0" 14" x 8'0"

**1/2 Lites**

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**

		
<b>TS262</b>   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8321</b>   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS263_SL</b>   12" x 6'8" 14" x 6'8"

**PRIVACY & TEXTURED GLASS**

			
<b>TS206</b>   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8206</b>   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS104</b>    2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS210_SL</b>   12" x 6'8" 14" x 6'8"

-  Low-E Glass (LE)
-  Turtle Glass
-  Simulated Divided Lites (SDL)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Fixed Grilles (FXG)
-  Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  Standard Lite Frame Available
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options

### INTERNAL BLINDS



- |  |   |  |  |
|--|---|--|--|
| <b>TS132</b><br><br>2'6" x 6'8"***<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>8132</b><br><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>TS131</b><br><br>2'6" x 6'8"***<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>TS132SL</b><br><br>12" x 6'8"<br>14" x 6'8" |
|--|---|--|--|

### SCREEN VENTED LITES\*



- |  |  |
|--|--|
| <b>TS243</b><br><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>TS137</b><br><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|--|--|

### CLEAR GLASS WITH DIVIDED LITES



- |   |   |   |  |   |  |  |
|---|---|---|--|---|--|--|
| <b>8322</b><br><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>8323</b><br><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>8324</b><br><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>TS262</b><br><br>2'6" x 6'8"***<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>8321</b><br><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>TS115</b><br><br>2'6" x 6'8"***<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>TS263SL</b><br><br>12" x 6'8"<br>14" x 6'8" |
|---|---|---|--|---|--|--|

### CLEAR GLASS



- |   |   |   |  |   |  |   |  |
|---|---|---|--|---|--|---|--|
| <b>TS1408</b><br><br>2'6" x 6'8"***<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>8145</b><br><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>TS1405SL</b><br><br>12" x 6'8"<br>14" x 6'8" | <b>TS206</b><br><br>2'6" x 6'8"***<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>8206</b><br><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>TS104</b><br><br>2'6" x 6'8"***<br>2'8" x 6'8"<br>2'10" x 6'8" ⚠<br>3'0" x 6'8" | <b>TS105</b><br><br>2'6" x 6'8"<br>2'8" x 6'8"<br>2'10" x 6'8" ⚠<br>3'0" x 6'8" | <b>TS210SL</b><br><br>12" x 6'8"<br>14" x 6'8" |
|---|---|---|--|---|--|---|--|

#### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**

**XE = Satin Etch**

**XC = Chord**

**XJ = Chinchilla**

**XR = Rainglass**

**XN = Granite**

\*Features a gliding operation and sash locking system.

\*\*Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.

# Twin 1/2 Lites

## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



**TS263**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

## PRIVACY & TEXTURED GLASS



**TS289**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

## CLEAR GLASS WITH DIVIDED LITES



**TS263**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS1411**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

## CLEAR GLASS



**TS289**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Profiles & Traditions Steel

# Minimal Lites

## PRIVACY & TEXTURED GLASS




**TS296**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**896**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS296-SL**  
 12" x 6'8"  
 14" x 6'8"

## CLEAR GLASS WITH DIVIDED LITES



**TS752**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8752**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS704**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8704**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS255**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS236**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8317**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Standard Lite Frame Available
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

**CLEAR GLASS WITH DIVIDED LITES**



**TS237**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"  
 (Scalloped Lite Frame)

**CLEAR GLASS**



**TS708**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**8708**  
  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



**TS256**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**TS296**  
  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**896**  
  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



**TS296SL**  
  
 12" x 6'8"  
 14" x 6'8"

**Solid Panel**



**TS210**  
  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**810**  
  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



**TS100**  
  
 20" x 6'8"  
 24" x 6'8"  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**800**  
  
 20" x 8'0"  
 24" x 8'0"  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

# Transoms

Transoms can be painted to match a Profiles™ or Traditions door system.

## BLACKSTONE. ♦ ::



**BSRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## SEDONA ♦ ::



**19055T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**19520T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SALINAS. ✕



**SART**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## MAPLE PARK. ♦ ::



**FWRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SARATOGA. ♦ ::



**19750T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



**19740T**  
3'0" Door Only

## WELLESLEY. ♦ :: ♦



**19730T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



**19720T**  
3'0" Door Only

## RISERVA. ✕



**RSRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## CONCORDE. ♦ :: ♦



**CNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## KENSINGTON. ♦ ::



**KNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## PEMBRIDGE. ♦ :: ♦



**PBRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

## AXIS. ♦



**AXRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

## CALIX. ♦ :: ♦



**CXRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**CX30T**  
3'0" Door Only

## LATITUDE. ♦ :: ♦



**LTRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**LT30T**  
3'0" Door Only

## ECHELON. ♦ :: ♦



**ECRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**EC30T**  
3'0" Door Only

## CLEAR GLASS



Grille Sticks Applied



**19020T**

☀  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied




**19220T**

☀  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19200T**  
☀  
3'0" Door Only



**19210T**  
☀  
12" & 14" Sidelite Only

- ☀ Low-E Glass (LE)
- ♦ Black Nickel Caming (ID)
- :: Brushed Nickel Caming (IC)
- ♦ :: Brass Caming (IA)

- ✕ Wrought Iron (IW)
- ♦ Fixed Grilles (FXG)
- ▭ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ▭ Standard Lite Frame Available

- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

# Fire Doors




**Intertek**

Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.

## Therma-Tru® Fire-Rated Doors

Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.<sup>1</sup> Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

- Smooth-Star. 20-minute Fire-rated fiberglass doors are constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.<sup>2</sup>



## 20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

### ADDITIONAL OPTIONS

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 235.

### For California Projects

Therma-Tru Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) and other State WUI requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

### For Florida Projects

Therma-Tru Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR) including the Gulf and Texas coast.

Note: Therma-Tru Fire-rated doors are approved for use in all Wildland Urban Interface (WUI) zones.

<sup>1</sup>To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

<sup>2</sup>Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.

Note: To see the third-party Intertek (Warnock-Hersey) listing reports, visit [thermatru.com/performance](http://thermatru.com/performance).

Left: Smooth-Star Door – SSF120

# 20-Minute Fire-Rated Wood Edge – Fiberglass

## SMOOTH-STAR.



**SSF93**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF45**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF220**  
**6E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**SSF8220**  
**6E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF1100**  
**6E**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF81100**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF120**  
**6E**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF8120**  
**6E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF200**  
**6**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF8200**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**SSF205**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF8205**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF755**  
**6**  
 2'10" x 6'8"  
 3'0" x 6'8"


**SSF31**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF831**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF960**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF4800**  
**6E**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF84800**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**SSF600**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF8600**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF160**  
**6E**  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**SSF8160**  
**6**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF100**  
**6E**  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**SSF8100**  
**6E**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.



## 20-Minute Fire-Rated Wood Edge – Steel

### PROFILES™



**969HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**978HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1005HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**205HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**203HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**210HD**  
■ 6  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



**100**  
■ 6E  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

### TRADITIONS



**TS210**  
■ 6  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"





**TS100**  
■ 6E  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

■ No Stile Lines  
6 WBDR Options

6 WBDR / HVHZ Options  
E Elevated 10" Bottom Rail Options

Fire Doors

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches — Ari, Línea and Echo — the entrance becomes modern art.



<sup>1</sup>Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Top: Pulse Línea, Echelon Glass with Flat Lite Frame, Door - S81EC, Finish - Golden Wheat  
Right Page: Pulse Ari, Satin Etch Glass, Door - S2XE, Finish - Indigo

## It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse). Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.

### THE CREATIVITY IS UNLIMITED

#### Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



**LIFETIME**  
LIMITED WARRANTY

Fiberglass

**10 YEAR**  
LIMITED WARRANTY


Steel



WBDR / HVHZ Options:  
Look for this icon to find door  
styles that can be configured  
for WBDR or HVHZ.<sup>1</sup>

## 1 START WITH A STYLE

Combine doors and sidelites to create an entrance that fits your vision.



Ari

Línea

Echo

Sidelites

## 2 CHOOSE A MATERIAL

Each style is available in any of these material choices.



Wood-Grained Fiberglass:  
Mahogany or Oak  
(Shown in Driftwood stain.)

Smooth  
Fiberglass


Steel

## 3 SELECT A GLASS

Find an available glass design to complete the statement you want to make.

### Privacy & Textured Glass

Available for all Pulse door styles.



Reeded

Satin Etch

Chord

Chinchilla


Rainglass

Granite

Low-E also available.

### Decorative Glass

Available for Línea.



1

2

3

4

5

6

7


8

9

10

11

Available for Ari.



3

5

6

7

8

9

11

Available for Echo.



7

8

- 1 Blackstone
- 2 Crystalline
- 3 Sedona
- 4 Salinas
- 5 Saratoga
- 6 Riserva
- 7 Pembridge
- 8 Axis
- 9 Calix
- 10 Latitude
- 11 Echelon

## 4 THEN SELECT A FRAME

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame



Scrolled Profile Lite Frame

**ADVANTA**  
LITE FRAME

Our patented Advanta<sup>1</sup> lite frame now comes default with every Pulse<sup>®</sup> door system, unless otherwise noted.

<sup>1</sup>See your Therma-Tru seller for details on product availability.

## Pulse Size Options

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
<b>Doors</b>	2'6" x 6'8" ◦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" ◦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" ◦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ◦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	2'6" x 6'8" ◦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ◦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>Sidelites</b>	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

- Available in full-lite sidelites only.
- Available in Línea and Echo only.



**NEW** Select styles are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.



# Ari

Note: Product images show exterior side of door.



S2SN  
◆ ■ ■ ■ ■ ■

S83SN  
◆ ■ ■ ■ ■ ■

S2SG  
◆ ■ ■ ■ ■ ■

S83SG  
◆ ■ ■ ■ ■ ■

S2RS  
X ■ ■ ■ ■ ■

S83RS  
X ■ ■ ■ ■ ■

S2PB  
◆ ■ ■ ■ ■ ■

S83PB  
◆ ■ ■ ■ ■ ■

S2AX  
◆ ■ ■ ■ ■ ■

S83AX  
◆ ■ ■ ■ ■ ■

S2CX  
◆ ■ ■ ■ ■ ■

S83CX  
◆ ■ ■ ■ ■ ■

S2EC  
◆ ■ ■ ■ ■ ■


S83EC  
◆ ■ ■ ■ ■ ■

S2  
S2CL  
◆ ■ ■ ■ ■ ■

S83  
S83CL  
◆ ■ ■ ■ ■ ■

# Línea

Note: Product images show exterior side of door.



S1LBS  
◆ ■ ■ ■ ■ ■

S81LBS  
◆ ■ ■ ■ ■ ■

S1BS  
◆ ■ ■ ■ ■ ■

S81BS  
◆ ■ ■ ■ ■ ■

S1RBS  
◆ ■ ■ ■ ■ ■

S81RBS  
◆ ■ ■ ■ ■ ■

S1LBL  
◆ ■ ■ ■ ■ ■

S81LBL  
◆ ■ ■ ■ ■ ■

S1BL  
◆ ■ ■ ■ ■ ■

S81BL  
◆ ■ ■ ■ ■ ■




Pulse

 <p><b>Wood-Grained Fiberglass:</b> Mahogany or Oak (Shown in Driftwood stain.)</p>	 <p><b>Smooth:</b> Fiberglass or Steel</p>	<p><b>It's your decision, by design.</b></p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at <a href="http://thermatru.com/pulse">thermatru.com/pulse</a>.</p>
--	---	--

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

Note: See page 277 for important product details that may help with your purchase decision.

Top: Pulse Ari, Saratoga Glass with Flat Lite Frame, Door - S2SG, Finish - Estuary





LÍNEA *Continues on next page.*

**Privacy & Textured Glass Options**


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded      XC = Chord      XR = Rainglass  
XE = Satin Etch      XJ = Chinchilla      XN = Granite

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ■ ■ ■ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
- 6 WBDP / HVHZ Options





Pulse

			<p><b>It's your decision, by design.</b></p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at <a href="http://thermatru.com/pulse">thermatru.com/pulse</a>.</p>
<p><b>Wood-Grained Fiberglass:</b> Mahogany or Oak (Shown in Driftwood stain.)</p>		<p><b>Smooth:</b> Fiberglass or Steel</p>	

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

# Echo

Note: Product images show exterior side of door.



**ECHO** *Continues on next page.*

## Privacy & Textured Glass Options



Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

**XK** = Reeded  
**XE** = Satin Etch


**XC** = Chord  
**XJ** = Chinchilla

**XR** = Rainglass  
**XN** = Granite

-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  Standard Lite Frame Available
-  Scrolled & Flat Advanta Lite Frame
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options



Pulse

			<b>It's your decision, by design.</b> Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at <a href="http://thermatru.com/pulse">thermatru.com/pulse</a> .
<b>Wood-Grained Fiberglass:</b> Mahogany or Oak (Shown in Driftwood stain.)		<b>Smooth:</b> Fiberglass or Steel	

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**



S9LAX  
◆▲E



S9AX  
◆▲E



S9RAX  
◆▲E



S8LAX  
◆▲E



S8AX  
◆▲E




S8RAX  
◆▲E



S811LAX  
◆▲E



S811AX  
◆▲E



S811RAX  
◆▲E



S810LAX  
◆▲E




S810AX  
◆▲E




S810RAX  
◆▲E



S4L  
S4LCL ▲




S84L  
S84LCL ▲



S4R  
S4RCL ▲

S84R  
S84RCL ▲



S5L  
S5LCL ▲

S85L  
S85LCL ▲

Pulse

ECHO *Continues on next page.*

### Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded  
XE = Satin Etch


XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ▲ Standard Lite Frame Available
- ▲ Scrolled & Flat Advanta Lite Frame
- Elevated 10" Bottom Rail Options



S5\_ S5CL  
E



S5R\_ S5RCL  
E



S86L\_ S86LCL  
E



S86\_ S86CL  
E



S86R\_ S86RCL  
E



S9L\_ S9LCL  
E



S9\_ S9CL  
E



S9R\_ S9RCL  
E



S8L\_ S8LCL  
E



S8\_ S8CL  
E



S8R\_ S8RCL  
E



S811L\_ S811LCL  
E



S811\_ S811CL  
E



S811R\_ S811RCL  
E



S810L\_ S810LCL  
E




S810\_ S810CL  
E





S810R\_ S810RCL  
E

Pulse

 <b>Wood-Grained Fiberglass:</b> Mahogany or Oak (Shown in Driftwood stain.)	 <b>Smooth:</b> Fiberglass or Steel	<p><b>It's your decision, by design.</b></p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at <a href="http://thermatru.com/pulse">thermatru.com/pulse</a>.</p>
---	--	--

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**





**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

- XK = Reeded
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Vented Sidelite Options
- Scrolled & Flat Advanta Lite Frame
- Standard Lite Frame Available



**Wood-Grained Fiberglass:**  
Mahogany or Oak (Shown in Driftwood stain.)



**Smooth:**  
Fiberglass or Steel

**It's your decision, by design.**

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

Note: See page 277 for important product details that may help with your purchase decision.



# Finish Options

## Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.






## Finished for Lasting Beauty

Today's homeowners expect perfection — PrismaGuard offers an impeccable, factory-applied finish that meets the toughest expectations.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.



**10 YEAR**  
LIMITED WARRANTY  
Classic Craft Finish  
Transferable

**10 YEAR**  
LIMITED WARRANTY  
Fiber-Classic,  
Smooth-Star, Pulse,  
Steel Finish

Professional Application

Durable Topcoat



Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (  ) symbol.



Finish Options

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Left Page: Smooth-Star, Clear Glass with SDLs, Doors – S2104, Finish – Cypress  
Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door – FC83XX, Finish – Acorn



## Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



### Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



### Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



### Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.




### Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.



# PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.



- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Shown on Classic Craft Fir Grain.



Tumbleweed 



Acorn



Wildflower Honey



Rustic Clay



Barley



Mulberry



Autumn Harvest



New Earth



Driftwood




Raven

Finish Options

Order 4" x 4" samples of select PrismaGuard finish colors at [store.thermatru.com](https://store.thermatru.com).

## PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



## COLOR MATCHES AVAILABLE

Explore other products from Fortune Brands Outdoors designed to match select colors shown here.

Look for the (🌲) symbol. See your Therma-Tru seller for details.



Alpine



Granite



Peregrine 🌲🌲



Onyx



Obsidian 🌲🌲



Indigo



Estuary 🌲



Arctic Ice 🌲



Cypress



Golden Wheat 🌲




Canyon 🌲




Ruby Red



Cabernet



Chestnut



Elk 🌲🌲

Finish Options

Order 4" x 4" samples of select PrismaGuard finish colors at [store.thermatru.com](https://store.thermatru.com).

🌲 = Inspired by Yellowstone National Park.

Left Page: Smooth-Star, Calix Glass, Door - S2223, Finish - Golden Wheat

# SAME-DAY<sup>®</sup> STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru<sup>®</sup> fiberglass doors and composite door frames.



## ALL-INCLUSIVE KIT

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.<sup>1</sup> Visit [thermatru.com/samedaystain](http://thermatru.com/samedaystain) for ordering information and easy-to-follow instructions.

Shown on Classic Craft Fir Grain.



Light Oak



Natural Oak



Walnut



English Walnut



Mahogany



Cherry



Cedar

**5 YEAR**  
LIMITED WARRANTY

For complete details on the Same-Day Stain and topcoat limited warranty, visit [thermatru.com/finishing](http://thermatru.com/finishing) or ask your seller for more details.

<sup>1</sup>Actual coverage may vary based on product selected, application method and desired appearance.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

# Door System Components

## Proven to perform, protect and preserve.

A Therma-Tru complete door system is the culmination of more than 60 years of expertise in material science, engineering and manufacturing. We design on-trend entryways and test them against extreme environmental conditions — far beyond industry standards — to ensure maximum durability and safety. And we back our systems with comprehensive, industry-leading warranties.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at [thermatru.com/parts](http://thermatru.com/parts).



# Composite Door Frame<sup>1</sup> featuring Tru-Guard™ Composite Technology



**TRU GUARD**  
COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



## REINFORCED MULLIONS

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at [store.thermatru.com](https://store.thermatru.com).

<sup>1</sup>See your Therma-Tru seller for details on product availability.

<sup>2</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>3</sup>To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit [thermatru.com](https://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Riders. Frame-only warranty option for customers without a Therma-Tru door system.

## AVAILABLE TEXTURES



Ready to finish.

### Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry — no sanding or priming required.



Ready to install.  
 Ready to finish.

### White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is — no painting required. Or finish with stain or paint to complement the entry — no sanding or priming required.

## THE ADVANTAGE IS CLEAR

Performance		
Resists Moisture and Humidity — Eliminates Risk of Swelling, Warping and Splitting		✓
Resists Mold, Fungus and Rot — Does Not Absorb or Retain Moisture		✓
Resists Insects — Helps Protect from Wood-Ingesting Insects		✓
Tested to be up to 50% stronger on average than standard wood door frames against kick-ins. <sup>2</sup>		✓
Impact and 20-Minute Fire Code Compliant <sup>3</sup>		✓
Aesthetics		
Ready to Finish — No Sanding or Priming Required		✓
Ready-to-Install Option — No Finishing Required - White Smooth		✓
Universal Grain Complements a Wide Range of Wood Species — Buff Grained		✓
Screw Plugs Match Frame Material and Conceal External Fasteners		✓
Warranty		
Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft® Door + Components		<b>Lifetime Transferable Full-System Rider</b>
Composite Door Frame + Fiber-Classic®, Smooth-Star®, Pulse® Fiberglass Door + Components		<b>10-Year Transferable Full-System Rider</b>
Composite Door Frame Only		

# Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

## Jambs




4-1/8"  
4-9/16"   
5-1/4"  
6-9/16"   
7-1/4"

## Mullions



2" Entry Narrow   
2-1/2" Entry Wide




2" Patio Narrow  
2-1/2" Patio Wide

Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

## Trim



2" Brickmould WM180



1-5/8" Florida Brickmould WM176



3-1/2" x 1" Flat Casing

## Mull Casing



1-15/32" x 1-1/16"



1-7/32" x 7/32"  
2" x 7/32"



2-15/16" x 1-1/16" *Buff grained only.*  
2-15/16" x 3/8" *Buff grained only.*

## Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

## Storm Door Adaptor



4-9/16" Base Adaptor  
Face Adaptor  
(Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

## Screen Track Cap




1-13/32" x 9/16"

## Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

### Storm Door-Ready Mullions



4-9/16"  
6-9/16"

Our rot-free composite door frame is **50% stronger** at resisting forced entry than wood.<sup>1</sup>




7/16" x 5/16" Cove Mould

### Transom Sills



4-9/16"  
6-9/16"

### Pendulum Impact Test



Therma-Tru Wood Jamb

Therma-Tru Composite Jamb

### CODE-COMPLIANT OPTIONS

Therma-Tru® composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.<sup>2</sup>



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.<sup>2</sup>



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.<sup>2</sup>

<sup>1</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>2</sup>To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see the third-party Intertek (Warnock-Hersey) listing reports, visit [thermatru.com/performance](http://thermatru.com/performance).

# Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru® seller for a complete list of options.

## INSWING OPTIONS



**Composite Adjustable Sill (Premium)** ✚

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.
- Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"-75" rough openings.<sup>1</sup>



**Hardwood Adjustable Sill**

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.



**Basic Composite Adjustable Sill (Economy)**



- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.



**Value Composite Adjustable Sill (Economy)**

- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.

## Inswing Sill Extenders



## OUTSWING OPTIONS



**Composite Outswing Sill (Premium)** ✚

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



**Aluminum Sill with Thermal Break**

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



**Coastal Sill (For Coastal Regions)**

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

## Public Access Sill



**Public Access Sill with Thermal Break<sup>2</sup>**  
(For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

<sup>1</sup>See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

<sup>2</sup>Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

<sup>3</sup>For full details on the Tru-Defense Warranty Rider, visit [thermatru.com/trudefense](http://thermatru.com/trudefense).

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision.

## SILL FINISHES



Mill



Bronze

■ = Available

## CAP COLORS




Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

	Inswing Options			Outswing Options				Public Access (Inswing / Outswing)	
	Composite Adjustable (Premium)	Hardwood Adjustable	Value Composite Adjustable (Economy)	Composite Outswing (Premium)	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (ADA) <sup>2</sup>	Public Access (ADA) <sup>2</sup>
<b>Sill Finishes</b>									
Mill	■	■	■	■	■	■	■		■
Bronze	■	■	■	■	■	■			■
<b>Cap Colors</b>									
Lightwood	■		■	■					
Darkwood	■		■	■					
Hardwood		■							
<b>Sill Configurations</b>									
Single	■	■	■	■	■	■	■		■
French	■	■		■	■	■	■		■
Double Patio	■	■		■					
Triple Patio	■			■					
Lineal	■	■							
<b>Sidelite Configurations</b>									
Boxed Sidelites	■								
Single with Sidelites	■	■		■					
French with Sidelites	■								
Single Vented Sidelites	■								
French Vented Sidelites	■								
<b>Depths</b>									
4-9/16"	■		■	■		■	■		■
5-3/4"	■	■	■	■	■				
6-9/16"									■
7-3/4"	■	■	■		■				
<b>Substrates</b>									
Composite Extruded	■			■					
Composite Injection Molded	■		■						
Treated Pine		■			■	■	■		
<b>Other Options</b>									
Integrated Thermal Break	■	■	■	■	■				■
Screen Rail Available	■	■							
Sill Extenders Available	■	■	■	■					
Sill Covers Available	■	■	■	■					
Tru-Defense Eligible <sup>3</sup>	■			■					
With Anchor Holes					■	■	■		■
Without Anchor Holes	■	■	■	■	■				

Note: See your Therma-Tru seller for details on available component and finish color combinations.

# Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

## INSWING OPTIONS



**Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep** ✚

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Value Composite Adjustable

**Colors:**  
Bronze  
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



**Inactive Door Bottom** ✚

**Sills:**  
Composite Adjustable  
Hardwood Adjustable

**Colors:**  
Bronze

## OUTSWING OPTIONS



**Outswing Bottom Sweep**

**Sills:**  
Aluminum  
Coastal

**Color:**  
Bronze



**Inactive Door Bottom**

**Sills:**  
Composite Outswing

**Colors:**  
Bronze

## ADA / REPLACEMENT



**Bottom Sweep**

**Sills:**  
Public Access

**Color:**  
Bronze

## Sill Protection



**Sill Covers (Recommended)**

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 262 for availability.

Shown over composite adjustable sill.



**Sill Pan (Recommended)** ✚

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

## Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

### Classic Craft® 7-Shape Pads



**Colors:**  
Bronze  
White

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Value Composite Adjustable  
Public Access

### Fiber-Classic® / Smooth-Star® 7-Shape Pads



**Colors:**  
Bronze  
White

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Value Composite Adjustable  
Public Access

### Basic Pads



**Colors:**  
Bronze

**Sills:**  
Inswing  
Applications Only

## Weatherstrip

Provides two points of contact and a form-fitting barrier for extra protection against leaks.

### Medium-Reach Weatherstrip



**Colors:**  
Bronze  
White

**Doors:**  
Square Edge

### Long-Reach Weatherstrip



**Colors:**  
Bronze  
White

**Doors:**  
Bull Edge

## Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

### Rain Deflector (Inswing)




**Colors:**  
Bronze  
White

### Rain Guard (Outswing)



**Colors:**  
Bronze  
White



Rain Deflector

Bottom Sweep

Bottom of door;  
exterior view.



Jamb

Rain Guard

Weatherstrip

Top of door;  
exterior view.

# Hardware

## Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door frame at the top, middle and bottom, providing continuous protection along the door edge for enhanced security vs. a traditional deadbolt.

### GRIP-STYLE MPLS +

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)

Side view of door.



**Tongue**  
Heights: | Configurations:  
6'8" | Inswing  
7'0" | Outswing  
8'0"

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.



Engages at three critical points.

Exterior view of door.



Side view of door.

Engages at three critical points.

Exterior view of door.

## LEVER-STYLE MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



### Tongue

Heights: 6'6"  
6'8"  
7'0"  
8'0"

Configurations: Inswing  
Outswing



### Shootbolt

(For door systems with an astragal.)

Heights: 6'6"  
6'8"  
7'0"  
8'0"

Configurations: Inswing  
Outswing



## Vented Sidelite MPLS




**Tongue**  
(Included in vented sidelite units.)

Heights: 6'6"  
6'8"  
8'0"

## Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru® door styles from traditional to contemporary.



### FINISH OPTIONS



### FINISH OPTIONS



## Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

### ADJUSTABLE SECURITY STRIKE PLATE

(Recommended for standard lock and deadbolt handlesets only.)

#### Finish Options:

Brushed Nickel  
Black Nickel  
Polished Chrome  
Oil-Rubbed Bronze  
Stainless Steel  
Zinc Dichomate

A genuine Therma-Tru® adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- ❶ Wraps around the door jamb for added support and an exact fit.
- ❷ 2-½" screws fully engage with the frame of the house for added strength.



<sup>1</sup>To confirm code requirements in your jurisdiction, always check with your local building authority.  
Note: See your Therma-Tru seller for available component options.

# Hinges

## Adjustable Hinge

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



## Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



## Classic-Craft® Ball-Bearing

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



## Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



## Classic-Craft® Ball-Bearing - Staggered Hole Pattern

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



## Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.




## Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.<sup>1</sup>



## HINGE FINISH OPTIONS



■ = Available

Hinge Finish Options	Adjustable	Classic Craft Ball-Bearing	Classic Craft Ball-Bearing — Staggered Hole Pattern	Classic Craft Ball-Bearing — Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass	■	■	■	■	■				
Brushed Nickel	■	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	■	■		■		■
Polished Chrome	■	■	■	■	■		■		■
Oil-Rubbed Bronze	■	■	■	■	■	■	■		■
Stainless Steel		■	■	■	■		■	■	■
Zinc Dichromate		■	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

# Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



## TEXTURES AVAILABLE

Stainable (Shown in Driftwood stain.)



Oak Grain



Fir Grain

Aluminum



Bronze



White

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.





### STAINABLE / PAINTABLE ASTRAGAL ✦



**Heights:**  
6'6"  
6'8"  
7'0"  
8'0"

**Width:**  
7/8"

**Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed

**Grain Options:**  
Oak  
Fir

**Weatherstrip:**  
Bronze

Shown in  
Oak grain with  
Driftwood stain.

### ALUMINUM ASTRAGAL ✦



**Heights:**  
6'6"  
6'8"  
7'0"  
8'0"

**Width:**  
7/8"

**Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed

**Finish Colors:**  
Bronze  
White

**Weatherstrip:**  
Bronze

Coastal option  
also available.

✦ Tru-Defense Eligible

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision.

Left Page: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028  
Top: Classic Craft Fir Grain, Homeward Glass, Doors – CCA211, Finish – Driftwood

# Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



Special Quote SDL Pattern Example



Tan

Stone

Special Quote  
GBG Color Options


## DIVIDED LITES

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.




## PRIVACY & TEXTURED GLASS

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



Axis. with Standard Black Nickel Caming



Axis. with Special Quote Brushed Nickel Caming


## CAMING COLORS

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

# 3'6" Width Door Style Options

## CLASSIC CRAFT.

8'0" Door Styles




Glass Designs

Homeward	■		■			■	■
Arborwatch	■		■			■	■
Augustine	◆	◆	◆	◆	◆	◆	
Borrassa	◆	◆	◆	◆	◆	◆	
Lucerna	◆		◆			◆	
Rainglass							■
Low-E	◆		■			◆	■

## KEY

- Classic Craft. Artissa Collection.™
- ◆ Classic Craft. Founders Collection.™
- ▲ Classic Craft. Visionary Collection.™
- \* Smooth-Star.®
- ▷ Profiles.™ & Traditions


6'8" & 8'0" Solid-Panel Door Styles



## SMOOTH-STAR®, PROFILES™, TRADITIONS & PULSE.

6'8" & 8'0" Door Styles

All Pulse Styles




Glass Designs

Blackstone	*▷	*			*▷	*						
Crystalline	*▷	*			*▷	*						
Sedona	*▷		*▷	*	*▷	*						
Salinas	*▷	*			*▷	*						
Maple Park	*▷											
Saratoga	*▷		*▷	*	*▷	*						
Texas Star	*▷											
Wellesley	*▷	*										
Riserva	*▷	*	*▷	*	*▷	*						
Concorde	*▷	*										
Kensington	*▷											
Pembridge	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*		
Axis	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*		
Calix	*▷	*	*▷	*	*▷	*						
Latitude	*▷	*			*▷	*						
Echelon	*▷	*	*▷	*	*▷	*						
Privacy & Textured Glass	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*		
Internal Blinds	*▷	*										
Divided Lites	*▷	*										
Clear	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*		
Solid Panel											*▷	*

# 7'0" Height Door Style Options

Door Styles



Glass Designs

Blackstone	▼▲*▷	▲*▷	*		▷							
Crystalline	▼▲*▷											
Sedona	▼▲*▷	▲*▷	*		▷							
Salinas	▼▲*▷	▲*▷	*		▷							
Maple Park	▼▲*▷	▲*▷	*		▷			▲*▷				
Saratoga	▼▲*▷	▲*▷	*		▷		▼*	▲*▷				
Texas Star	▼▲*▷	▲*▷	*									
Wellesley	▼▲*▷	▲*▷	*		▷			▲*▷				
Riserva	▼▲*▷	▲*▷	*		▷							
Concorde	▼▲*▷	▲*▷	*		▷			▲*▷	▷			
Kensington	▼▲*▷	▲*▷	*		▷							
Pembridge	▼▲*▷	▲*▷	*		▷			▷		▲*▷		
Axis	▼▲*▷	▲*▷	*		▷					▲*▷		
Calix	▼▲*▷	▲*▷	*									
Latitude	▼▲*▷											
Echelon	▼▲*▷											
Privacy & Textured Glass	▼▲*▷	▲*▷	*	▼▲*▷	▷		▼*			▲*▷		
Internal Blinds	▼▲*▷	▲*▷	*	▼▲*▷								
Screen Vented		*▷	*	*▷								
Divided Lites	▼▲*▷	▲*▷	*		▷	*▷	▼*	▲*▷	▷		▷	
Clear	▼▲*▷	▲*▷	*	▼▲*▷	▷	*▷	▼*	▲*▷	▷	▲*▷		
Solid Panel												▲*▷

# 6'6" Height Door Style Options

Door Styles




Glass Designs

Blackstone	▲*	▲*	
Crystalline	▲*	▲*	
Sedona	▲*	▲*	
Salinas	▲*	▲*	
Maple Park	▲*	▲*	
Saratoga	▲*	▲*	
Texas Star	▲*	▲*	
Wellesley	▲*	▲*	
Riserva	▲*	▲*	
Concorde	▲*	▲*	
Kensington	▲*	▲*	
Pembridge	▲*	▲*	
Axis	▲*	▲*	
Calix	▲*	▲*	
Latitude	▲*	▲*	
Echelon	▲*	▲*	
Privacy & Textured Glass	▲*	▲*	
Internal Blinds	▲*	▲*	
Screen Vented			
Divided Lites	▲*	▲*	
Clear	▲*	▲*	
Solid Panel			▲*▷

## KEY

- ▲ Classic Craft.  
Visionary Collection™
- ▼ Fiber-Classic® Mahogany Collection™
- ▲ Fiber-Classic® Oak Collection™
- \* Smooth-Star.
- ▷ Profiles™ & Traditions



		▼▲*D	D					
		▼▲*D						
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D	▼*				
		▼▲*D						
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D	▼*				
		▼▲*D	D					
		▼▲*D	D	▼*	D			
		▼▲*D	D	▼*				
	D	▼▲*D	D	▼*				
		▼▲*D	D	▼*	D			
						*	▲*	▲▼▲*



Top: Smooth-Star, Maple Park Glass, Door – S6107  
 Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

# Entry & Patio Door System Product Details

Feature	Classic Craft	Fiber-Classic & Pulse Wood-Grained	Smooth-Star & Pulse Smooth	Profiles & Pulse Steel (6'8")	Traditions & Pulse Steel (8'0")
<b>Skin Material</b>	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
<b>Skin Texture</b>	Fir, Walnut, Mahogany; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
<b>Exterior Finish</b>	Stain or Paint	Stain or Paint	Paint	Paint	Paint
<b>Interior Finish</b>	Stain or Paint	Stain or Paint	Paint	Paint	Paint
<b>Panel – Top Rail</b>	Composite	Composite	Composite	Wood	Wood
<b>Panel – Bottom Rail</b>	Composite	Composite	Composite	Composite	Composite
<b>Lock Stile</b>	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	1-1/4" Wood	1-1/4" Wood
<b>Lock Block</b>	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood
<b>Height Options</b>	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
<b>Width Options</b>	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
<b>Panel Options</b>	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
<b>Sidelite Options</b>	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
<b>Lite Frame Options</b>	SMC Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame
<b>Glass Options</b>	Deco / Privacy & Textured / Low-E IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG
<b>Sill<sup>1</sup></b>	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Aluminum	Inswing: Value Composite Adjustable Outswing: Aluminum
<b>Weatherstrip – Hinge</b>	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
<b>Weatherstrip – Lock</b>	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
<b>Weatherstrip – Head</b>	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
<b>Multi-Point Lock</b>	Recommended	Recommended	Recommended	–	–
<b>Security Strike Plate</b>	Recommended	Recommended	Recommended	Recommended	Recommended
<b>Hinges<sup>1</sup></b>	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
<b>Frame<sup>1</sup></b>	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
<b>Screens &amp; Screen Accessories Available</b> Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
<b>Residential Limited Warranty</b>	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

## Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/ AAMA/NWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/ BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to [thermatru.com](http://thermatru.com) for design pressure and other performance ratings.

## Doors

**Recommended Door Overhang** – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

## Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

**Inserts** – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Decorative Glass & Wrought Iron** – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

**Direct Set Sidelites** – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

**NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.**

**Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more details.**

## Components

**Adjustable Security Strike Plate** – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

**Hinges** – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

## Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit [www.thermatru.com](http://www.thermatru.com) for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

## Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

## Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at [thermatru.com](http://thermatru.com):

- Therma-Tru Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star and Pulse Door Systems; Steel – Pulse, Profiles, and Traditions Door Systems
- Therma-Tru Tru-Defense Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems
- EnLiten. Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten. Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse Door Systems; Steel – Pulse, Profiles, and Traditions
- Same-Day. Stain 5-Year Limited Warranty: Same-Day Stain and Topcoat for Use on Therma-Tru Fiberglass Door Systems and Fypon. Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems

## Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at [thermatru.com](http://thermatru.com):

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

**NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more details.**

19020T.....94	CCA2320XNSL.....58	CCA3401SL.....82	CCA8220XR.....83	CCA82360XN.....57	CCA84940XN.....57
19200T.....94	CCA2320XR.....56	CCA3450SL.....86	CCA8230.....85	CCA82360XR.....57	CCA84940XR.....57
19210T.....94	CCA2320XRSL.....58	CCA3450XCSL.....84	CCA82300.....58	CCA82370.....59	CCA84945.....89
19220T.....94	CCA2330.....59	CCA3450XJSL.....84	CCA82300SL.....60	CCA82370XC.....57	CCA87100.....86
AB30T.....94	CCA2330SL.....60	CCA3450XNSL.....84	CCA82300XC.....56	CCA82370XE.....57	CCA87100XR.....84
ABRT.....94	CCA2330XC.....56	CCA3450XRSL.....84	CCA82300XCSL.....58	CCA82370XJ.....57	CCA87111.....83
CC040T.....94	CCA2330XCSSL.....58	CCA3500SL.....86	CCA82300XE.....56	CCA82370XN.....57	CCA87112.....82
CC400T.....94	CCA2330XE.....56	CCA3500XCSL.....84	CCA82300XESL.....58	CCA82370XR.....57	CCA87131.....83
CC420T.....94	CCA2330XESL.....58	CCA3500XJSL.....84	CCA82300XJ.....56	CCA82380.....59	CCA87132.....82
CCA1100.....89	CCA2330XJ.....56	CCA3500XNSL.....84	CCA82300XJSL.....58	CCA82380XC.....56	CCA87200.....85
CCA1125.....88	CCA2330XJSL.....58	CCA3500XRSL.....84	CCA82300XK.....56	CCA82380XE.....56	CCA87200XR.....83
CCA1127.....88	CCA2330XK.....56	CCA3501SL.....82	CCA82300XKSL.....58	CCA82380XJ.....56	CCA87300.....85
CCA1133.....89	CCA2330XKSL.....58	CCA3560SL.....86	CCA82300XN.....56	CCA82380XK.....56	CCA87300XR.....83
CCA1145.....89	CCA2330XN.....56	CCA3560XCSL.....84	CCA82300XNSL.....58	CCA82380XN.....56	CCA87400.....86
CCA1147.....89	CCA2330XNSL.....58	CCA3560XJSL.....84	CCA82300XR.....56	CCA82380XR.....56	CCA87400XR.....84
CCA1149.....88	CCA2330XR.....56	CCA3560XNSL.....84	CCA82300XRSL.....58	CCA8240.....85	CCA87600.....86
CCA1150.....89	CCA2330XRSL.....58	CCA3560XRSL.....84	CCA8230XC.....83	CCA82400.....60	CCA87600XR.....84
CCA1158.....89	CCA2340.....59	CCA4900.....59	CCA8230XJ.....83	CCA82400SL.....61	CCA89100.....83
CCA1166.....89	CCA2340SL.....61	CCA4900XC.....57	CCA82300XN.....83	CCA82400XC.....57	CCA89300.....83
CCA1423SL.....83	CCA2340XC.....56	CCA4900XE.....57	CCA8230XR.....83	CCA82400XCSL.....58	CCA9100.....83
CCA210.....86	CCA2340XCSL.....58	CCA4900XJ.....57	CCA8231.....82	CCA82400XE.....57	CCA9100SL.....83
CCA210SL.....86	CCA2340XE.....56	CCA4900XN.....57	CCA82310.....58	CCA82400XESL.....58	CCA9300.....83
CCA210XC.....84	CCA2340XESL.....58	CCA4900XR.....57	CCA82310SL.....60	CCA82400XJ.....57	CCM1419.....62
CCA210XCSSL.....84	CCA2340XJ.....56	CCA4905.....88	CCA82310XC.....56	CCA82400XJSL.....58	CCM1424.....80
CCA210XJ.....84	CCA2340XJSL.....58	CCA4910L.....59	CCA82310XCSSL.....58	CCA82400XK.....57	CCM1465.....63
CCA210XJSL.....84	CCA2340XK.....56	CCA4910LXC.....57	CCA82310XE.....56	CCA82400XKSL.....58	CCM1475.....63
CCA210XN.....84	CCA2340XKSL.....58	CCA4910LXE.....57	CCA82310XESL.....58	CCA82400XN.....57	CCM1485.....62
CCA210XNSL.....84	CCA2340XN.....56	CCA4910LXJ.....57	CCA82310XJ.....56	CCA82400XNSL.....58	CCM1495.....63
CCA210XR.....84	CCA2340XNSL.....58	CCA4910LXN.....57	CCA82310XJSL.....58	CCA82400XR.....57	CCA81842.....65
CCA210XRSL.....84	CCA2340XR.....56	CCA4910LXR.....57	CCA82310XK.....56	CCA82400XRSL.....58	CCM1843SL.....65
CCA211.....82	CCA2340XRSL.....58	CCA4910R.....59	CCA82310XKSL.....58	CCA8240XC.....84	CCM1844.....65
CCA211SL.....82	CCA2350.....59	CCA4910RXC.....57	CCA82310XNSL.....58	CCA8240XJ.....84	CCM2000.....67
CCA220.....85	CCA2350XC.....57	CCA4910RXE.....57	CCA82310XNSL.....58	CCA8240XN.....84	CCM200XC.....66
CCA220SL.....86	CCA2350XE.....57	CCA4910RXJ.....57	CCA82310XR.....56	CCA8240XR.....84	CCM200XN.....66
CCA220XC.....83	CCA2350XESL.....58	CCA4910RXN.....57	CCA82310XRSL.....58	CCA82410SL.....89	CCM203.....63
CCA220XCSSL.....84	CCA2350XN.....57	CCA4910RXR.....57	CCA82320.....58	CCA82420SL.....89	CCM204.....64
CCA220XJ.....83	CCA2350XR.....57	CCA4915L.....88	CCA82320SL.....60	CCA8260.....86	CCM2800.....67
CCA220XJSL.....84	CCA2360.....59	CCA4915R.....88	CCA82320XC.....56	CCA8260XC.....84	CCM2800XC.....65
CCA220XN.....83	CCA2360XC.....57	CCA4920L.....59	CCA82320XCSSL.....58	CCA8260XJ.....84	CCM2800XE.....65
CCA220XNSL.....84	CCA2360XE.....57	CCA4920LXC.....57	CCA82320XE.....56	CCA8260XN.....84	CCM2800XN.....65
CCA220XR.....83	CCA2360XJ.....57	CCA4920LXE.....57	CCA82320XESL.....58	CCA8260XR.....84	CCM2800XR.....65
CCA220XRSL.....84	CCA2360XN.....57	CCA4920LXJ.....57	CCA82320XJ.....56	CCA84900.....59	CCM2800XR.....65
CCA230.....85	CCA2360XR.....57	CCA4920LXN.....57	CCA82320XJSL.....58	CCA84900XC.....57	CCM2801.....62
CCA2300.....58	CCA2370.....59	CCA4920LXR.....57	CCA82320XNSL.....58	CCA84900XE.....57	CCM2802.....64
CCA2300SL.....60	CCA2370XC.....57	CCA4920R.....59	CCA82320XKSL.....58	CCA84900XJ.....57	CCM2803.....65
CCA2300XC.....56	CCA2370XE.....57	CCA4920RXC.....57	CCA82320XN.....56	CCA84900XN.....57	CCM2804.....66
CCA2300XCSSL.....58	CCA2370XJ.....57	CCA4920RXE.....57	CCA82320XNSL.....58	CCA84900XR.....57	CCM2804XC.....65
CCA2300XE.....56	CCA2370XN.....57	CCA4920RXJ.....57	CCA82320XR.....56	CCA84905.....88	CCM2804XE.....65
CCA2300XESL.....58	CCA2370XR.....57	CCA4920RXN.....57	CCA82320XRSL.....58	CCA84910L.....59	CCM2804XK.....65
CCA2300XJ.....56	CCA2380.....59	CCA4920RXX.....57	CCA82330.....59	CCA84910LXC.....57	CCM2804XN.....65
CCA2300XJSL.....58	CCA2380XC.....56	CCA4925L.....88	CCA82330SL.....60	CCA84910LXE.....57	CCM2804XR.....65
CCA2300XK.....56	CCA2380XE.....56	CCA4925R.....88	CCA82330XC.....56	CCA84910LXJ.....57	CCM2806.....66
CCA2300XKSL.....58	CCA2380XJ.....56	CCA4930.....60	CCA82330XCSSL.....58	CCA84910LXN.....57	CCM2806XC.....65
CCA2300XN.....56	CCA2380XK.....56	CCA4930XC.....57	CCA82330XE.....56	CCA84910LXR.....57	CCM2806XE.....65
CCA2300XNSL.....58	CCA2380XN.....56	CCA4930XE.....57	CCA82330XESL.....58	CCA84910R.....59	CCM2806XK.....65
CCA2300XR.....56	CCA2380XR.....56	CCA4930XJ.....57	CCA82330XJ.....56	CCA84910RXC.....57	CCM2806XN.....65
CCA2300XRSL.....58	CCA240.....85	CCA4930XN.....57	CCA82330XJSL.....58	CCA84910RXE.....57	CCM2806XR.....65
CCA230XC.....83	CCA2400.....60	CCA4930XR.....57	CCA82330XK.....56	CCA84910RXJ.....57	CCM2812.....66
CCA230XJ.....83	CCA2400SL.....61	CCA4935.....89	CCA82330XKSL.....58	CCA84910RXN.....57	CCM2812XC.....65
CCA230XN.....83	CCA2400XC.....57	CCA4940.....60	CCA82330XN.....56	CCA84910RXR.....57	CCM2812XE.....65
CCA230XR.....83	CCA2400XCSL.....58	CCA4940XC.....57	CCA82330XNSL.....58	CCA84915L.....88	CCM2812XK.....65
CCA231.....82	CCA2400XE.....57	CCA4940XE.....57	CCA82330XR.....56	CCA84915R.....88	CCM2812XN.....65
CCA2310.....58	CCA2400XESL.....58	CCA4940XJ.....57	CCA82330XRSL.....58	CCA84920L.....60	CCM2812XR.....65
CCA2310SL.....60	CCA2400XJ.....57	CCA4940XN.....57	CCA82340.....59	CCA84920LXC.....57	CCM300.....67
CCA2310XC.....56	CCA2400XJSL.....58	CCA4940XR.....57	CCA82340SL.....61	CCA84920LXE.....57	CCM300XC.....66
CCA2310XCSSL.....58	CCA2400XK.....57	CCA4945.....89	CCA82340XC.....56	CCA84920LXJ.....57	CCM300XN.....66
CCA2310XE.....56	CCA2400XKSL.....58	CCA81100.....89	CCA82340XCSSL.....58	CCA84920LXN.....57	CCM301CAL.....79
CCA2310XESL.....58	CCA2400XN.....57	CCA81125.....88	CCA82340XE.....56	CCA84920LXR.....57	CCM301CALXC.....76
CCA2310XJ.....56	CCA2400XNSL.....58	CCA81127.....88	CCA82340XESL.....58	CCA84920R.....60	CCM301CALXE.....76
CCA2310XJSL.....58	CCA2400XR.....57	CCA81133.....89	CCA82340XJ.....56	CCA84920RXC.....57	CCM301CALXN.....76
CCA2310XK.....56	CCA2400XRSL.....58	CCA81145.....89	CCA82340XJSL.....58	CCA84920RXE.....57	CCM301CALXR.....76
CCA2310XKSL.....58	CCA2400XC.....84	CCA81147.....89	CCA82340XK.....56	CCA84920RXJ.....57	CCM301CAR.....79
CCA2310XN.....56	CCA2400XJ.....84	CCA81149.....88	CCA82340XKSL.....58	CCA84920RXN.....57	CCM301CARXC.....76
CCA2310XNSL.....58	CCA240XN.....84	CCA81150.....89	CCA82340XN.....56	CCA84920RXX.....57	CCM301CARXE.....76
CCA2310XR.....56	CCA240XR.....84	CCA81158.....89	CCA82340XNSL.....58	CCA84925L.....89	CCM301CARXN.....76
CCA2310XRSL.....58	CCA2410SL.....89	CCA81166.....89	CCA82340XR.....56	CCA84925R.....89	CCM301CARXR.....76
CCA2320.....58	CCA2420SL.....89	CCA81423SL.....83	CCA82340XRSL.....58	CCA84930.....60	CCM302.....64
CCA2320SL.....60	CCA240.....86	CCA8210.....86	CCA82350.....59	CCA84930XC.....57	CCM302L.....78
CCA2320XC.....56	CCA260XC.....84	CCA8210XC.....84	CCA82350XC.....57	CCA84930XJ.....57	CCM302LXC.....75
CCA2320XCSSL.....58	CCA260XJ.....84	CCA8210XJ.....84	CCA82350XE.....57	CCA84930XN.....57	CCM302LXE.....75
CCA2320XE.....56	CCA260XN.....84	CCA8210XN.....84	CCA82350XJ.....57	CCA84930XN.....57	CCM302LXN.....75
CCA2320XESL.....58	CCA260XR.....84	CCA8210XR.....84	CCA82350XN.....57	CCA84930XR.....57	CCM302LXR.....75
CCA2320XJ.....56	CCA3400SL.....86	CCA8211.....82	CCA82350XR.....57	CCA84935.....89	CCM302R.....78
CCA2320XJSL.....58	CCA3400XCSSL.....84	CCA8220.....85	CCA82360.....59	CCA84940.....60	CCM302RXC.....75
CCA2320XK.....56	CCA3400XJSL.....84	CCA8220XC.....83	CCA82360XC.....57	CCA84940XC.....57	CCM302RXE.....75
CCA2320XKSL.....58	CCA3400XNSL.....84	CCA8220XJ.....83	CCA82360XE.....57	CCA84940XE.....57	CCM302RXN.....75
CCA2320XN.....56	CCA3400XRSL.....84	CCA8220XN.....83	CCA82360XJ.....57	CCA84940XJ.....57	CCM302RXX.....75

CCM303.....63	CCM8301CARXN.....76	CCR1851SL.....65	CCR81511A.....71	CCV05023.....64	CCV8100XNSL.....63
CCM303L.....79	CCM8301CARXR.....76	CCR200.....93	CCR81512.....71	CCV05027.....63	CCV8100XNSL.....66
CCM303LXC.....76	CCM8302L.....78	CCR20020.....77	CCR81512A.....71	CCV05028.....65	CCV8100XNSL.....85
CCM303LXE.....76	CCM8302LXC.....75	CCR20020XC.....75	CCR81514.....71	CCV060.....93	CCV8100XRSL.....66
CCM303LXN.....76	CCM8302LXE.....75	CCR20020XN.....75	CCR81515.....71	CCV06020.....81	CCV8100XRSL.....85
CCM303LXR.....76	CCM8302LXN.....75	CCR20022.....73	CCR81516.....70	CCV06020XE.....80	CCV8102SL.....64
CCM303R.....79	CCM8302LXR.....75	CCR20023.....72	CCR81518.....70	CCV06022.....80	CCV8103SL.....64
CCM303RXC.....76	CCM8302R.....78	CCR20027.....69	CCR81838.....74	CCV06023.....80	CCV8108SL.....65
CCM303RXE.....76	CCM8302RXC.....75	CCR20037.....70	CCR81839.....74	CCV06028.....80	CCV8111SL.....62
CCM303RXN.....76	CCM8302RXE.....75	CCR20037A.....70	CCR81841.....73	CCV10020.....61	CCV81414.....69
CCM303RXR.....76	CCM8302RXN.....75	CCR200A.....92	CCR81845.....74	CCV10022.....55	CCV81415.....69
CCM304L.....78	CCM8302RXR.....75	CCR2025SL.....67	CCR81845A.....74	CCV10023.....55	CCV81418.....62
CCM304LXC.....76	CCM8303L.....79	CCR2025SL.....61	CCR81846.....74	CCV10027.....54	CCV81423SL.....62
CCM304LXE.....76	CCM8303LXC.....76	CCR2025XCSL.....66	CCR81846A.....74	CCV10028.....55	CCV81512.....71
CCM304LXN.....76	CCM8303LXE.....76	CCR2025XESL.....66	CCR81847.....74	CCV100SL.....61	CCV81515.....71
CCM304LXR.....76	CCM8303LXN.....76	CCR2025XHSL.....93	CCR81851SL.....65	CCV100SL.....67	CCV81516.....71
CCM304R.....78	CCM8303LXR.....76	CCR2025XJSL.....66	CCR8200.....93	CCV100SL.....87	CCV81519.....63
CCM304RXC.....76	CCM8303R.....79	CCR2025XKSL.....66	CCR820020.....77	CCV100XCSL.....66	CCV81838.....74
CCM304RXE.....76	CCM8303RXC.....76	CCR2025XNSL.....66	CCR820020XC.....75	CCV100XCSL.....85	CCV81839.....74
CCM304RXN.....76	CCM8303RXE.....76	CCR2025XRSL.....66	CCR820020XN.....75	CCV100XESL.....66	CCV81843.....65
CCM304RXR.....76	CCM8303RXN.....76	CCR205.....93	CCR820022.....73	CCV100XESL.....85	CCV81846.....74
CCM305CAL.....79	CCM8303RXR.....76	CCR20520.....77	CCR820023.....72	CCV100XHSL.....55	CCV81851SL.....65
CCM305CALXC.....77	CCM8304L.....79	CCR20520XC.....75	CCR820027.....69	CCV100XHSL.....63	CCV8205.....93
CCM305CALXE.....77	CCM8304LXC.....76	CCR20520XN.....75	CCR820028.....72	CCV100XJSL.....66	CCV820520.....78
CCM305CALXN.....77	CCM8304LXE.....76	CCR20522.....73	CCR820030.....77	CCV100XJSL.....85	CCV820520XC.....75
CCM305CALXR.....77	CCM8304LXN.....76	CCR20523.....72	CCR820030A.....78	CCV100XNSL.....54	CCV820520XN.....75
CCM305CAR.....79	CCM8304LXR.....76	CCR20527.....69	CCR820030XC.....75	CCV100XNSL.....63	CCV820522.....73
CCM305CARXC.....77	CCM8304R.....79	CCR20537.....70	CCR820030XN.....75	CCV100XNSL.....66	CCV820523.....72
CCM305CARXE.....77	CCM8304RXC.....76	CCR20537A.....70	CCR820032.....73	CCV100XNSL.....85	CCV820527.....70
CCM305CARXN.....77	CCM8304RXC.....76	CCR205A.....92	CCR820032A.....73	CCV100XRSL.....66	CCV820528.....72
CCM305CARXR.....77	CCM8304RXN.....76	CCR30020.....61	CCR820037.....70	CCV100XRSL.....85	CCV820530.....78
CCM306CAL.....79	CCM8304RXR.....76	CCR30023.....55	CCR820037A.....70	CCV103SL.....55	CCV820530XC.....75
CCM306CALXC.....77	CCM8305CAL.....79	CCR30027.....54	CCR8200A.....92	CCV103SL.....64	CCV820530XN.....75
CCM306CALXE.....77	CCM8305CALXC.....77	CCR30028.....55	CCR82035SL.....67	CCV108SL.....55	CCV820532.....73
CCM306CALXN.....77	CCM8305CALXE.....77	CCR3400SL.....61	CCR82035XCSL.....66	CCV108SL.....65	CCV820537.....70
CCM306CALXR.....77	CCM8305CALXN.....77	CCR3400SL.....67	CCR82035XESL.....66	CCV1414.....69	CCV8220.....93
CCM306CAR.....79	CCM8305CALXR.....77	CCR3400XCSL.....66	CCR82035XHSL.....93	CCV1415.....69	CCV822020.....78
CCM306CARXC.....77	CCM8305CAR.....79	CCR3400XESL.....66	CCR82035XJSL.....66	CCV1418.....62	CCV822020XC.....75
CCM306CARXE.....77	CCM8305CARXC.....77	CCR3400XHSL.....55	CCR82035XKSL.....66	CCV1423.....54	CCV822020XN.....75
CCM306CARXN.....77	CCM8305CARXE.....77	CCR3400XHSL.....63	CCR82035XNSL.....66	CCV1423SL.....54	CCV822022.....73
CCM306CARXR.....77	CCM8305CARXN.....77	CCR3400XJSL.....66	CCR82035XRSL.....66	CCV1423SL.....62	CCV822023.....72
CCM3300SL.....67	CCM8305CARXR.....77	CCR3400XKSL.....66	CCR8205.....93	CCV1423SL.....83	CCV822027.....70
CCM3302SL.....64	CCM8306CAL.....79	CCR3400XNSL.....54	CCR820520.....77	CCV1424.....80	CCV822028.....72
CCM3303SL.....64	CCM8306CALXC.....77	CCR3400XNSL.....63	CCR820520XC.....75	CCV1512.....71	CCV831.....93
CCM60.....93	CCM8306CALXE.....77	CCR3400XNSL.....66	CCR820520XN.....75	CCV1515.....71	CCV8950SL.....67
CCM600.....81	CCM8306CALXN.....77	CCR3400XRSL.....66	CCR820523.....72	CCV1516.....71	CCV8950SL.....87
CCM600XE.....80	CCM8306CALXR.....77	CCR3407SL.....55	CCR820527.....69	CCV1519.....63	CCV8950XCSL.....66
CCM603.....80	CCM8306CAR.....79	CCR3407SL.....64	CCR820528.....71	CCV1528.....55	CCV8950XCSL.....85
CCM612.....80	CCM8306CARXC.....77	CCR3408SL.....55	CCR820530.....77	CCV1838.....74	CCV8950XHSL.....93
CCM805027.....62	CCM8306CARXE.....77	CCR3408SL.....65	CCR820530A.....78	CCV1839.....74	CCV8950XJSL.....66
CCM81418.....62	CCM8306CARXN.....77	CCR3412SL.....55	CCR820530AXC.....75	CCV1843.....65	CCV8950XJSL.....85
CCM81519.....63	CCM8306CARXR.....77	CCR3412SL.....64	CCR820530AXN.....75	CCV1851.....56	CCV8950XNSL.....66
CCM82800.....67	CCM890.....92	CCR8000SL.....67	CCR820530XC.....75	CCV1851SL.....56	CCV8950XNSL.....85
CCM82800XC.....65	CCM892.....63	CCR8000XCSL.....66	CCR820530XN.....75	CCV1851SL.....65	CCV8950XRSL.....66
CCM82800XE.....65	CCM9923.....62	CCR8000XESL.....66	CCR820532.....73	CCV200.....93	CCV8950XRSL.....85
CCM82800XK.....65	CCM9926.....80	CCR8000XHSL.....63	CCR820532A.....73	CCV205.....93	CCV89918.....68
CCM82800XN.....65	CCR040.....93	CCR8000XJSL.....66	CCR820537.....70	CCV20520.....78	CCV89919.....68
CCM82800XR.....65	CCR04020.....77	CCR8000XKSL.....66	CCR820537A.....70	CCV20520XC.....75	CCV89922.....62
CCM82801.....62	CCR04020XC.....75	CCR8000XNSL.....63	CCR8205A.....92	CCV20520XN.....75	CCV9010SL.....87
CCM82802.....64	CCR04020XN.....75	CCR8000XNSL.....66	CCR8222.....92	CCV20522.....73	CCV9011SL.....82
CCM82803.....65	CCR04022.....73	CCR8000XRSL.....66	CCR822214.....69	CCV20523.....72	CCV9020SL.....87
CCM82804.....66	CCR04023.....72	CCR8005.....92	CCR822215.....71	CCV20527.....70	CCV910.....87
CCM82804XC.....65	CCR04027.....69	CCR8005A.....92	CCR822218.....68	CCV20537.....70	CCV910XC.....85
CCM82804XE.....65	CCR04037.....69	CCR8007SL.....64	CCR822220.....77	CCV220.....93	CCV910XCSL.....85
CCM82804XK.....65	CCR100.....92	CCR8008SL.....65	CCR822220XC.....75	CCV22020.....78	CCV910XJ.....85
CCM82804XN.....65	CCR10022.....55	CCR8040.....93	CCR822220XN.....75	CCV22020XC.....75	CCV910XJSL.....85
CCM82804XR.....65	CCR100R.....92	CCR804020.....77	CCR822222.....73	CCV22020XN.....75	CCV910XN.....85
CCM82806.....66	CCR1414.....68	CCR804020XC.....75	CCR822223.....72	CCV22022.....73	CCV910XNSL.....85
CCM82806XC.....65	CCR1415.....68	CCR804020XN.....75	CCR822227.....69	CCV22023.....72	CCV910XR.....85
CCM82806XE.....65	CCR1417.....68	CCR820522.....73	CCR822228.....72	CCV22027.....70	CCV910XRSL.....85
CCM82806XK.....65	CCR1423.....54	CCR804022.....73	CCR822238.....74	CCV3412SL.....55	CCV911.....82
CCM82806XN.....65	CCR1423SL.....54	CCR804023.....72	CCR8225.....92	CCV3412SL.....64	CCV911SL.....54
CCM82806XR.....65	CCR1423SL.....62	CCR804027.....69	CCR89918.....68	CCV4100.....83	CCV911SL.....62
CCM82815.....66	CCR1511.....71	CCR804028.....71	CCR89919.....68	CCV4100SL.....83	CCV911SL.....82
CCM82815XC.....65	CCR1511A.....71	CCR804030.....77	CCR89921.....68	CCV4300.....83	CCV911SL.....86
CCM82815XE.....65	CCR1512.....71	CCR804030XC.....75	CCR89925SL.....62	CCV805020.....67	CCV920XC.....85
CCM82815XK.....65	CCR1512A.....71	CCR804030XN.....75	CCR9918.....68	CCV805022.....64	CCV920XCSL.....85
CCM82815XN.....65	CCR1514.....71	CCR804032.....73	CCR9919.....68	CCV805023.....64	CCV920XJ.....85
CCM82815XR.....65	CCR1515.....71	CCR804037.....69	CCR9921.....68	CCV805027.....63	CCV920XJSL.....85
CCM8301CAL.....79	CCR1516.....70	CCR8100.....92	CCR9925.....54	CCV805028.....65	CCV920XN.....85
CCM8301CALXC.....76	CCR1518.....70	CCR8100R.....92	CCR9925SL.....54	CCV8100SL.....67	CCV920XNSL.....85
CCM8301CALXE.....76	CCR1528.....55	CCR8102SL.....64	CCR9925SL.....62	CCV8100SL.....87	CCV920XR.....85
CCM8301CALXN.....76	CCR1838.....74	CCR8141.....68	CCV050.....93	CCV8100XCSL.....66	CCV920XRSL.....85
CCM8301CALXR.....76	CCR1839.....74	CCR81415.....68	CCV05020.....67	CCV8100XCSL.....85	CCV930.....86
CCM8301CAR.....79	CCR1841.....73	CCR81417.....68	CCV05020XC.....66	CCV8100XHSL.....63	CCV930XC.....85
CCM8301CARXC.....76	CCR1851.....56	CCR81423SL.....62	CCV05020XN.....66	CCV8100XJSL.....66	CCV930XJ.....85
CCM8301CARXE.....76	CCR1851SL.....56	CCR8151.....71	CCV05022.....64	CCV8100XJSL.....85	CCV930XN.....85

# Fiber-Classic® & Smooth-Star®

CCV930XR	85	1000	199	2050XJSL	116	81938P	171	81983P	171	FC131SL	152
CCV931	82	1283	150	2050XK	116	81938PSL	171	81984P	172	FC138	147
CCV940	86	1284	147	2050XKSL	116	81939P	170	81985P	174	FC138XC	142
CCV940XC	85	1285	147	2050XN	116	81939PSL	170	81986PSL	134	FC138XE	142
CCV940XJ	85	1286	145	2050XNSL	116	81940P	171	81986SL	134	FC138XJ	142
CCV940XN	85	1289	148	2050XR	116	81940PSL	171	85901SL	154	FC138XK	142
CCV940XR	85	2000	122	2050XRSL	116	81941P	172	85919SL	172	FC138XN	142
CCV950SL	61	2009	120	8000-12	119	81941PSL	172	AXRT	201	FC138XR	142
CCV950SL	67	2010	119	8000-18	119	81942P	174	BSRT	201	FC1400	161
CCV950SL	87	2050	119	8000-9	120	81942PSL	174	CNRT	201	FC1400SL	161
CCV950XCSL	66	8000	122	8000XC	119	81943P	163	CX30T	201	FC1402	161
CCV950XCSL	85	81000	199	8000XE	119	81943PSL	163	CXRT	201	FC1404	190
CCV950XESL	66	81200	150	8000XJ	119	81943PXC	159	DRS2131SL	150	FC1408	182
CCV950XESL	85	81208	147	8000XK	119	81943PXC	159	DRS82131SL	150	FC1408SL	182
CCV950XHSL	93	81225	145	8000XN	119	81943PXE	159	EC30T	201	FC141	144
CCV950XJSL	66	81828	147	8000XR	119	81943PXESL	159	ECRT	201	FC141SL	145
CCV950XJSL	85	12101SL	150	81200P	150	81943PXJ	159	FC10	150	FC142	135
CCV950XNSL	66	12101XCSL	144	81200PSL	150	81943PXJSL	159	FC100	132	FC142SL	135
CCV950XNSL	85	12101XESL	144	81200PXC	144	81943PXK	159	FC1006	134	FC143	154
CCV950XRSL	66	12101XJSL	144	81200PXC	144	81943PXKSL	159	FC100SL	133	FC143SL	154
CCV950XRSL	85	12101XKSL	144	81200PXE	144	81943PXN	159	FC101	168	FC144	171
CCV960	87	12101XNSL	144	81200PXESL	144	81943PXNSL	159	FC101SL	168	FC1442SL	156
CCV960XC	85	12101XRSL	144	81200PXJ	144	81943PXR	159	FC1029	135	FC147	154
CCV960XJ	85	12102SL	147	81200PXJSL	144	81943PXRSL	159	FC104	135	FC147SL	154
CCV960XR	85	12102XCSL	143	81200PXK	144	81944P	161	FC104SL	136	FC148	138
CCV960XR	85	12102XESL	143	81200PXKSL	144	81944PSL	161	FC104XC	179	FC148SL	138
CCV9918	68	12102XJSL	143	81200PXN	144	81945P	161	FC104XE	179	FC149	174
CCV9919	68	12102XKSL	143	81200PXNSL	144	81945PXC	158	FC104XJ	179	FC149SL	174
CCV9922	62	12102XNSL	143	81200PXR	144	81945PXE	158	FC104XK	179	FC151	165
CCV9925	54	12102XRSL	143	81200PXRSL	144	81945PXJ	158	FC104XN	179	FC156	155
CCV9926	80	1283XC	144	81200SL	150	81945PXK	158	FC104XR	179	FC160	132
CCW1000	90	1283XE	144	81200XC	144	81945PXN	158	FC105	172	FC160	166
CCW81000	90	1283XJ	144	81200XC	144	81945PXR	158	FC105SL	172	FC163	164
CCW8900L	90	1283XK	144	81200XC	144	81946P	161	FC108	131	FC164	164
CCW8900R	90	1283XN	144	81200XESL	144	81946PSL	161	FC1089	160	FC1645	196
CCW8901L	90	1283XR	144	81200XJ	144	81946PXC	158	FC1089SL	161	FC1646	156
CCW8901R	90	1284XC	142	81200XJSL	144	81946PXC	158	FC108SL	131	FC1646SL	156
CCW8902L	90	1284XE	142	81200XK	144	81946PXE	158	FC109	167	FC1647	156
CCW8902R	91	1284XJ	142	81200XKSL	144	81946PXESL	158	FC109SL	167	FC1651	139
CCW8903	91	1284XK	142	81200XN	144	81946PXJ	158	FC10XC	144	FC1651SL	139
CCW8904L	91	1284XN	142	81200XNSL	144	81946PXJSL	158	FC10XE	144	FC1652	139
CCW8904R	91	1284XR	142	81200XR	144	81946PXK	158	FC10XJ	144	FC1652SL	139
CCW8905	91	1285XC	142	81200XRSL	144	81946PXKSL	158	FC10XK	144	FC1654	176
CCW8906L	91	1285XE	142	81208P	147	81946PXN	158	FC10XN	144	FC1655	189
CCW8906R	91	1285XJ	142	81208PSL	147	81946PXNSL	158	FC10XR	144	FC1656SL	176
CCW8907L	91	1285XK	142	81208SL	147	81946PXR	158	FC113	133	FC18	147
CCW8907R	91	1285XN	142	81225P	144	81946PXRSL	158	FC113SL	133	FC18SL	147
CCW900L	90	1285XR	142	81225PSL	145	81947PSL	161	FC114	169	FC18XC	142
CCW900R	90	1286SL	145	81225SL	145	81949PSL	161	FC114SL	169	FC18XC	143
CCW901L	90	18101SL	132	81800P	132	81952P	151	FC115	152	FC18XE	142
CCW901R	90	19020T	201	81800PSL	132	81952PSL	151	FC115SL	152	FC18XESL	143
CCW902L	90	19055T	201	81800SL	132	81953P	151	FC116	180	FC18XJ	142
CCW902R	91	19200T	201	81900PSL	161	81953PSL	152	FC1200	147	FC18XJSL	143
CCW903	91	19210T	201	81918P	131	81954P	152	FC1200SL	147	FC18XK	142
CCW904L	91	19220T	201	81918PSL	131	81954PSL	152	FC1201	146	FC18XKSL	143
CCW904R	91	19520T	201	81918SL	131	81955P	152	FC1201SL	147	FC18XN	142
CCW905	91	1964P	159	81919P	133	81955PSL	152	FC1202	146	FC18XNSL	143
CCW906L	91	19720T	201	81919PSL	133	81956P	153	FC1202SL	147	FC18XR	142
CCW906R	91	19730T	201	81919SL	133	81956PSL	153	FC1203	147	FC18XRSL	143
CCW907L	91	19740T	201	81921P	135	81957P	153	FC1204	119	FC198	148
CCW907R	91	19750T	201	81921PSL	136	81957PSL	153	FC1204SL	120	FC198SL	148
DRS2131SL	91	2000SL	122	81921SL	136	81958P	154	FC1205	119	FC20042	155
DRS82131SL	91	2000XC	119	81928P	137	81958PSL	154	FC1205SL	119	FC2101	160
HW30T	94	2000XCSL	119	81928PSL	137	81959P	154	FC1205XC	116	FC2101SL	161
HWRT	94	2000XE	119	81928SL	137	81959PSL	154	FC1205XE	116	FC2102	161
LC30T	94	2000XESL	119	81929P	184	81960P	155	FC1205XJ	116	FC2106	160
LCET	94	2000XJ	119	81929PSL	184	81960PSL	155	FC1205XK	116	FC2107	160
LCRT	94	2000XJSL	119	81929PXC	179	81961P	155	FC1205XN	116	FC2108	160
LF30T	94	2000XK	119	81929PXC	179	81961PSL	156	FC1205XR	116	FC2213	141
LFET	94	2000XKSL	119	81929PXE	179	81964P	159	FC1206	119	FC2213SL	141
LFRT	94	2000XN	119	81929PXESL	179	81964PSL	159	FC1206SL	119	FC2223	140
ZHRT	94	2000XNSL	119	81929PXJ	179	81968P	132	FC1207	119	FC2223SL	140
		2000XR	119	81929PXJSL	179	81968PSL	133	FC1207XC	116	FC2233	141
		2000XRSL	119	81929PXK	179	81968SL	133	FC1207XE	116	FC2233SL	142
		2009SL	120	81929PXKSL	179	81971P	184	FC1207XJ	116	FC23	196
		2010XC	116	81929PXN	179	81971PXC	179	FC1207XK	116	FC2382	141
		2010XE	116	81929PXNSL	179	81971PXE	179	FC1207XN	116	FC2382SL	141
		2010XJ	116	81929PXR	179	81971PXJ	179	FC1207XR	116	FC2385	141
		2010XK	116	81929PXRSL	179	81971PXK	179	FC1208	147	FC2385SL	142
		2010XN	116	81933P	167	81971PXN	179	FC1208SL	147	FC2389	140
		2010XR	116	81933PSL	167	81971PXR	179	FC1209	146	FC2389SL	140
		2050SL	120	81935P	168	81975P	167	FC1209SL	147	FC241	132
		2050XC	116	81935PSL	168	81977P	168	FC1211	146	FC31	198
		2050XCSL	116	81936P	168	81978P	168	FC1211SL	147	FC310	131
		2050XE	116	81936PSL	168	81980P	169	FC1212	147	FC32	163
		2050XESL	116	81937P	169	81981P	171	FC1289SL	148	FC32SL	163
		2050XJ	116	81937PSL	169	81982P	170	FC131	152	FC32XC	159

FC32XCSL.....159	FC5720XJ.....116	FC709.....165	FC820.....137	FC8573SL.....136	FC902.....153
FC32XE.....159	FC5720XJSL.....117	FC710.....166	FC821.....135	FC8574.....136	FC902SL.....153
FC32XESL.....159	FC5720XK.....116	FC7125SL.....182	FC822.....132	FC8579.....173	FC905.....134
FC32XJ.....159	FC5720XKSL.....117	FC713.....164	FC82213.....141	FC8581.....173	FC905SL.....134
FC32XJSL.....159	FC5720XN.....116	FC714.....164	FC82213SL.....141	FC8583SL.....173	FC906.....171
FC32XK.....159	FC5720XNSL.....117	FC721.....194	FC82223.....140	FC860.....198	FC906SL.....171
FC32XKSL.....159	FC5720XR.....116	FC735.....195	FC82223SL.....140	FC861.....197	FC907.....153
FC32XN.....159	FC5720XRSL.....117	FC736.....194	FC82233.....141	FC861XC.....197	FC907SL.....153
FC32XNSL.....159	FC5725L.....136	FC745.....195	FC82233SL.....142	FC861XE.....197	FC910.....137
FC32XR.....159	FC573SL.....136	FC752.....195	FC82382.....141	FC861XJ.....197	FC910SL.....137
FC32XRSL.....159	FC574.....136	FC755.....198	FC82382SL.....141	FC861XK.....197	FC911.....174
FC3487SL.....182	FC581.....173	FC765.....151	FC82385.....141	FC861XN.....197	FC911SL.....174
FC3487XCSL.....178	FC583SL.....173	FC765SL.....151	FC82385SL.....142	FC861XR.....197	FC912.....155
FC3487XESL.....178	FC60.....198	FC766.....163	FC82389.....140	FC862.....198	FC912SL.....155
FC3487XJSL.....178	FC6093.....134	FC766XC.....159	FC82389SL.....140	FC86220.....190	FC915.....165
FC3487XKSL.....178	FC6094.....135	FC766XE.....159	FC828.....147	FC862203.....190	FC915SL.....165
FC3487XNSL.....178	FC6095.....137	FC766XJ.....159	FC82XC.....158	FC862203XC.....189	FC917.....196
FC3487XRSL.....178	FC61.....197	FC766XK.....159	FC82XE.....158	FC862203XE.....189	FC92.....161
FC369.....133	FC61XC.....197	FC766XN.....159	FC82XJ.....158	FC862203XJ.....189	FC925.....190
FC38.....151	FC61XE.....197	FC766XR.....159	FC82XK.....158	FC862203XK.....189	FC92SL.....161
FC386.....177	FC61XJ.....197	FC770.....151	FC82XN.....158	FC862203XN.....189	FC92XC.....158
FC387SL.....177	FC61XK.....197	FC772.....151	FC82XR.....158	FC862203XR.....189	FC92XCSL.....158
FC389.....157	FC61XN.....197	FC773.....152	FC8310.....161	FC86220XC.....190	FC92XE.....158
FC38SL.....152	FC61XR.....197	FC775.....152	FC8310SL.....161	FC86220XE.....190	FC92XESL.....158
FC393.....189	FC62.....184	FC776.....153	FC8311.....160	FC86220XJ.....190	FC92XJ.....158
FC4521.....157	FC626.....138	FC777.....153	FC8311SL.....161	FC86220XK.....190	FC92XJSL.....158
FC4521SL.....157	FC62XC.....179	FC778.....154	FC8313.....160	FC86220XN.....190	FC92XK.....158
FC4525.....157	FC62XE.....179	FC779.....154	FC8313SL.....161	FC86220XR.....190	FC92XKSL.....158
FC4525SL.....157	FC62XJ.....179	FC780.....155	FC8316.....161	FC86242.....188	FC92XN.....158
FC46SL.....132	FC62XK.....179	FC789.....166	FC8318.....182	FC86243.....187	FC92XNSL.....158
FC476.....157	FC62XN.....179	FC794.....164	FC8319.....182	FC86247.....188	FC92XR.....158
FC47SL.....150	FC62XR.....179	FC796.....164	FC832.....182	FC86249.....188	FC92XRSL.....158
FC47XCSL.....144	FC63SL.....182	FC797.....165	FC8320.....182	FC86252.....187	FCM10.....150
FC47XESL.....144	FC63XCSL.....178	FC798.....165	FC8321.....181	FC86253.....187	FCM100.....132
FC47XJSL.....144	FC63XESL.....178	FC803.....196	FC8321XC.....178	FC86254.....188	FCM1000.....198
FC47XKSL.....144	FC63XJSL.....178	FC808SL.....131	FC8321XE.....178	FC86255.....187	FCM1006.....134
FC47XNSL.....144	FC63XKSL.....178	FC809.....198	FC8321XJ.....178	FC86500.....138	FCM101.....168
FC47XRSL.....144	FC63XNSL.....178	FC80920.....190	FC8321XK.....178	FC86500SL.....138	FCM101SL.....168
FC48SL.....184	FC63XRSL.....178	FC809203.....190	FC8321XN.....178	FC86533.....189	FCM1029.....135
FC48XCSL.....179	FC65.....181	FC809203XC.....189	FC8321XR.....178	FC86536.....175	FCM104.....135
FC48XESL.....179	FC6500.....138	FC809203XE.....189	FC8322.....181	FC86550.....138	FCM104XC.....179
FC48XJSL.....179	FC6500SL.....138	FC809203XJ.....189	FC8323.....181	FC86550SL.....138	FCM104XE.....179
FC48XKSL.....179	FC6534.....189	FC809203XK.....189	FC8324.....181	FC86560.....175	FCM104XJ.....179
FC48XNSL.....179	FC6550.....138	FC809203XN.....189	FC832XC.....178	FC86560SL.....175	FCM104XK.....179
FC48XRSL.....179	FC6550SL.....138	FC809203XR.....189	FC832XE.....178	FC86570.....196	FCM104XN.....179
FC507.....188	FC6560.....175	FC80920XC.....190	FC832XJ.....178	FC86580.....156	FCM104XR.....179
FC529.....155	FC6565SL.....175	FC80920XE.....190	FC832XK.....178	FC86580SL.....156	FCM105.....172
FC5425.....159	FC6570.....196	FC80920XJ.....190	FC832XN.....178	FC8675SL.....182	FCM105SL.....172
FC5425SL.....159	FC6576.....166	FC80920XK.....190	FC832XR.....178	FC8678.....180	FCM106.....164
FC543.....155	FC6577.....166	FC80920XN.....190	FC8386.....177	FC8678SL.....180	FCM108.....131
FC545SL.....155	FC6580.....156	FC80920XR.....190	FC8386SL.....177	FC8685L.....120	FCM1089SL.....160
FC549.....188	FC6580SL.....156	FC80942.....188	FC8390.....189	FC8685LXC.....116	FCM109.....167
FC5700.....120	FC6582.....156	FC80943.....187	FC8392.....177	FC8685LXE.....116	FCM109SL.....167
FC5700SL.....120	FC65XC.....178	FC80947.....188	FC84521.....157	FC8685LXJ.....116	FCM10XC.....143
FC5700XC.....116	FC65XE.....178	FC80949.....188	FC84521SL.....157	FC8685LXK.....116	FCM10XE.....143
FC5700XCSL.....117	FC65XJ.....178	FC80952.....187	FC84525.....157	FC8685LXN.....116	FCM10XJ.....143
FC5700XE.....116	FC65XK.....178	FC80953.....187	FC84525SL.....157	FC8685LXR.....116	FCM10XK.....143
FC5700XESL.....117	FC65XN.....178	FC80954.....188	FC84527.....158	FC8685R.....120	FCM10XN.....143
FC5700XJ.....116	FC65XR.....178	FC80955.....187	FC84527SL.....158	FC8685RXC.....116	FCM10XR.....143
FC5700XJSL.....117	FC668.....132	FC809SL.....137	FC8489.....177	FC8685RXE.....116	FCM110.....164
FC5700XK.....116	FC670.....184	FC812SL.....134	FC8498.....177	FC8685RXJ.....116	FCM113.....133
FC5700XKSL.....117	FC678.....180	FC813SL.....138	FC8498SL.....177	FC8685RXK.....116	FCM114.....169
FC5700XN.....116	FC678SL.....180	FC814.....132	FC8529.....155	FC8685RXN.....116	FCM114SL.....169
FC5700XNSL.....117	FC685L.....120	FC8141.....190	FC8545SL.....155	FC8685RXX.....116	FCM115.....152
FC5700XR.....116	FC685LXC.....116	FC8144.....182	FC85700.....120	FC8685RXXC.....116	FCM115SL.....152
FC5700XRSL.....117	FC685LXE.....116	FC8145.....182	FC85700XC.....116	FC8691XC.....116	FCM116.....180
FC571.....136	FC685LXJ.....116	FC8145SL.....182	FC85700XE.....116	FC8691XE.....116	FCM1200.....145
FC5710.....120	FC685LXK.....116	FC8149.....174	FC85700XJ.....116	FC8691XJ.....116	FCM1200SL.....146
FC5710SL.....120	FC685LXN.....116	FC8145SL.....133	FC85700XK.....116	FC8691XK.....116	FCM1201.....145
FC5710XC.....116	FC685LXR.....116	FC815SL.....134	FC85700XN.....116	FC8691XN.....116	FCM1201SL.....146
FC5710XCSL.....117	FC685R.....120	FC816.....131	FC85700XR.....116	FC8691XR.....116	FCM1202.....145
FC5710XE.....116	FC685RXC.....116	FC81645.....196	FC8571.....136	FC8704.....195	FCM1202SL.....146
FC5710XESL.....117	FC685RXE.....116	FC81646.....156	FC85710.....120	FC8707.....194	FCM1203.....145
FC5710XJ.....116	FC685RXJ.....116	FC81646SL.....156	FC85710XC.....116	FC8708.....195	FCM1204SL.....119
FC5710XJSL.....117	FC685RXK.....116	FC81649.....189	FC85710XE.....116	FC8721.....194	FCM1205SL.....119
FC5710XK.....116	FC685RXN.....116	FC81651.....139	FC85710XJ.....116	FC8735.....195	FCM1206SL.....119
FC5710XKSL.....117	FC685RXX.....116	FC81651SL.....139	FC85710XK.....116	FC8736.....194	FCM1208.....145
FC5710XN.....116	FC691.....120	FC81652.....139	FC85710XN.....116	FC8745.....195	FCM1209.....145
FC5710XNSL.....117	FC691XC.....116	FC81652SL.....139	FC85710XR.....116	FC8752.....195	FCM1210SL.....150
FC5710XR.....116	FC691XE.....116	FC81653.....176	FC85720.....120	FC8867SL.....174	FCM1210XCSL.....144
FC5710XRSL.....117	FC691XJ.....116	FC81654.....176	FC85720XC.....116	FC89701.....174	FCM1210XESL.....144
FC5720.....120	FC691XK.....116	FC81654SL.....176	FC85720XE.....116	FC8971.....180	FCM1210XJSL.....144
FC5720SL.....120	FC691XN.....116	FC8166SL.....133	FC85720XJ.....116	FC8972.....190	FCM1210XKSL.....144
FC5720XC.....116	FC691XR.....116	FC817.....133	FC85720XK.....116	FC900.....134	FCM1210XNSL.....144
FC5720XCSL.....117	FC704.....195	FC817SL.....135	FC85720XN.....116	FC900SL.....134	FCM1210XRSL.....144
FC5720XE.....116	FC707.....194	FC818SL.....136	FC85720XR.....116	FC901.....170	FCM12102SL.....146
FC5720XESL.....117	FC708.....195	FC82.....160	FC8572SL.....136	FC901SL.....170	FCM12102XCSL.....142

Fiber-Classic® & Smooth-Star® *Continued*

FCM12102XESL.....	142	FCM2000XJSL.....	128	FCM4813.....	128	FCM605XJ.....	192	FCM65XC.....	178	FCM81651SL.....	139
FCM12102XJSL.....	142	FCM2000XKSL.....	128	FCM4813XC.....	127	FCM605XN.....	192	FCM65XCSSL.....	178	FCM81652.....	139
FCM12102XKSL.....	142	FCM2000XNSL.....	128	FCM4813XE.....	127	FCM605XR.....	192	FCM65XE.....	178	FCM81652SL.....	139
FCM12102XNSL.....	142	FCM2000XRSL.....	128	FCM4813XJ.....	127	FCM606.....	193	FCM65XESL.....	178	FCM81654.....	176
FCM12102XRSL.....	142	FCM2009SL.....	119	FCM4813XN.....	127	FCM606XC.....	192	FCM65XJ.....	178	FCM81654SL.....	176
FCM1211.....	145	FCM205.....	198	FCM4813XR.....	129	FCM606XE.....	192	FCM65XJSL.....	178	FCM816SL.....	132
FCM1212.....	145	FCM2050SL.....	129	FCM4814.....	127	FCM606XJ.....	192	FCM65XK.....	178	FCM817.....	133
FCM1283.....	150	FCM2050XCSSL.....	127	FCM4814XC.....	127	FCM606XN.....	192	FCM65XKSL.....	178	FCM817SL.....	135
FCM1283XC.....	143	FCM2050XESL.....	127	FCM4814XE.....	127	FCM606XR.....	192	FCM65XN.....	178	FCM81800SL.....	132
FCM1283XE.....	143	FCM2050XJSL.....	127	FCM4814XJ.....	127	FCM607.....	193	FCM65XNSL.....	178	FCM81828.....	146
FCM1283XJ.....	143	FCM2050XKSL.....	127	FCM4814XN.....	127	FCM6074.....	171	FCM65XR.....	178	FCM81829.....	146
FCM1283XK.....	143	FCM2050XNSL.....	127	FCM4814XR.....	127	FCM6075.....	171	FCM65XRSL.....	178	FCM818SL.....	135
FCM1283XN.....	143	FCM2050XRSL.....	127	FCM4816.....	129	FCM607XC.....	192	FCM668.....	132	FCM81900SL.....	160
FCM1283XR.....	143	FCM2101SL.....	160	FCM4816XC.....	127	FCM607XE.....	192	FCM670.....	184	FCM81918SL.....	131
FCM1284.....	146	FCM2106.....	160	FCM4816XE.....	127	FCM607XJ.....	192	FCM678.....	180	FCM81919SL.....	133
FCM1284XC.....	142	FCM2107.....	160	FCM4816XJ.....	127	FCM607XN.....	192	FCM678SL.....	180	FCM81921SL.....	135
FCM1284XE.....	142	FCM2108.....	160	FCM4816XN.....	127	FCM607XR.....	192	FCM6975.....	192	FCM81928SL.....	137
FCM1284XJ.....	142	FCM220.....	198	FCM4816XR.....	127	FCM608.....	193	FCM704.....	195	FCM81944SL.....	160
FCM1284XK.....	142	FCM2213.....	140	FCM508.....	191	FCM608XC.....	192	FCM707.....	194	FCM81947SL.....	160
FCM1284XN.....	142	FCM2223.....	140	FCM5425.....	159	FCM608XE.....	192	FCM708.....	195	FCM81949SL.....	160
FCM1284XR.....	142	FCM2233.....	141	FCM5425SL.....	159	FCM608XJ.....	192	FCM7125SL.....	181	FCM81968SL.....	132
FCM1285.....	145	FCM2382.....	140	FCM543.....	154	FCM608XN.....	192	FCM721.....	194	FCM81986SL.....	134
FCM1285XC.....	142	FCM2382SL.....	140	FCM545SL.....	154	FCM608XR.....	192	FCM735.....	195	FCM82.....	160
FCM1285XE.....	142	FCM82233.....	141	FCM571.....	136	FCM609.....	191	FCM736.....	194	FCM820.....	137
FCM1285XJ.....	142	FCM2385.....	141	FCM572SL.....	136	FCM6093.....	134	FCM745.....	195	FCM821.....	135
FCM1285XK.....	142	FCM2385SL.....	141	FCM574.....	136	FCM6094.....	135	FCM752.....	195	FCM822.....	132
FCM1285XN.....	142	FCM2389.....	140	FCM575.....	173	FCM6095.....	137	FCM755.....	198	FCM82213.....	140
FCM1285XR.....	142	FCM2389SL.....	140	FCM577.....	173	FCM61.....	197	FCM765.....	151	FCM82213SL.....	141
FCM1286.....	144	FCM241.....	132	FCM581.....	173	FCM6107.....	170	FCM765SL.....	151	FCM82223.....	140
FCM1286SL.....	144	FCM31.....	198	FCM583SL.....	173	FCM6108.....	170	FCM789.....	165	FCM82223SL.....	140
FCM1289.....	146	FCM310.....	131	FCM60.....	198	FCM6124SL.....	146	FCM80.....	166	FCM82233SL.....	141
FCM1289SL.....	146	FCM32.....	162	FCM600.....	198	FCM6124XCSSL.....	142	FCM8000SL.....	129	FCM82382.....	140
FCM131.....	152	FCM32SL.....	162	FCM601.....	193	FCM6124XESL.....	142	FCM8000XCSSL.....	128	FCM82382SL.....	140
FCM131SL.....	152	FCM32XC.....	159	FCM601XC.....	193	FCM6124XJSL.....	142	FCM8000XESL.....	128	FCM82385.....	141
FCM138.....	145	FCM32XCSSL.....	159	FCM601XE.....	193	FCM6124XNSL.....	142	FCM8000XJSL.....	128	FCM82385SL.....	141
FCM138XC.....	142	FCM32XE.....	159	FCM601XJ.....	193	FCM6124XRSL.....	142	FCM8000XKSL.....	128	FCM82389.....	140
FCM138XE.....	142	FCM32XESL.....	159	FCM601XR.....	193	FCM6125SL.....	146	FCM8000XNSL.....	128	FCM82389SL.....	140
FCM138XJ.....	142	FCM32XJ.....	159	FCM601XR.....	193	FCM6125XCSSL.....	142	FCM8000XRSL.....	128	FCM828.....	146
FCM138XK.....	142	FCM32XJSL.....	159	FCM602.....	191	FCM6125XESL.....	142	FCM808SL.....	131	FCM82XC.....	158
FCM138XN.....	142	FCM32XK.....	159	FCM6021.....	184	FCM6125XJSL.....	142	FCM809SL.....	137	FCM82XE.....	158
FCM138XR.....	142	FCM32XKSL.....	159	FCM6021XC.....	179	FCM6125XNSL.....	142	FCM81000.....	198	FCM82XJ.....	158
FCM1400SL.....	160	FCM32XN.....	159	FCM6021XE.....	179	FCM6125XRSL.....	142	FCM8101SL.....	160	FCM82XK.....	158
FCM1402.....	160	FCM32XNSL.....	159	FCM6021XJ.....	179	FCM6126SL.....	146	FCM8101XCSSL.....	158	FCM82XN.....	158
FCM1405.....	181	FCM32XR.....	159	FCM6021XK.....	179	FCM6126XCSSL.....	142	FCM8101XESL.....	158	FCM82XR.....	158
FCM1405SL.....	181	FCM32XRSL.....	159	FCM6021XN.....	179	FCM6126XESL.....	142	FCM8101XJSL.....	158	FCM8310SL.....	160
FCM1406.....	181	FCM3487SL.....	181	FCM6021XR.....	179	FCM6126XJSL.....	142	FCM8101XKSL.....	158	FCM8311SL.....	160
FCM1408.....	181	FCM3487XCSSL.....	178	FCM6022.....	181	FCM6126XNSL.....	142	FCM8101XNSL.....	158	FCM8313SL.....	160
FCM141.....	144	FCM3487XESL.....	178	FCM6022XC.....	178	FCM6126XRSL.....	142	FCM8101XRSL.....	158	FCM8321.....	181
FCM142.....	135	FCM3487XJSL.....	178	FCM6022XE.....	178	FCM616XC.....	197	FCM8103SL.....	154	FCM8321XC.....	178
FCM143.....	154	FCM3487XKSL.....	178	FCM6022XJ.....	178	FCM616XE.....	197	FCM8105SL.....	151	FCM8321XE.....	178
FCM143SL.....	154	FCM3487XNSL.....	178	FCM6022XK.....	178	FCM616XJ.....	197	FCM8107SL.....	155	FCM8321XJ.....	178
FCM144.....	171	FCM3487XRSL.....	178	FCM6022XN.....	178	FCM616XK.....	197	FCM8110SL.....	159	FCM8321XK.....	178
FCM1442SL.....	155	FCM369.....	133	FCM6022XR.....	178	FCM616XN.....	197	FCM8114.....	132	FCM8321XN.....	178
FCM147.....	154	FCM38.....	151	FCM6025.....	168	FCM616XR.....	197	FCM8114SL.....	132	FCM8321XR.....	178
FCM147SL.....	154	FCM386.....	176	FCM6026.....	173	FCM62.....	184	FCM8115.....	144	FCM8322.....	181
FCM148.....	138	FCM387.....	176	FCM6029.....	170	FCM6201SL.....	127	FCM8115SL.....	144	FCM8323.....	181
FCM149.....	174	FCM387SL.....	177	FCM6030.....	172	FCM6240.....	127	FCM81200.....	150	FCM8324.....	181
FCM149SL.....	174	FCM389.....	157	FCM6031.....	169	FCM6240SL.....	127	FCM81200SL.....	150	FCM8386.....	176
FCM151.....	165	FCM38SL.....	151	FCM6032.....	167	FCM626.....	138	FCM81200XC.....	143	FCM8386SL.....	177
FCM156.....	155	FCM394.....	177	FCM6035.....	180	FCM62SL.....	184	FCM81200XCSSL.....	144	FCM84521SL.....	157
FCM160.....	132	FCM4521SL.....	157	FCM6036.....	174	FCM62XC.....	179	FCM81200XE.....	143	FCM84525SL.....	157
FCM166.....	166	FCM4525SL.....	157	FCM604.....	191	FCM62XCSSL.....	179	FCM81200XESL.....	144	FCM84527SL.....	158
FCM163.....	164	FCM476.....	157	FCM6041.....	184	FCM62XE.....	179	FCM81200XJ.....	143	FCM84810.....	129
FCM164.....	164	FCM4810.....	129	FCM6041XC.....	179	FCM62XESL.....	179	FCM81200XJSL.....	144	FCM84810SL.....	129
FCM1645.....	196	FCM4810SL.....	129	FCM6041XE.....	179	FCM62XJ.....	179	FCM81200XK.....	143	FCM84810XC.....	128
FCM1646SL.....	156	FCM4810XC.....	128	FCM6041XJ.....	179	FCM62XJSL.....	179	FCM81200XKSL.....	144	FCM84810XCSSL.....	128
FCM1647.....	156	FCM4810XCSSL.....	128	FCM6041XK.....	179	FCM62XK.....	179	FCM81200XN.....	143	FCM84810XE.....	128
FCM1650.....	192	FCM4810XE.....	128	FCM6041XN.....	179	FCM62XKSL.....	179	FCM81200XNSL.....	144	FCM84810XESL.....	128
FCM1651.....	139	FCM4810XESL.....	128	FCM6041XR.....	179	FCM62XN.....	179	FCM81200XR.....	143	FCM84810XJ.....	128
FCM1651SL.....	139	FCM4810XJ.....	128	FCM6042.....	181	FCM62XNSL.....	179	FCM81200XRSL.....	144	FCM84810XJSL.....	128
FCM1652.....	139	FCM4810XJSL.....	128	FCM6042XC.....	178	FCM62XR.....	179	FCM81208P.....	146	FCM84810XN.....	128
FCM1654.....	176	FCM4810XN.....	128	FCM6042XE.....	178	FCM62XRSL.....	179	FCM81208PSL.....	146	FCM84810XNSL.....	128
FCM1656.....	176	FCM4810XNSL.....	128	FCM6042XJ.....	178	FCM65.....	181	FCM81208SL.....	146	FCM84810XR.....	128
FCM1656SL.....	176	FCM4810XR.....	128	FCM6042XK.....	178	FCM6500.....	138	FCM81225.....	144	FCM84810XRSL.....	128
FCM1658.....	176	FCM4810XRSL.....	128	FCM6042XN.....	178	FCM6500SL.....	138	FCM81225SL.....	144	FCM84812.....	128
FCM18.....	145	FCM4812.....	128	FCM6042XR.....	178	FCM6520.....	192	FCM812SL.....	134	FCM84812SL.....	129
FCM18101SL.....	132	FCM4812SL.....	129	FCM6045.....	168	FCM6550.....	138	FCM813SL.....	138	FCM84812XC.....	127
FCM18XC.....	142	FCM4812XC.....	127	FCM6046.....	173	FCM6550SL.....	138	FCM814.....	132	FCM84812XCSSL.....	128
FCM18XE.....	142	FCM4812XCSSL.....	128	FCM6049.....	170	FCM6565.....	175	FCM8145.....	181	FCM84812XE.....	127
FCM18XJ.....	142	FCM4812XE.....	127	FCM605.....	193	FCM6565SL.....	175	FCM8145SL.....	181	FCM84812XESL.....	128
FCM18XK.....	142	FCM4812XESL.....	128	FCM6050.....	172	FCM6568.....	175	FCM8149.....	174	FCM84812XJ.....	127
FCM18XN.....	142	FCM4812XJ.....	127	FCM6051.....	169	FCM6570.....	196	FCM814SL.....	133	FCM84812XJSL.....	128
FCM18XR.....	142	FCM4812XJSL.....	128	FCM6052.....	167	FCM6575.....	165	FCM815SL.....	134	FCM84812XN.....	127
FCM198.....	146	FCM4812XN.....	127	FCM6055.....	180	FCM6577.....	165	FCM816.....	131	FCM84812XNSL.....	128
FCM2000SL.....	129	FCM4812XNSL.....	128	FCM6056.....	174	FCM6580SL.....	156	FCM81645.....	196	FCM84812XR.....	127
FCM2000XCSSL.....	128	FCM4812XR.....	127	FCM605XC.....	192	FCM6582.....	156	FCM81646SL.....	156	FCM84812XRSL.....	128
FCM2000XESL.....	128	FCM4812XRSL.....	128	FCM605XE.....	192	FCM65SL.....	181	FCM81651.....	139	FCM84813.....	128

FCM84813XC.....	127	FCM870XJ.....	143	FCO6186XJSL.....	143	S1205XJ.....	117	S1654.....	176	S2103SL.....	124
FCM84813XE.....	127	FCM870XJSL.....	144	FCO6186XNSL.....	143	S1205XK.....	117	S1655.....	189	S2103XC.....	123
FCM84813XJ.....	127	FCM870XK.....	143	FCO6186XRSL.....	143	S1205XN.....	117	S1656.....	176	S2103XCSL.....	123
FCM84813XN.....	127	FCM870XKSL.....	144	FCO6188SL.....	148	S1205XR.....	117	S1656SL.....	176	S2103XE.....	123
FCM84813XR.....	127	FCM870XN.....	143	FCO6188XCSL.....	143	S1206.....	120	S1658.....	176	S2103XESL.....	123
FCM84814.....	129	FCM870XNSL.....	144	FCO6188XESL.....	143	S1206SL.....	121	S1661.....	186	S2103XJ.....	123
FCM84814XC.....	127	FCM870XR.....	143	FCO6188XJSL.....	143	S1207.....	120	S198.....	149	S2103XJSL.....	123
FCM84814XE.....	127	FCM870XRSL.....	144	FCO6188XNSL.....	143	S1207XC.....	117	S198SL.....	150	S2103XK.....	123
FCM84814XJ.....	127	FCM871.....	131	FCO6188XRSL.....	143	S1207XE.....	117	S200.....	200	S2103XKSL.....	123
FCM84814XN.....	127	FCM871SL.....	131	FCO6189SL.....	148	S1207XJ.....	117	S2000.....	122	S2103XN.....	123
FCM84814XR.....	127	FCM872.....	132	FCO6189XCSL.....	143	S1207XK.....	117	S2000SL.....	122	S2103XNSL.....	123
FCM84816.....	129	FCM8721.....	194	FCO6189XESL.....	143	S1207XN.....	117	S2000SL.....	129	S2103XR.....	123
FCM84816XC.....	127	FCM872SL.....	132	FCO6189XJSL.....	143	S1207XR.....	117	S2000SL-2C.....	121	S2103XRSL.....	123
FCM84816XE.....	127	FCM873.....	133	FCO6189XNSL.....	143	S1208.....	148	S2000SL-4C.....	121	S2104.....	124
FCM84816XJ.....	127	FCM8735.....	195	FCO6189XRSL.....	143	S1208SL.....	149	S2000XC.....	119	S2104SL.....	124
FCM84816XN.....	127	FCM8736.....	194	FCO6190SL.....	148	S1209.....	148	S2000XCSL.....	119	S2104XC.....	123
FCM84816XR.....	127	FCM8735SL.....	133	FCO6190XCSL.....	143	S1209SL.....	149	S2000XCSL.....	128	S2104XCSL.....	123
FCM84886SL.....	129	FCM874.....	135	FCO6190XESL.....	143	S1211.....	148	S2000XCSL-2C.....	117	S2104XE.....	123
FCM84886XCSL.....	127	FCM8745.....	195	FCO6190XJSL.....	143	S1211SL.....	149	S2000XCSL-4C.....	117	S2104XESL.....	123
FCM84886XESL.....	127	FCM874SL.....	135	FCO6190XNSL.....	143	S1212.....	148	S2000XE.....	119	S2104XJ.....	123
FCM84886XJSL.....	127	FCM8752.....	195	FCO6190XRSL.....	143	S128.....	148	S2000XESL.....	119	S2104XJSL.....	123
FCM84886XKSL.....	127	FCM881SL.....	162	FCO6575.....	166	S128XC.....	143	S2000XESL.....	128	S2104XK.....	123
FCM84886XNSL.....	127	FCM881XCSL.....	159	FWRT.....	201	S128XE.....	143	S2000XESL-2C.....	117	S2104XKSL.....	123
FCM84886XRSL.....	127	FCM881XESL.....	159	KNRT.....	201	S128XJ.....	143	S2000XESL-4C.....	117	S2104XN.....	123
FCM8498.....	177	FCM881XJSL.....	159	LT30T.....	201	S128XK.....	143	S2000XJ.....	119	S2104XNSL.....	123
FCM8498SL.....	177	FCM881XKSL.....	159	LTRT.....	201	S128XN.....	143	S2000XJSL.....	119	S2104XR.....	123
FCM8545SL.....	154	FCM881XNSL.....	159	PBRT.....	201	S128XR.....	143	S2000XJSL.....	128	S2104XRSL.....	123
FCM8571.....	136	FCM881XRSL.....	159	RSRT.....	201	S130.....	145	S2000XJSL-2C.....	117	S2105.....	124
FCM8572SL.....	136	FCM882SL.....	151	S100.....	200	S130SL.....	145	S2000XJSL-4C.....	117	S2106.....	161
FCM8573SL.....	136	FCM883SL.....	152	S1000.....	165	S131.....	180	S2000XK.....	119	S2107.....	161
FCM8574.....	136	FCM884SL.....	152	S1001.....	165	S132.....	180	S2000XKSL.....	119	S2108.....	161
FCM8581.....	173	FCM885SL.....	154	S1006.....	134	S132SL.....	180	S2000XKSL.....	128	S210SL.....	184
FCM8583SL.....	173	FCM886.....	170	S100SL.....	150	S1350.....	125	S2000XN.....	119	S210XCSL.....	179
FCM860.....	198	FCM886SL.....	170	S100XCSL.....	144	S137.....	181	S2000XNSL.....	119	S210XESL.....	179
FCM861.....	197	FCM887SL.....	153	S100XESL.....	144	S139.....	133	S2000XNSL.....	128	S210XJSL.....	179
FCM861XC.....	197	FCM888.....	170	S100XJSL.....	144	S139SL.....	133	S2000XNSL-2C.....	117	S210XKSL.....	179
FCM861XE.....	197	FCM888SL.....	171	S100XKSL.....	144	S140.....	150	S2000XNSL-4C.....	117	S210XNSL.....	179
FCM861XJ.....	197	FCM889SL.....	153	S100XNSL.....	144	S1400.....	162	S2000XR.....	119	S210XRSL.....	179
FCM861XK.....	197	FCM890.....	137	S100XRSL.....	144	S1400SL.....	162	S2000XRSL.....	119	S211.....	168
FCM861XN.....	197	FCM890SL.....	137	S1029.....	135	S1401.....	124	S2000XRSL.....	128	S213.....	171
FCM861XR.....	197	FCM891.....	173	S104.....	184	S1401SL.....	124	S2000XRSL-2C.....	117	S214.....	172
FCM862.....	184	FCM891SL.....	173	S104XC.....	179	S1402.....	162	S2000XRSL-4C.....	117	S2150.....	125
FCM86201SL.....	127	FCM892SL.....	155	S104XE.....	179	S1404.....	190	S20042.....	156	S220.....	199
FCM86240.....	127	FCM893SL.....	134	S104XJ.....	179	S1405.....	183	S2009.....	121	S2200.....	124
FCM86240SL.....	127	FCM898.....	168	S104XK.....	179	S1405SL.....	183	S2009SL.....	121	S2200XC.....	123
FCM862SL.....	184	FCM898SL.....	168	S104XN.....	179	S1406.....	183	S2010.....	120	S2200XCSL.....	123
FCM862XC.....	179	FCM899.....	171	S104XR.....	179	S1407.....	183	S2010SL.....	121	S2200XE.....	123
FCM862XCSL.....	179	FCM899SL.....	171	S105.....	184	S1408.....	183	S2010SL.....	129	S2200XESL.....	123
FCM862XE.....	179	FCM900.....	134	S108.....	148	S1409.....	125	S2010XC.....	117	S2200XJ.....	123
FCM862XESL.....	179	FCM901.....	170	S1089.....	161	S140STC.....	197	S2010XCSL.....	117	S2200XJSL.....	123
FCM862XJ.....	179	FCM901SL.....	170	S1089SL.....	162	S140XC.....	144	S2010XCSL.....	128	S2200XK.....	123
FCM862XJSL.....	179	FCM902.....	153	S108XC.....	143	S140XE.....	144	S2010XE.....	117	S2200XKSL.....	123
FCM862XK.....	179	FCM902SL.....	153	S108XE.....	143	S140XJ.....	144	S2010XESL.....	117	S2200XNSL.....	123
FCM862XKSL.....	179	FCM905.....	134	S108XJ.....	143	S140XK.....	144	S2010XESL.....	128	S2200XNSL.....	123
FCM862XN.....	179	FCM906.....	170	S108XK.....	143	S140XN.....	144	S2010XJ.....	117	S2200XR.....	123
FCM862XNSL.....	179	FCM906SL.....	171	S108XN.....	143	S140XR.....	144	S2010XJSL.....	117	S2200XRSL.....	123
FCM862XR.....	179	FCM907.....	153	S108XR.....	143	S141.....	148	S2010XJSL.....	128	S2213.....	141
FCM862XRSL.....	179	FCM907SL.....	153	S1100.....	199	S1411.....	186	S2010XK.....	117	S2213SL.....	141
FCM863.....	167	FCM910.....	137	S115.....	183	S141STC.....	197	S2010XKSL.....	117	S2223.....	140
FCM863SL.....	167	FCM911.....	173	S1170SL.....	149	S141XC.....	143	S2010XKSL.....	128	S2223SL.....	140
FCM864.....	168	FCM911SL.....	173	S1170XCSL.....	143	S141XE.....	143	S2010XN.....	117	S2233.....	142
FCM864SL.....	168	FCM912.....	155	S1170XESL.....	143	S141XJ.....	143	S2010XNSL.....	117	S2233SL.....	142
FCM865.....	169	FCM912SL.....	155	S1170XJSL.....	143	S141XK.....	143	S2010XNSL.....	128	S2250.....	124
FCM86500.....	138	FCM915.....	165	S1170XKSL.....	143	S141XN.....	143	S2010XR.....	117	S2250XC.....	123
FCM86500SL.....	138	FCM916.....	165	S1170XNSL.....	143	S141XR.....	143	S2010XRSL.....	117	S2250XCSL.....	123
FCM86550.....	138	FCM92SL.....	160	S1170XRSL.....	143	S1442SL.....	156	S2010XRSL.....	128	S2250XE.....	123
FCM86550SL.....	138	FCM92XCSL.....	158	S118.....	150	S154.....	134	S205.....	200	S2250XESL.....	123
FCM86560.....	175	FCM92XESL.....	158	S118XC.....	144	S154SL.....	134	S2050.....	120	S2250XJ.....	123
FCM86560SL.....	175	FCM92XJSL.....	158	S118XE.....	144	S155.....	136	S2050XC.....	117	S2250XJSL.....	123
FCM86570.....	196	FCM92XKSL.....	158	S118XJ.....	144	S155SL.....	136	S2050XE.....	117	S2250XK.....	123
FCM86580SL.....	156	FCM92XNSL.....	158	S118XK.....	144	S156.....	156	S2050XJ.....	117	S2250XKSL.....	123
FCM865SL.....	169	FCM92XRSL.....	158	S118XN.....	144	S160.....	138	S2050XK.....	117	S2250XN.....	123
FCM866.....	172	FCO6184SL.....	148	S118XR.....	144	S160SL.....	138	S2050XN.....	117	S2250XNSL.....	123
FCM866SL.....	172	FCO6184XCSL.....	143	S120.....	200	S161.....	174	S2050XR.....	117	S2250XR.....	123
FCM8675SL.....	181	FCO6184XESL.....	143	S1200.....	148	S161SL.....	175	S206.....	184	S2250XRSL.....	123
FCM8678.....	180	FCO6184XJSL.....	143	S1200SL.....	149	S162.....	186	S206XC.....	179	S236.....	196
FCM8678SL.....	180	FCO6184XNSL.....	143	S1201.....	148	S163.....	165	S206XE.....	179	S237.....	196
FCM867SL.....	174	FCO6184XRSL.....	143	S1201SL.....	149	S1645.....	196	S206XJ.....	179	S2382.....	141
FCM870.....	150	FCO6185SL.....	148	S1202.....	148	S1646.....	157	S206XK.....	179	S2382SL.....	141
FCM8704.....	195	FCO6185XCSL.....	143	S1202SL.....	149	S1646SL.....	157	S206XN.....	179	S2385.....	142
FCM8707.....	194	FCO6185XESL.....	143	S1203.....	148	S1647.....	156	S206XR.....	179	S2385SL.....	142
FCM8708.....	195	FCO6185XJSL.....	143	S1204.....	120	S1650.....	192	S210.....	200	S2389.....	140
FCM870SL.....	150	FCO6185XNSL.....	143	S1204SL.....	121	S1651.....	139	S2100.....	126	S2389SL.....	140
FCM870XC.....	143	FCO6185XRSL.....	143	S1205.....	120	S1651SL.....	139	S2101.....	162	S241.....	133
FCM870XCSL.....	144	FCO6186SL.....	148	S1205SL.....	121	S1652.....	139	S2101SL.....	162	S243.....	180
FCM870XE.....	143	FCO6186XCSL.....	143	S1205XC.....	117	S1652SL.....	139	S2102.....	162	S255.....	196
FCM870XESL.....	144	FCO6186XESL.....	143	S1205XE.....	117	S1653.....	176	S2103.....	124	S256.....	196

Fiber-Classic® & Smooth-Star® *Continued*

S2600.....	119	S3300XN.....	118	S4305XJ.....	179	S5700XC.....	117	S6008.....	133	S6063STC.....	197
S2610.....	193	S3300XR.....	118	S4305XK.....	179	S3600RXC.....	118	S6008SL.....	133	S6063XC.....	143
S2610XC.....	193	S3301.....	199	S4305XN.....	179	S3600RXE.....	118	S6009.....	152	S6063XE.....	143
S2610XE.....	193	S3400L.....	121	S4305XR.....	179	S3600RXJ.....	118	S6009SL.....	153	S6063XJ.....	143
S2610XJ.....	193	S3400LXC.....	118	S4307.....	183	S3600RXX.....	118	S601.....	193	S6063XK.....	143
S2610XN.....	193	S3400LXE.....	118	S4308.....	180	S3600RXN.....	118	S6010.....	153	S6063XN.....	143
S2610XR.....	193	S3400LXJ.....	118	S4308SL.....	174	S3600RXR.....	118	S6013.....	185	S6063XR.....	143
S262.....	182	S3400LXK.....	118	S4310.....	177	S5700XCSL.....	118	S6014.....	185	S606SL.....	149
S2620.....	192	S3400LXN.....	118	S4311.....	176	S5700XE.....	117	S6015L.....	150	S606XC.....	192
S262XC.....	178	S3400LXR.....	118	S4314.....	167	S5700XESL.....	118	S601XC.....	193	S606XCSL.....	143
S262XE.....	178	S3401L.....	199	S4315.....	184	S5700XJ.....	117	S601XCSL.....	144	S606XE.....	192
S262XJ.....	178	S3487SL.....	183	S4316.....	174	S5700XJSL.....	118	S601XE.....	193	S606XESL.....	143
S262XK.....	178	S3487XCSL.....	179	S4320.....	175	S5700XK.....	117	S601XESL.....	144	S606XJ.....	192
S262XN.....	178	S3487XESL.....	179	S4321.....	183	S5700XKSL.....	118	S601XJ.....	193	S606XJSL.....	143
S262XR.....	178	S3487XJSL.....	179	S4323.....	175	S5700XN.....	117	S601XJSL.....	144	S606XN.....	192
S2630.....	191	S3487XKSL.....	179	S4324.....	170	S5700XNSL.....	118	S601XKSL.....	144	S606XNSL.....	143
S263SL.....	183	S3487XNSL.....	179	S4325.....	169	S5700XR.....	117	S601XN.....	193	S606XR.....	192
S263XCSL.....	179	S3487XRSL.....	179	S4326.....	173	S5700XRSL.....	118	S601XNSL.....	144	S606XRSL.....	143
S263XESL.....	179	S35.....	169	S4327.....	171	S5701.....	199	S601XR.....	193	S607.....	193
S263XJSL.....	179	S83400L.....	121	S4328.....	169	S5705.....	121	S601XRSL.....	144	S6070.....	135
S263XKSL.....	179	S3400R.....	122	S4329.....	172	S5705XC.....	117	S602.....	191	S6070SL.....	135
S263XNSL.....	179	S83400R.....	122	S4330.....	172	S5705XE.....	117	S6021.....	184	S6071.....	154
S263XRSL.....	179	S3500R.....	122	S3601R.....	199	S5705XJ.....	117	S6021XC.....	179	S6071SL.....	154
S2640.....	192	S3400RXC.....	118	S45.....	199	S5705XK.....	117	S6021XE.....	179	S6072.....	154
S2650.....	191	S3400RXC.....	118	S4521.....	157	S5705XN.....	117	S6021XJ.....	179	S6073.....	171
S2660.....	191	S3400RXJ.....	118	S4521SL.....	157	S5705XR.....	117	S6021XK.....	179	S6074.....	171
S2670.....	191	S3400RXK.....	118	S4525.....	157	S571.....	137	S6021XN.....	179	S6075.....	172
S289.....	186	S3400RXN.....	118	S4525SL.....	157	S5710.....	121	S6021XR.....	179	S6076.....	172
S289XC.....	186	S3400RXR.....	118	S454.....	196	S5710SL.....	122	S6022.....	182	S607SL.....	149
S289XE.....	186	S3500LXC.....	118	S4570SL.....	131	S5710XC.....	117	S6022XC.....	178	S607XC.....	193
S289XJ.....	186	S3500LXE.....	118	S476.....	157	S5710XCSL.....	118	S6022XE.....	178	S607XCSL.....	143
S289XK.....	186	S3500LXJ.....	118	S4800.....	200	S5710XE.....	117	S6022XJ.....	178	S607XE.....	193
S289XN.....	186	S3500LXK.....	118	S4810.....	129	S5710XESL.....	118	S6022XK.....	178	S607XESL.....	143
S289XR.....	186	S3500LXN.....	118	S4810SL.....	129	S5710XJ.....	117	S6022XN.....	178	S607XJ.....	193
S291.....	185	S3500LXO.....	118	S4810XC.....	128	S5710XJSL.....	118	S6022XR.....	178	S607XJSL.....	143
S291SL.....	171	S3401R.....	199	S4810XCSL.....	128	S5710XK.....	117	S6025.....	169	S607XN.....	193
S292.....	185	S3501L.....	199	S4810XE.....	128	S5710XKSL.....	118	S6026.....	174	S607XNSL.....	143
S292SL.....	172	S3540.....	192	S4810XESL.....	128	S5710XN.....	117	S6029.....	171	S607XR.....	193
S294.....	185	S83500R.....	122	S4810XJ.....	128	S5710XNSL.....	118	S602SL.....	135	S607XRSL.....	143
S294SL.....	169	S3500L.....	122	S4810XJSL.....	128	S5710XR.....	117	S6030.....	172	S608.....	193
S296.....	197	S83500L.....	122	S4810XN.....	128	S5710XRSL.....	118	S6031.....	169	S6080.....	166
S296XC.....	197	S3600L.....	122	S4810XNSL.....	128	S5715.....	121	S6032.....	167	S6082.....	165
S296XE.....	197	S3500RXC.....	118	S4810XR.....	128	S5715XC.....	117	S6034.....	180	S6084.....	165
S296XJ.....	197	S3500RXC.....	118	S4810XRSL.....	128	S5715XE.....	117	S6035.....	180	S6085.....	164
S296XK.....	197	S3500RXJ.....	118	S4812.....	129	S5715XJ.....	117	S6036.....	175	S608XC.....	193
S296XN.....	197	S3500RXK.....	118	S4812SL.....	129	S5715XK.....	117	S604.....	191	S608XE.....	193
S296XR.....	197	S3500RXN.....	118	S4812XC.....	128	S5715XN.....	117	S6041.....	184	S608XJ.....	193
S30.....	184	S3500RXR.....	118	S4812XCSL.....	128	S5715XR.....	117	S6041XC.....	179	S608XN.....	193
S308SL.....	149	S3600LXC.....	118	S4812XE.....	128	S5720.....	121	S6041XE.....	179	S608XR.....	193
S308XCSL.....	143	S3600LXE.....	118	S4812XESL.....	128	S5720SL.....	122	S6041XJ.....	179	S608XR.....	193
S308XESL.....	143	S3600LXJ.....	118	S4812XJ.....	128	S5720XC.....	117	S6041XK.....	179	S609.....	191
S308XJSL.....	143	S3600LXK.....	118	S4812XJSL.....	128	S5720XC.....	117	S6041XC.....	179	S6090.....	137
S308XKSL.....	143	S3600LXN.....	118	S4812XNSL.....	128	S5720XCSL.....	118	S6041XN.....	179	S6091.....	154
S308XNSL.....	143	S3600LXR.....	118	S4812XR.....	128	S5720XE.....	117	S6041XR.....	179	S6091SL.....	154
S308XRSL.....	143	S3501R.....	199	S4812XRSL.....	128	S5720XESL.....	118	S6042.....	183	S6092.....	153
S30XC.....	179	S3601L.....	199	S4813.....	129	S5720XJ.....	117	S6042XC.....	178	S6092SL.....	153
S30XE.....	179	S369.....	133	S4813XC.....	128	S5720XJSL.....	118	S6042XE.....	178	S6093.....	134
S30XJ.....	179	S37.....	174	S4813XE.....	128	S5720XK.....	117	S6042XJ.....	178	S6094.....	136
S30XK.....	179	S386.....	177	S4813XJ.....	128	S5720XKSL.....	118	S6042XK.....	178	S6095.....	137
S30XN.....	179	S387.....	177	S4813XN.....	128	S5720XN.....	117	S6042XN.....	178	S6100.....	134
S30XR.....	179	S387SL.....	177	S4813XR.....	128	S5720XNSL.....	118	S6042XR.....	178	S6100SL.....	134
S31.....	200	S389.....	157	S4814.....	129	S5720XR.....	117	S6045.....	169	S6101.....	170
S310.....	131	S392.....	177	S4814XC.....	128	S5720XRSL.....	118	S6046.....	174	S6101SL.....	170
S32.....	183	S393.....	189	S4814XE.....	128	S5721.....	199	S6049.....	171	S6102.....	153
S3200.....	126	S394.....	177	S4814XJ.....	128	S5725.....	121	S604SL.....	133	S6102SL.....	153
S3200SL.....	126	S398.....	186	S4814XN.....	128	S5725XC.....	117	S605.....	193	S6103.....	153
S3200XC.....	125	S4070SL.....	137	S4814XR.....	128	S5725XE.....	117	S6050.....	172	S6104.....	185
S3200XCSL.....	125	S41.....	171	S4816.....	129	S5725XJ.....	117	S6051.....	169	S6106.....	170
S3200XE.....	125	S416SL.....	137	S4816XC.....	128	S5725XK.....	117	S6052.....	167	S6107.....	170
S3200XESL.....	125	S42.....	172	S4816XJ.....	128	S5725XN.....	117	S6054.....	181	S6108.....	170
S3200XJ.....	125	S4200.....	126	S4816XK.....	128	S5725XR.....	117	S6055.....	180	S6124SL.....	149
S3200XJSL.....	125	S4200XC.....	125	S4816XE.....	128	S5725XSL.....	137	S6056.....	175	S6124XCSL.....	143
S3200XN.....	125	S4200XCSL.....	125	S4816XJ.....	128	S573SL.....	137	S605SL.....	149	S6124XESL.....	143
S3200XNSL.....	125	S4200XE.....	125	S4816XN.....	128	S574.....	136	S605XC.....	192	S6124XJSL.....	143
S3200XR.....	125	S4200XESL.....	125	S4816XR.....	128	S575.....	173	S605XCSL.....	143	S6124XNSL.....	143
S3200XRSL.....	125	S4200XJ.....	125	S507.....	188	S577.....	173	S605XE.....	192	S6124XRSL.....	143
S32XC.....	178	S4200XJSL.....	125	S508.....	192	S579.....	173	S605XESL.....	143	S6125SL.....	149
S32XE.....	178	S4200XN.....	125	S529.....	155	S581.....	173	S605XJ.....	192	S6125XCSL.....	143
S32XJ.....	178	S4200XNSL.....	125	S5425.....	159	S583SL.....	173	S605XJSL.....	143	S6125XESL.....	143
S32XK.....	178	S4200XN.....	125	S5425SL.....	159	S585.....	185	S605XN.....	192	S6125XJSL.....	143
S32XN.....	178	S4200XNSL.....	125	S543.....	155	S5870SL.....	136	S605XNSL.....	143	S6125XNSL.....	143
S32XR.....	178	S4200XR.....	125	S545SL.....	155	S600.....	200	S605XR.....	192	S6125XRSL.....	143
S3300.....	122	S4200XRSL.....	125	S549.....	188	S6000.....	167	S605XRSL.....	143	S6126SL.....	149
S3300XC.....	118	S426.....	174	S5700.....	121	S6000SL.....	167	S606.....	193	S6126XCSL.....	143
S3300XE.....	118	S43.....	175	S83600L.....	122	S6002.....	131	S6061.....	145	S6126XESL.....	143
S3300XJ.....	118	S430.....	185	S3600R.....	122	S6002SL.....	131	S6062.....	149	S6126XJSL.....	143
S3300XK.....	118	S4305XC.....	179	S83600R.....	122	S6006.....	169	S6062SL.....	150	S6126XNSL.....	143
		S4305XE.....	179	S5700SL.....	122	S6006SL.....	170	S6063.....	148	S6126XRSL.....	143

S6128SL	145	S773	165	S81654	176	S82382SL	141	S83200XRSL	125	S84305XK	179
S6130SL	132	S774	165	S81654SL	176	S82385	142	S8321	183	S84305XN	179
S6131SL	134	S80	163	S81656	176	S82385SL	142	S8321XC	178	S84305XR	179
S6132SL	138	S8000	122	S817	133	S82389	140	S8321XE	178	S84308	180
S6134SL	133	S8000-12	121	S818	150	S82389SL	140	S8321XJ	178	S84309	182
S6135SL	135	S8000-18	121	S81828	149	S82600	119	S8321XK	178	S84310	177
S6200	126	S8000-9	121	S818XC	144	S82610	193	S8321XN	178	S84311	176
S6200SL	126	S8000SL	124	S818XE	144	S82610XC	193	S8321XR	178	S84312	183
S6200XC	125	S8000SL	129	S818XJ	144	S82610XE	193	S8322	182	S84313	182
S6200XCSSL	125	S8000XC	119	S818XK	144	S82610XJ	193	S8323	182	S84314	167
S6200XE	125	S8000XCSSL	123	S818XN	144	S82610XN	193	S8324	182	S84315	184
S6200XESL	125	S8000XCSSL	128	S818XR	144	S82610XR	193	S8325	183	S84316	174
S6200XJ	125	S8000XE	119	S81929P	184	S82620	192	S8326	182	S84318	182
S6200XJSL	125	S8000XESL	123	S81929PXC	179	S82630	191	S8327	182	S84319	168
S6200XN	125	S8000XESL	128	S81929PXE	179	S82640	192	S8328	182	S84320	175
S6200XNSL	125	S8000XJ	119	S81929PXJ	179	S82650	191	S832XC	178	S84321	183
S6200XR	125	S8000XJSL	123	S81929PK	179	S82660	191	S832XE	178	S84322	178
S6200XRSL	125	S8000XJSL	128	S81929PXN	179	S82670	191	S832XJ	178	S84323	175
S6201SL	127	S8000XK	119	S81929PXR	179	S828	149	S832XK	178	S84324	170
S6240	127	S8000XKSL	123	S81933P	167	S829	145	S832XN	178	S84325	169
S6240SL	127	S8000XKSL	128	S81935P	168	S829SL	145	S832XR	178	S84326	173
S626	138	S8000XN	119	S81936P	168	S829SL	162	S833	169	S84327	171
S6500	139	S8000XNSL	123	S81937P	169	S82XC	158	S83300	122	S84328	169
S6500SL	139	S8000XNSL	128	S81938P	171	S82XCSSL	159	S83300XC	118	S84329	172
S6520	192	S8000XR	119	S81939P	170	S82XE	158	S83300XE	118	S84330	172
S6534	189	S8000XRSL	123	S81940P	171	S82XESL	159	S83300XJ	118	S84331	157
S6536	176	S8000XRSL	128	S81941P	172	S82XJ	158	S83300XK	118	S84332	157
S6550	139	S807	186	S81942P	174	S82XJSL	159	S83300XN	118	S84333	157
S6550SL	139	S807XC	186	S81983	172	S82XK	158	S83300XR	118	S84334	157
S6560	175	S807XE	186	S82	161	S82XKSL	159	S83301	199	S84335	158
S6565	175	S807XJ	186	S820	137	S82XN	158	S83400LXC	118	S84336	158
S6565SL	176	S807XK	186	S8200	199	S82XNSL	159	S83400LXE	118	S84337	132
S6568	175	S807XN	186	S8201	200	S82XR	158	S83400LXJ	118	S84338	177
S6570	196	S807XR	186	S8202SL	162	S82XRSL	159	S83400LXK	118	S84339	200
S6572	186	S808	149	S8204SL	162	S830	184	S83400LXN	118	S84340	129
S6575	166	S808SL	149	S8207SL	162	S830XC	179	S83400LXR	118	S84341	129
S6576	166	S80XC	159	S821	136	S830XE	179	S83401L	199	S84342	128
S6577	166	S80XE	159	S82103	124	S830XJ	179	S83400RXC	118	S84343	128
S6580	156	S80XJ	159	S82103XC	123	S830XK	179	S83400RXE	118	S84344	128
S6580SL	156	S80XK	159	S82103XE	123	S830XN	179	S83400RXJ	118	S84345	128
S6582	156	S80XN	159	S82103XJ	123	S830XR	179	S83400RXK	118	S84346	128
S668	132	S80XR	159	S82103XK	123	S831	200	S83400RXN	118	S84347	128
S682	159	S810	200	S82103XN	123	S8310	162	S83400RXR	118	S84348	128
S685L	122	S81000	200	S82103XR	123	S8310SL	162	S83500LXC	118	S84349	128
S685LXC	118	S81086SL	150	S82104	124	S8311	161	S83500LXE	118	S84350	128
S685LXE	118	S81086XCSSL	144	S82105	124	S8311SL	162	S83500LXJ	118	S84351	128
S685LXJ	118	S81086XESL	144	S82105XC	123	S83120	190	S83500LXK	118	S84352	129
S685LXK	118	S81086XJSL	144	S82105XE	123	S831203	190	S83500LXN	118	S84353	129
S685LXN	118	S81086XKSL	144	S82105XJ	123	S831203XC	189	S83500LXR	118	S84354	128
S685LXR	118	S81086XNSL	144	S82105XK	123	S831203XE	189	S83401R	199	S84355	128
S685R	122	S81086XRSL	144	S82105XN	123	S831203XJ	189	S83501L	199	S84356	128
S685RXC	118	S81100	199	S82105XR	123	S831203XK	189	S83540	192	S84357	128
S685RXE	118	S81186SL	149	S82106	124	S831203XN	189	S83500RXC	118	S84358	128
S685RXJ	118	S8120	200	S82106XC	123	S831203XR	189	S83500RXE	118	S84359	128
S685RXK	118	S81208	149	S82106XE	123	S83120XC	190	S83500RXJ	118	S84360	128
S685RXN	118	S81225	145	S82106XJ	123	S83120XE	190	S83500RXK	118	S84361	128
S685RXR	118	S8132	180	S82106XK	123	S83120XJ	190	S83500RXN	118	S84362	128
S691	121	S8132SL	180	S82106XN	123	S83120XK	190	S83500RXR	118	S84363	128
S691XC	117	S814	132	S82106XR	123	S83120XN	190	S83600LXC	118	S84364	129
S691XE	117	S8140	150	S82107	124	S83120XR	190	S83600LXE	118	S84365	128
S691XJ	117	S81401	124	S82107XC	123	S8313	162	S83600LXJ	118	S84366	128
S691XK	117	S81405	183	S82107XE	123	S8313SL	162	S83600LXK	118	S84367	128
S691XN	117	S8140STC	197	S82107XJ	123	S83142	189	S83600LXN	118	S84368	128
S691XR	117	S8140XC	144	S82107XK	123	S83143	187	S83600LXR	118	S84369	128
S6975	192	S8140XE	144	S82107XN	123	S83147	188	S83501R	199	S84370	129
S704	195	S8140XJ	144	S82107XR	123	S83149	188	S83601L	199	S84371	128
S707	194	S8140XK	144	S82200	124	S83152	187	S837	174	S84372	128
S708	195	S8140XN	144	S82200XC	123	S83153	187	S8386	177	S84373	128
S709	165	S8140XR	144	S82200XE	123	S83154	188	S8386SL	177	S84374	128
S7125SL	183	S8141	190	S82200XJ	123	S83155	188	S8387	177	S84375	128
S721	194	S8144	183	S82200XK	123	S8316	162	S8390	189	S84376	129
S735	195	S8145	183	S82200XN	123	S8317	196	S8392	177	S84377	128
S736	194	S8145SL	183	S82200XR	123	S8318	183	S84200	126	S84378	128
S745	195	S8149	174	S82213	141	S8319	183	S84200SL	126	S84379	128
S751SL	163	S8145SL	132	S82213SL	141	S832	183	S84200XC	125	S84380	128
S751XCSSL	159	S815	132	S82223	140	S8320	183	S84200XCSSL	125	S84381	128
S751XESL	159	S816	131	S82223SL	140	S83200	126	S84200XE	125	S84382	124
S751XJSL	159	S81645	196	S82233	142	S83200SL	126	S84200XESL	125	S84383	129
S751XKSL	159	S81646	157	S82233SL	142	S83200XC	125	S84200XJ	125	S84384	123
S751XNSL	159	S81646SL	157	S82250	124	S83200XCSSL	125	S84200XJSL	125	S84385	128
S751XRSL	159	S81649	189	S822XC	158	S83200XE	125	S84200XN	125	S84386	123
S752	195	S81650	192	S822XE	158	S83200XESL	125	S84200XNSL	125	S84387	128
S755	200	S81651	139	S822XJ	158	S83200XJ	125	S84200XR	125	S84388	123
S757SL	155	S81651SL	139	S822XK	158	S83200XJSL	125	S84200XRSL	125	S84389	128
S758SL	152	S81652	139	S822XN	158	S83200XN	125	S84305XC	179	S84390	123
S770	166	S81652SL	139	S822XR	158	S83200XNSL	125	S84305XE	179	S84391	128
S771	164	S81653	176	S82382	141	S83200XR	125	S84305XJ	179	S84392	123

Fiber-Classic® & Smooth-Star® *Continued*

S84886XNSL.....	128	S85715.....	121	S8601SL.....	150	S86570.....	196	S896XE.....	197
S84886XRSL.....	123	S85715XC.....	117	S8601XCSSL.....	144	S86580.....	156	S896XJ.....	197
S84886XRSL.....	128	S85715XE.....	117	S8601XESL.....	144	S86580SL.....	156	S896XK.....	197
S8489.....	178	S85715XJ.....	117	S8601XJSL.....	144	S8675SL.....	183	S896XN.....	197
S8498.....	177	S85715XK.....	117	S8601XKSL.....	144	S867SL.....	175	S896XR.....	197
S8498SL.....	178	S85715XN.....	117	S8601XNSL.....	144	S8682.....	159	S897.....	200
S8508.....	192	S85715XR.....	117	S8601XRSL.....	144	S8682SL.....	159	S89701.....	175
S85225SL.....	122	S85720.....	121	S8602.....	191	S8685L.....	122	S8971.....	180
S83600RXC.....	118	S85720SL.....	200	S86021.....	184	S8685LXC.....	118	S8972.....	190
S83600RXE.....	118	S85720XC.....	117	S86021XC.....	179	S8685LXE.....	118	S898.....	162
S83600RXJ.....	118	S85720XCSSL.....	200	S86021XE.....	179	S8685LXJ.....	118	S898SL.....	162
S83600RXK.....	118	S85720XE.....	117	S86021XJ.....	179	S8685LXK.....	118	S90.....	163
S83600RXN.....	118	S85720XESL.....	200	S86021XK.....	179	S8685LXN.....	118	S902.....	156
S83600RXR.....	118	S85720XJ.....	117	S86021XN.....	179	S8685LXR.....	118	S902SL.....	156
S85225XCSSL.....	119	S85720XJSL.....	200	S86021XR.....	179	S8685R.....	122	S90SL.....	124
S85225XESL.....	119	S85720XK.....	117	S86022XC.....	178	S8685RXC.....	118	S90XC.....	159
S85225XJSL.....	119	S85720XKSL.....	200	S86022XE.....	178	S8685RXE.....	118	S90XE.....	159
S85225XKSL.....	119	S85720XN.....	117	S86022XJ.....	178	S8685RXJ.....	118	S90XJ.....	159
S85225XNSL.....	119	S85720XNSL.....	200	S86022XK.....	178	S8685RXK.....	118	S90XK.....	159
S85225XRSL.....	119	S85720XR.....	117	S86022XN.....	178	S8685RXN.....	118	S90XN.....	159
S85226SL.....	121	S85720XRSL.....	200	S86022XR.....	178	S8685RXR.....	118	S90XR.....	159
S85226XCSSL.....	117	S83601R.....	199	S86025.....	169	S8691.....	121	S91.....	152
S85226XESL.....	117	S85701.....	199	S86026.....	174	S8691XC.....	117	S912.....	155
S85226XJSL.....	117	S85721.....	199	S86027.....	168	S8691XE.....	117	S916.....	132
S85226XKSL.....	117	S85725.....	121	S86029.....	171	S8691XJ.....	117	S916SL.....	132
S85226XNSL.....	117	S85725XC.....	117	S8602SL.....	134	S8691XK.....	117	S91SL.....	152
S85226XRSL.....	117	S85725XE.....	117	S86030.....	172	S8691XN.....	117	S92.....	162
S85227SL.....	122	S85725XJ.....	117	S86031.....	169	S8691XR.....	117	S9200.....	126
S85227XCSSL.....	118	S85725XK.....	117	S86032.....	167	S86975.....	192	S9200XC.....	125
S85227XESL.....	118	S85725XN.....	117	S86035.....	180	S8704.....	195	S9200XE.....	125
S85227XJSL.....	118	S85725XR.....	117	S86036.....	175	S8707.....	194	S9200XJ.....	125
S85227XKSL.....	118	S8572SL.....	137	S8604.....	191	S8708.....	195	S9200XN.....	125
S85227XNSL.....	118	S8573SL.....	137	S8605.....	193	S8721.....	194	S9200XR.....	125
S85227XRSL.....	118	S8574.....	136	S8605SL.....	149	S8735.....	195	S925.....	190
S85228SL.....	122	S8575.....	173	S8605XC.....	192	S8736.....	194	S92SL.....	124
S85228XCSSL.....	118	S8579.....	173	S8605XE.....	192	S8745.....	195	S92XC.....	158
S85228XESL.....	118	S8581.....	173	S8605XJ.....	192	S8752.....	195	S92XE.....	158
S85228XJSL.....	118	S8583SL.....	173	S8605XN.....	192	S880.....	163	S92XJ.....	158
S85228XKSL.....	118	S85892.....	131	S8605XR.....	192	S880SL.....	163	S92XK.....	158
S85228XNSL.....	118	S85892SL.....	131	S8606.....	193	S880XC.....	159	S92XN.....	158
S85228XRSL.....	118	S85893.....	133	S8606SL.....	149	S880XCSSL.....	159	S92XR.....	158
S85229SL.....	122	S85893SL.....	133	S8606XC.....	192	S880XE.....	159	S93.....	199
S85229XCSSL.....	118	S85895.....	137	S8606XE.....	192	S880XESL.....	159	S9320.....	190
S85229XESL.....	118	S85895SL.....	137	S8606XJ.....	192	S880XJ.....	159	S93203.....	190
S85229XJSL.....	118	S85896.....	136	S8606XN.....	192	S880XJSL.....	159	S93203XC.....	189
S85229XKSL.....	118	S85896SL.....	136	S8606XR.....	192	S880XK.....	159	S93203XE.....	189
S85229XNSL.....	118	S85897.....	170	S8607.....	193	S880XKSL.....	159	S93203XJ.....	189
S85229XRSL.....	118	S85898.....	153	S8607A.....	171	S880XN.....	159	S93203XK.....	189
S85230SL.....	200	S85898SL.....	153	S8607SL.....	149	S880XNSL.....	159	S93203XN.....	189
S8529.....	155	S85901.....	154	S8607XC.....	193	S880XR.....	159	S93203XR.....	189
S8545SL.....	155	S85902.....	155	S8607XE.....	193	S880XRSL.....	159	S9320XC.....	190
S85700.....	121	S85902SL.....	155	S8607XJ.....	193	S881.....	162	S9320XE.....	190
S85700SL.....	200	S85905.....	167	S8607XN.....	193	S881SL.....	162	S9320XJ.....	190
S85700XC.....	117	S85907.....	168	S8607XR.....	193	S881XC.....	158	S9320XK.....	190
S85700XCSSL.....	200	S85908.....	171	S8608.....	193	S881XCSSL.....	159	S9320XN.....	190
S85700XE.....	117	S85909.....	172	S8608XC.....	193	S881XE.....	158	S9320XR.....	190
S85700XESL.....	200	S85910SL.....	184	S8608XE.....	193	S881XESL.....	159	S9342.....	189
S85700XJ.....	117	S85910XCSSL.....	179	S8608XJ.....	193	S881XJ.....	158	S9343.....	187
S85700XJSL.....	200	S85910XESL.....	179	S8608XN.....	193	S881XJSL.....	159	S9347.....	188
S85700XK.....	117	S85910XJSL.....	179	S8608XR.....	193	S881XK.....	158	S9349.....	188
S85700XKSL.....	200	S85910XKSL.....	179	S8609.....	191	S881XKSL.....	159	S9352.....	187
S85700XN.....	117	S85910XNSL.....	179	S86107.....	170	S881XN.....	158	S9353.....	187
S85700XNSL.....	200	S85910XRSL.....	179	S86200.....	126	S881XNSL.....	159	S9354.....	188
S85700XR.....	117	S85912SL.....	167	S86200SL.....	126	S881XR.....	158	S9355.....	188
S85700XRSL.....	200	S85914SL.....	168	S86200XC.....	125	S881XRSL.....	159	S95.....	152
S85705.....	121	S85915SL.....	169	S86200XCSSL.....	125	S882.....	162	S960.....	200
S85705XC.....	117	S85916SL.....	170	S86200XE.....	125	S887.....	152	S97.....	155
S85705XE.....	117	S85917SL.....	171	S86200XESL.....	125	S887SL.....	152	S971.....	180
S85705XJ.....	117	S85918SL.....	170	S86200XJ.....	125	S888.....	152	S972.....	167
S85705XK.....	117	S85920SL.....	174	S86200XJSL.....	125	S888SL.....	152	S973.....	170
S85705XN.....	117	S85922SL.....	172	S86200XN.....	125	S891.....	153	S975.....	151
S85705XR.....	117	S85924SL.....	149	S86200XNSL.....	125	S891SL.....	153	S975SL.....	151
S8571.....	137	S85925SL.....	149	S86200XR.....	125	S892.....	154	S977.....	152
S85710.....	121	S85926SL.....	149	S86200XRSL.....	125	S89200.....	126	S979.....	151
S85710SL.....	200	S85927SL.....	131	S86201SL.....	127	S89200XC.....	125	S981.....	152
S85710XC.....	117	S85928SL.....	145	S86240.....	127	S89200XE.....	125	S982.....	153
S85710XCSSL.....	200	S85930SL.....	137	S86240SL.....	127	S89200XJ.....	125	S983.....	154
S85710XE.....	117	S85931SL.....	133	S86500.....	139	S89200XN.....	125	S992.....	166
S85710XESL.....	200	S85932SL.....	135	S86500SL.....	139	S89200XR.....	125	S997.....	164
S85710XJ.....	117	S85934SL.....	136	S86520.....	192	S892SL.....	154	S999.....	165
S85710XJSL.....	200	S8600.....	200	S86533.....	189	S893.....	170	SART.....	201
S85710XK.....	117	S8600XC.....	193	S86536.....	176	S894.....	151		
S85710XKSL.....	200	S8600XE.....	193	S86550.....	139	S894SL.....	151		
S85710XN.....	117	S8600XJ.....	193	S86550SL.....	139	S895.....	153		
S85710XNSL.....	200	S8600XN.....	193	S86560.....	175	S895SL.....	153		
S85710XR.....	117	S8600XR.....	193	S86560SL.....	176	S896.....	197		
S85710XRSL.....	200	S8601.....	193	S86565.....	175	S896XC.....	197		

# Steel

100.....	225	104XE.....	220	19730T.....	231	371SLHD.....	218	6186SL.....	227	8321XJ.....	227
104.....	221	104XJ.....	220	19740T.....	231	374HD.....	218	6186XCSL.....	214	8321XK.....	227
105.....	221	104XK.....	220	19750T.....	231	391HD.....	217	6186XCSL.....	226	8321XN.....	227
108.....	215	104XN.....	220	198SL.....	215	391SLHD.....	217	6186XESL.....	214	8321XR.....	227
118.....	215	104XR.....	220	198SL.....	227	395HD.....	220	6186XESL.....	226	835HD.....	220
128.....	215	1089SLHD.....	217	203HD.....	225	395SLHD.....	220	6186XJSL.....	214	86184SL.....	227
130.....	215	108XC.....	214	205HD.....	225	396HD.....	222	6186XJSL.....	226	86185SL.....	227
131.....	221	108XE.....	214	206HD.....	221	397HD.....	220	6186XNSL.....	214	86186SL.....	227
137.....	221	108XJ.....	214	206HDXC.....	220	416SL.....	214	6186XNSL.....	226	896XC.....	229
139.....	213	108XK.....	214	206HDXE.....	220	426HD.....	219	6186XRSL.....	214	896XE.....	229
198.....	215	108XN.....	214	206HDXJ.....	220	430HD.....	222	6186XRSL.....	226	896XJ.....	229
310.....	213	108XR.....	214	206HDXK.....	220	430SLHD.....	219	620SL.....	213	896XK.....	229
369.....	213	1101HD.....	221	206HDXN.....	220	454HD.....	224	623HD.....	219	896XN.....	229
571.....	213	1101XCHD.....	220	206HDXR.....	220	4572SLHD.....	217	625HD.....	222	896XR.....	229
610.....	213	1101XEHD.....	220	2109HD.....	217	469HD.....	217	625SLHD.....	219	916SL.....	213
620.....	213	1101XJHD.....	220	210HD.....	225	469SLHD.....	217	626SL.....	214	956SLHD.....	216
626.....	214	1101XKHD.....	220	210SLHD.....	221	508HD.....	223	627HD.....	219	959HD.....	217
800.....	230	1101XNHD.....	220	210SLHDXC.....	220	5425SL.....	217	628HD.....	222	959HDXC.....	217
808.....	226	1101XRHD.....	220	210SLHDXE.....	220	544HD.....	216	628SLHD.....	219	959HDXC.....	217
810.....	230	1102HD.....	221	210SLHDXJ.....	220	546SLHD.....	216	630HD.....	218	959HDXE.....	217
818.....	227	1111HD.....	219	210SLHDXK.....	220	576HD.....	219	631HD.....	219	959HDXESL.....	217
828.....	226	1112HD.....	219	210SLHDXN.....	220	578HD.....	219	632SL.....	215	959HDXJ.....	217
829.....	226	1113HD.....	219	210SLHDXR.....	220	582HD.....	219	632SL.....	227	959HDXJSL.....	217
896.....	230	1114HD.....	218	2110HD.....	217	584SLHD.....	219	632XC.....	214	959HDXK.....	217
916.....	213	1115HD.....	218	2111HD.....	217	588HD.....	222	632XC.....	226	959HDXKSL.....	217
1006.....	213	1116HD.....	218	211HD.....	218	601HD.....	224	632XESL.....	214	959HDXX.....	217
1028.....	214	1117HD.....	218	236HD.....	225	601XCHD.....	224	632XESL.....	226	959HDXNSL.....	217
1029.....	213	1118HD.....	219	237HD.....	225	601XEHD.....	224	632XJSL.....	214	959HDXR.....	217
1200.....	215	1120HD.....	219	2382HD.....	214	601XJHD.....	224	632XJSL.....	226	959HDXRSL.....	217
1201.....	215	1121HD.....	221	2382SL.....	214	601XNHD.....	224	632XKSL.....	214	959SLHD.....	217
1202.....	215	1123HD.....	221	2385HD.....	214	601XRHD.....	224	632XKSL.....	226	961HD.....	217
1203.....	215	1123HDXC.....	220	2385SL.....	214	602HD.....	223	632XNSL.....	214	961HDXC.....	217
5425.....	217	1123HDXE.....	220	2389HD.....	214	604HD.....	223	632XNSL.....	226	961HDXE.....	217
8132.....	228	1123HDXJ.....	220	2389SL.....	214	605HD.....	224	632XRSL.....	214	961HDXJ.....	217
8145.....	228	1123HDXK.....	220	243HD.....	221	605HDXC.....	223	632XRSL.....	226	961HDXK.....	217
8206.....	228	1123HDXN.....	220	255HD.....	225	605HDXE.....	223	6500HD.....	214	961HDXN.....	217
8317.....	229	1123HDXR.....	220	256HD.....	225	605HDXJ.....	223	6500SL.....	214	961HDXR.....	217
8321.....	228	115HD.....	221	262HD.....	221	605HDXN.....	223	6520HD.....	223	965HD.....	216
8322.....	228	118XC.....	215	262HDXC.....	220	605HDXR.....	223	6560HD.....	220	965SLHD.....	216
8323.....	228	118XE.....	215	262HDXE.....	220	606HD.....	224	6565HD.....	220	966SLHD.....	216
8324.....	228	118XJ.....	215	262HDXJ.....	220	606HDXC.....	223	6565SLHD.....	220	967HD.....	216
8704.....	229	118XK.....	215	262HDXK.....	220	606HDXE.....	223	6568HD.....	220	967SLHD.....	216
8708.....	230	118XN.....	215	262HDXN.....	220	606HDXJ.....	223	6570HD.....	225	968HD.....	216
8752.....	229	118XR.....	215	262HDXR.....	220	606HDXN.....	223	6570SLHD.....	225	969HD.....	225
03142HD.....	216	1200SL.....	215	263HD.....	223	606HDXR.....	223	6572HD.....	222	971SLHD.....	216
1001HD.....	218	1200SL.....	226	263HDXC.....	222	607HD.....	224	6578HD.....	218	978HD.....	225
1002HD.....	218	1201SL.....	215	263HDXE.....	222	607HDXC.....	223	6580SLHD.....	216	980HD.....	221
1004HD.....	221	1201SL.....	226	263HDXJ.....	222	607HDXE.....	223	6582HD.....	216	980HDXC.....	220
1005HD.....	225	1202SL.....	215	263HDXK.....	222	607HDXJ.....	223	6720HDXC.....	217	980HDXE.....	220
1006SL.....	213	1202SL.....	226	263HDXN.....	222	607HDXN.....	223	6720HDXC.....	217	980HDXJ.....	220
1007HD.....	218	128XC.....	214	263HDXR.....	222	607HDXR.....	223	6720HDXC.....	217	980HDXK.....	220
1007SLHD.....	218	128XE.....	214	263SLHD.....	221	608HD.....	224	6720HDXC.....	217	980HDXN.....	220
1008HD.....	222	128XJ.....	214	263SLHDXC.....	220	608HDXC.....	223	6720HDXC.....	217	980HDXR.....	220
1009HD.....	216	128XK.....	214	263SLHDXE.....	220	608HDXE.....	223	6720HDXC.....	217	982HD.....	221
1009SLHD.....	216	128XN.....	214	263SLHDXJ.....	220	608HDXJ.....	223	6720SLHD.....	217	982HDXC.....	220
100SL.....	215	128XR.....	214	263SLHDXK.....	220	608HDXN.....	223	6975HD.....	223	982HDXE.....	220
100SL.....	227	130SL.....	215	263SLHDXN.....	220	608HDXR.....	223	704HD.....	224	982HDXJ.....	220
100XCSL.....	215	130SL.....	226	263SLHDXR.....	220	609HD.....	223	707HD.....	224	982HDXK.....	220
100XESL.....	215	132HD.....	220	289HD.....	223	610SL.....	213	708HD.....	224	982HDXN.....	220
100XESL.....	226	132SLHD.....	221	289HDXC.....	222	613HD.....	219	721HD.....	224	982HDXR.....	220
100XJSL.....	215	139SL.....	213	289HDXE.....	222	615HD.....	222	735HD.....	224	984HD.....	220
100XJSL.....	215	1400SLHD.....	217	289HDXJ.....	222	615SLHD.....	219	736HD.....	224	988HD.....	219
100XJSL.....	226	1403HD.....	217	289HDXK.....	222	6184SL.....	215	745HD.....	224	989HD.....	219
100XKSL.....	215	1405HD.....	221	289HDXN.....	222	6184SL.....	227	752HD.....	224	996HD.....	218
100XKSL.....	226	1405SLHD.....	221	289HDXR.....	222	6184XCSL.....	214	818SL.....	219	999HD.....	219
100XNSL.....	215	1406HD.....	221	294HD.....	222	6184XCSL.....	226	818XC.....	226	AXRT.....	231
100XNSL.....	226	1408HD.....	221	294SLHD.....	218	6184XESL.....	214	818XCSL.....	226	BSRT.....	231
100XRSL.....	215	1411HD.....	223	296HD.....	225	6184XESL.....	226	818XE.....	226	CNRT.....	231
100XRSL.....	226	1643HD.....	225	296HDXC.....	225	6184XJSL.....	214	818XESL.....	226	CX30T.....	231
1011HD.....	218	1643SLHD.....	225	296HDXE.....	225	6184XJSL.....	226	818XJ.....	226	CXRT.....	231
1020HD.....	218	1644HD.....	217	296HDXJ.....	225	6184XNSL.....	214	818XJSL.....	226	EC30T.....	231
1022HD.....	218	1644SLHD.....	217	296HDXK.....	225	6184XNSL.....	226	818XK.....	226	ECRT.....	231
1024HD.....	218	1650HD.....	223	296HDXN.....	225	6184XRSL.....	214	818XKSL.....	226	FWRT.....	231
1025HD.....	218	1651HD.....	214	296HDXR.....	225	6184XRSL.....	226	818XN.....	226	KNRT.....	231
1029SL.....	213	1651SL.....	214	296SLHD.....	225	6185SL.....	215	818XNSL.....	226	LT30T.....	231
1032HD.....	219	1657HD.....	220	296SLHDXC.....	225	6185SL.....	227	818XR.....	226	LTRT.....	231
1035HD.....	219	1657SLHD.....	220	296SLHDXE.....	225	6185XCSL.....	214	818XRSL.....	226	PBRT.....	231
1037HD.....	216	1659HD.....	220	296SLHDXJ.....	225	6185XCSL.....	226	8206XC.....	227	RSRT.....	231
1037SLHD.....	216	1660HD.....	220	296SLHDXK.....	225	6185XESL.....	214	8206XE.....	227	SART.....	231
1039HD.....	216	1662HD.....	222	296SLHDXN.....	225	6185XESL.....	226	8206XJ.....	227	TS100.....	230
1039SLHD.....	216	19020T.....	231	296SLHDXR.....	225	6185XJSL.....	214	8206XK.....	227	TS104.....	228
1040HD.....	216	19055T.....	231	309HD.....	218	6185XJSL.....	226	8206XN.....	227	TS104XC.....	227
1040SLHD.....	216	19200T.....	231	310SL.....	213	6185XNSL.....	214	8206XR.....	227	TS104XE.....	227
1041HD.....	216	19210T.....	231	311HD.....	222	6185XNSL.....	226	828SL.....	226	TS104XJ.....	227
1041SLHD.....	216	19220T.....	231	311SLHD.....	218	6185XRSL.....	214	829SL.....	226	TS104XK.....	227
1042HD.....	216	19520T.....	231	369SL.....	213	6185XRSL.....	226	8321XC.....	227	TS104XN.....	227
104XC.....	220	19720T.....	231	371HD.....	222	6186SL.....	215	8321XE.....	227	TS104XR.....	227

Steel *Continued*

TS105.....228  
 TS108.....226  
 TS108XC.....226  
 TS108XE.....226  
 TS108XJ.....226  
 TS108XK.....226  
 TS108XN.....226  
 TS108XR.....226  
 TS115.....228  
 TS118.....227  
 TS118XC.....226  
 TS118XE.....226  
 TS118XJ.....226  
 TS118XK.....226  
 TS118XN.....226  
 TS118XR.....226  
 TS1200.....226  
 TS1201.....226  
 TS1202.....226  
 TS1203.....226  
 TS128.....226  
 TS128XC.....226  
 TS128XE.....226  
 TS128XJ.....226  
 TS128XK.....226  
 TS128XN.....226  
 TS128XR.....226  
 TS130.....226  
 TS131.....228  
 TS132.....228  
 TS132SL.....228  
 TS137.....228  
 TS1405SL.....228  
 TS1408.....228  
 TS1411.....229  
 TS198.....227  
 TS206.....228  
 TS206XC.....227  
 TS206XE.....227  
 TS206XJ.....227  
 TS206XK.....227  
 TS206XN.....227  
 TS206XR.....227  
 TS210.....230  
 TS210SL.....228  
 TS210XCSSL.....227  
 TS210XESL.....227  
 TS210XJSL.....227  
 TS210XKSL.....227  
 TS210XNSL.....227  
 TS210XRSL.....227  
 TS236.....229  
 TS237.....230  
 TS243.....228  
 TS255.....229  
 TS256.....230  
 TS262.....228  
 TS262XC.....227  
 TS262XE.....227  
 TS262XJ.....227  
 TS262XK.....227  
 TS262XN.....227  
 TS262XR.....227  
 TS263.....229  
 TS263SL.....228  
 TS263XC.....229  
 TS263XCSSL.....227  
 TS263XE.....229  
 TS263XESL.....227  
 TS263XJ.....229  
 TS263XJSL.....227  
 TS263XK.....229  
 TS263XKSL.....227  
 TS263XN.....229  
 TS263XNSL.....227  
 TS263XR.....229  
 TS263XRSL.....227  
 TS289.....229  
 TS289XC.....229  
 TS289XE.....229  
 TS289XJ.....229  
 TS289XK.....229  
 TS289XN.....229  
 TS289XR.....229  
 TS296.....230  
 TS296SL.....230  
 TS296XC.....229

TS296XCSSL.....229  
 TS296XE.....229  
 TS296XESL.....229  
 TS296XJ.....229  
 TS296XJSL.....229  
 TS296XK.....229  
 TS296XKSL.....229  
 TS296XN.....229  
 TS296XNSL.....229  
 TS296XR.....229  
 TS296XRSL.....229  
 TS572SL.....213  
 TS704.....229  
 TS708.....230  
 TS752.....229

Fire

100.....235  
 1005HD.....235  
 203HD.....235  
 205HD.....235  
 210HD.....235  
 969HD.....235  
 978HD.....235  
 SSF100.....234  
 SSF1100.....234  
 SSF120.....234  
 SSF160.....234  
 SSF200.....234  
 SSF205.....234  
 SSF220.....234  
 SSF31.....234  
 SSF45.....234  
 SSF4800.....234  
 SSF600.....234  
 SSF755.....234  
 SSF8100.....234  
 SSF81100.....234  
 SSF8120.....234  
 SSF8160.....234  
 SSF8200.....234  
 SSF8205.....234  
 SSF8220.....234  
 SSF831.....234  
 SSF84800.....234  
 SSF8600.....234  
 SSF93.....234  
 SSF960.....234  
 TS210.....235  
 TS100.....235

Pulse®

DRS2131SL.....247  
 DRS82131SL.....247  
 S10AXSL.....248  
 S10CLSL.....248  
 S10PBSL.....247  
 S10XCSSL.....248  
 S10XESL.....248  
 S10XJSL.....248  
 S10XKSL.....248  
 S10XNSL.....248  
 S10XRSL.....248  
 S1651SL.....247  
 S1AX.....242  
 S1BL.....240  
 S1BS.....240  
 S1CL.....242  
 S1CX.....242  
 S1EC.....242  
 S1LAX.....242  
 S1LBL.....240  
 S1LBS.....240  
 S1LCL.....242  
 S1LCX.....242  
 S1LEC.....242  
 S1LLT.....242  
 S1LPB.....241  
 S1LRS.....241  
 S1LSA.....241  
 S1LSG.....241  
 S1LSN.....241  
 S1LT.....242  
 S1LXC.....242  
 S1LXE.....242  
 S1LXJ.....242  
 S1LXK.....242  
 S1LXN.....242  
 S1LXR.....242  
 S1PB.....241  
 S1RAX.....242  
 S1RBL.....241  
 S1RBS.....240  
 S1RCL.....242  
 S1RCX.....242  
 S1REC.....242  
 S1RLT.....242  
 S1RPB.....241  
 S1RRS.....241  
 S1RS.....241  
 S1RSA.....241  
 S1RSG.....241  
 S1RSN.....241  
 S1RXC.....242  
 S1RXE.....242  
 S1RXJ.....242  
 S1RXK.....242  
 S1RXN.....242  
 S1RXR.....242  
 S1SA.....241  
 S1SG.....241  
 S1SN.....241  
 S1XC.....242  
 S1XE.....242  
 S1XJ.....242  
 S1XK.....242  
 S1XN.....242  
 S1XR.....242  
 S2382SL.....247  
 S2385SL.....247  
 S2389SL.....247  
 S2AX.....240  
 S2CL.....240  
 S2CX.....240  
 S2EC.....240  
 S2PB.....240  
 S2RS.....240  
 S2SG.....240  
 S2SN.....240  
 S2XC.....240  
 S2XE.....240  
 S2XJ.....240  
 S2XK.....240  
 S2XN.....240  
 S2XR.....240  
 S4570SL.....247  
 S4AX.....244  
 S4AXSL.....248  
 S4CL.....245  
 S4CLSL.....248  
 S4LAX.....244  
 S4LCL.....245  
 S4LPB.....243  
 S4LXC.....245  
 S4LXE.....245  
 S4LXJ.....245  
 S4LXK.....245  
 S4LXN.....245  
 S4LXR.....245  
 S4PB.....243  
 S4PBSL.....247  
 S4RAX.....244  
 S4RCL.....245  
 S4RCPB.....243  
 S4RXC.....245  
 S4RXE.....245  
 S4RXJ.....245  
 S4RXK.....245  
 S4RXN.....245  
 S4RXR.....245  
 S4XC.....245  
 S4XCSSL.....248  
 S4XE.....245  
 S4XESL.....248  
 S4XJ.....245  
 S4XJSL.....248  
 S4XK.....245  
 S4XKSL.....248  
 S4XN.....245  
 S4XNSL.....248  
 S4XR.....245  
 S4XRSL.....248  
 S572SL.....247  
 S5AX.....244  
 S5AXSL.....248  
 S5CL.....246  
 S5CLSL.....248  
 S5LAX.....244  
 S5LCL.....245  
 S5LPB.....243  
 S5LXC.....245  
 S5LXE.....245  
 S5LXJ.....245  
 S5LXK.....245  
 S5LXN.....245  
 S5LXR.....245  
 S5PB.....243  
 S5PBSL.....247  
 S5RAX.....244  
 S5RCL.....246  
 S5RPB.....243  
 S5RXC.....246  
 S5RXE.....246  
 S5RXJ.....246  
 S5RXK.....246  
 S5RXN.....246  
 S5RXR.....246  
 S5XC.....246  
 S5XCSSL.....248  
 S5XE.....246  
 S5XESL.....248  
 S5XJ.....246  
 S5XJSL.....248  
 S5XK.....246  
 S5XKSL.....248  
 S5XN.....246  
 S5XNSL.....248  
 S5XR.....246  
 S5XRSL.....248  
 S601SL.....247  
 S601XCSSL.....247  
 S601XESL.....247  
 S601XJSL.....247  
 S601XKSL.....247  
 S601XNSL.....247  
 S601XRSL.....247  
 S602SL.....247  
 S604SL.....247  
 S6130SL.....247  
 S6134SL.....247  
 S6500SL.....247  
 S81086SL.....247  
 S81086XCSSL.....247  
 S81086XESL.....247  
 S81086XJSL.....247  
 S4CL.....245  
 S81086XKSL.....247  
 S81086XNSL.....247  
 S81086XRSL.....247  
 S810AX.....245  
 S810AXSL.....248  
 S810CL.....246  
 S810CLSL.....248  
 S810LAX.....245  
 S810LCL.....246  
 S810LPB.....244  
 S810LXC.....246  
 S810LXE.....246  
 S810LXJ.....246  
 S810LXK.....246  
 S810LXN.....246  
 S810LXR.....246  
 S810PB.....244  
 S810PBSL.....247  
 S810RAX.....245  
 S810RCL.....246  
 S810RPB.....244  
 S810RXC.....246  
 S810RXE.....246  
 S810RXJ.....246  
 S810RXK.....246  
 S810RXN.....246  
 S810RXR.....246  
 S810XC.....246  
 S810XCSSL.....248  
 S810XE.....246  
 S810XESL.....248  
 S810XJ.....246  
 S810XJSL.....248  
 S810XK.....246  
 S810XKSL.....248  
 S810XN.....246  
 S810XNSL.....248  
 S810XR.....246  
 S810XRSL.....248  
 S811AX.....245  
 S811AXSL.....248  
 S811CL.....246  
 S811CLSL.....248  
 S811LAX.....245  
 S811LCL.....246  
 S811LPB.....244  
 S811LXC.....246  
 S811LXE.....246  
 S811LXJ.....246  
 S811LXK.....246  
 S811LXN.....246  
 S811LXR.....246  
 S811PB.....244  
 S811PBSL.....247  
 S811RAX.....245  
 S811RCL.....246  
 S811RCPB.....244  
 S811RXC.....246  
 S811RXE.....246  
 S811RXJ.....246  
 S811RXK.....246  
 S811RXN.....246  
 S811RXR.....246  
 S811XC.....246  
 S811XCSSL.....248  
 S811XE.....246  
 S811XESL.....248  
 S811XJ.....246  
 S811XJSL.....248  
 S811XK.....246  
 S811XKSL.....248  
 S811XN.....246  
 S811XNSL.....248  
 S811XR.....246  
 S811XRSL.....248  
 S81651SL.....247  
 S81AX.....242  
 S81BL.....240  
 S81BS.....240  
 S81CL.....242  
 S81CX.....242  
 S81EC.....242  
 S81LAX.....242  
 S81LBL.....240  
 S81LBS.....240  
 S81LCL.....242  
 S81LCX.....242  
 S81LEC.....242

S81LLT.....	242	S84XK.....	245	S8LPB.....	243
S81LPB.....	241	S84XKSL.....	248	S8LXC.....	246
S81LRS.....	241	S84XN.....	245	S8LXE.....	246
S81LSA.....	241	S84XNSL.....	248	S8LXJ.....	246
S81LSG.....	241	S84XR.....	245	S8LXK.....	246
S81LT.....	242	S84XRSL.....	248	S8LXN.....	246
S81LXC.....	242	S8572SL.....	247	S8LXR.....	246
S81LXE.....	242	S85927SL.....	247	S8PB.....	243
S81LXJ.....	242	S85931SL.....	247	S8RAX.....	245
S81LXK.....	242	S85932SL.....	247	S8RCL.....	246
S81LXN.....	242	S85AX.....	244	S8RPB.....	243
S81LXR.....	242	S85AXSL.....	248	S8RXC.....	246
S81PB.....	241	S85CL.....	246	S8RXE.....	246
S81RAX.....	242	S85CLSL.....	248	S8RXJ.....	246
S81RBL.....	241	S85LAX.....	244	S8RXK.....	246
S81RBS.....	240	S85LCL.....	245	S8RXN.....	246
S81RCL.....	242	S85LPB.....	243	S8RXR.....	246
S81RCX.....	242	S85LXC.....	245	S8XC.....	246
S81REC.....	242	S85LXE.....	245	S8XE.....	246
S81RLT.....	242	S85LXJ.....	245	S8XJ.....	246
S81RPB.....	241	S85LXK.....	245	S8XK.....	246
S81RRS.....	241	S85LXN.....	245	S8XN.....	246
S81RS.....	241	S85LXR.....	245	S8XR.....	246
S81RSA.....	241	S85RAX.....	244	S9AX.....	245
S81RSG.....	241	S85PB.....	243	S9AXSL.....	248
S81RXC.....	242	S85PBSL.....	247	S9CL.....	246
S81RXE.....	242	S85RAX.....	244	S9CLSL.....	248
S81RXJ.....	242	S85RCL.....	246	S9LAX.....	245
S81RXK.....	242	S85RPB.....	243	S9LCL.....	246
S81RXN.....	242	S85RXC.....	246	S9LXC.....	246
S81RXR.....	242	S85RXE.....	246	S9LPB.....	243
S81SA.....	241	S85RXJ.....	246	S9LXK.....	246
S81SG.....	241	S85RXK.....	246	S9LXE.....	246
S81XC.....	242	S85RXN.....	246	S9LXJ.....	246
S81XE.....	242	S85RXL.....	246	S9LXK.....	246
S81XJ.....	242	S85XC.....	246	S9LXN.....	246
S81XK.....	242	S85XCSSL.....	248	S9LXR.....	246
S81XN.....	242	S85XE.....	246	S9PB.....	243
S81XR.....	242	S85XESL.....	248	S9PBSL.....	247
S82382SL.....	247	S85XJ.....	246	S9RAX.....	245
S82385SL.....	247	S85XJSL.....	248	S9RCL.....	246
S82389SL.....	247	S85XK.....	246	S9RCPB.....	243
S83AX.....	240	S85XKSL.....	248	S9RXC.....	246
S83CL.....	240	S85XN.....	246	S9RXE.....	246
S83CX.....	240	S85XNSL.....	248	S9RXJ.....	246
S83EC.....	240	S85XR.....	246	S9RXK.....	246
S83PB.....	240	S85XRSL.....	248	S9RXN.....	246
S83RS.....	240	S86500SL.....	247	S9RXL.....	246
S83SG.....	240	S86AX.....	244	S9XC.....	246
S83SN.....	240	S86AXSL.....	248	S9XCSSL.....	248
S83XC.....	240	S86CL.....	246	S9XE.....	246
S83XE.....	240	S86CLSL.....	248	S9XESL.....	248
S83XJ.....	240	S86LAX.....	244	S9XJ.....	246
S83XK.....	240	S86LCL.....	246	S9XJSL.....	248
S83XN.....	240	S86LPB.....	243	S9XK.....	246
S83XR.....	240	S86LXC.....	246	S9XKSL.....	248
S84586SL.....	247	S86LXE.....	246	S9XN.....	246
S84AX.....	244	S86LXJ.....	246	S9XNSL.....	248
S84AXSL.....	248	S86LXK.....	246	S9XR.....	246
S84CL.....	245	S86LXN.....	246	S9XRSL.....	248
S84CLSL.....	248	S86LXR.....	246		
S84LAX.....	244	S86PB.....	243		
S84LCL.....	245	S86PBSL.....	247		
S84LPB.....	243	S86RAX.....	244		
S84LXC.....	245	S86RCL.....	246		
S84LXE.....	245	S86RPB.....	243		
S84LXJ.....	245	S86RXC.....	246		
S84LXK.....	245	S86RXE.....	246		
S84LXN.....	245	S86RXJ.....	246		
S84LXR.....	245	S86RXK.....	246		
S84PB.....	243	S86RXN.....	246		
S84PBSL.....	247	S86RXR.....	246		
S84RAX.....	244	S86XC.....	246		
S84RCL.....	245	S86XCSSL.....	248		
S84RPB.....	243	S86XE.....	246		
S84RXC.....	245	S86XESL.....	248		
S84RXE.....	245	S86XJ.....	246		
S84RXJ.....	245	S86XJSL.....	248		
S84RXK.....	245	S86XK.....	246		
S84RXN.....	245	S86XKSL.....	248		
S84RXR.....	245	S86XN.....	246		
S84XC.....	245	S86XNSL.....	248		
S84XCSSL.....	248	S86XR.....	246		
S84XE.....	245	S86XRSL.....	248		
S84XESL.....	248	S8AX.....	245		
S84XJ.....	245	S8CL.....	246		
S84XJSL.....	248	S8LAX.....	245		
		S8LCL.....	246		



Top: Fiber-Classic Mahogany Collection, Calix Glass, Door – FCM82223, Finish – Acorn  
 Bottom: Impressions Storm & Entry Door System – IM8100, Finish – White; Fiber-Classic Mahogany Collection, Chord Glass, Door – FCM84810XC, Finish – Tumbleweed



# Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

## Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at [thermatru.com/inspiration](http://thermatru.com/inspiration).



## Advancement Center

Learn about Therma-Tru products and programs on our new online training platform at [brainshark.com/thermatru](http://brainshark.com/thermatru).



## Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru — the expert in fiberglass door systems — and OSI® — the expert in construction sealants. Get started today at [thermatru.com/installer](http://thermatru.com/installer).


## Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at [thermatru.widencollective.com/login](http://thermatru.widencollective.com/login).




## Trade Professionals Online

Find everything from selling tools and training materials to technical information at [thermatru.com/professionals](http://thermatru.com/professionals).



## Design Your Door

Homeowners can research and design a door with their own personal touch — all from the convenience of home. To get started, visit [thermatru.com/design-your-door](http://thermatru.com/design-your-door).





DOORS • DECORATIVE & SPECIALTY GLASS • FINISHING • SYSTEM COMPONENTS

# THERMA-TRU® DOORS

[thermatru.com](http://thermatru.com)

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle  
Maumee, OH 43537



#thermatru

Cover / Back Cover: Smooth-Star, Clear Glass with SDLs,  
Door - S4200, Sidelites - S2000SL, Finish - Elk

©2025 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company, LLC are part of Fortune Brands Innovations, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. O24-67072  
Part #MAFL2025 HESB / JAN 2025